



Full wwPDB X-ray Structure Validation Report ⓘ

Sep 7, 2023 – 04:54 pm BST

PDB ID : 8BUC
Title : Structure of DDB1 bound to dCeMM3-engaged CDK12-cyclin K
Authors : Kozicka, Z.; Kempf, G.; Focht, V.; Thoma, N.H.
Deposited on : 2022-11-30
Resolution : 3.85 Å(reported)

This is a Full wwPDB X-ray Structure Validation Report for a publicly released PDB entry.

We welcome your comments at validation@mail.wwpdb.org

A user guide is available at

<https://www.wwpdb.org/validation/2017/XrayValidationReportHelp>

with specific help available everywhere you see the ⓘ symbol.

The types of validation reports are described at

<http://www.wwpdb.org/validation/2017/FAQs#types>.

The following versions of software and data (see [references ⓘ](#)) were used in the production of this report:

MolProbity : 4.02b-467
Mogul : 1.8.4, CSD as541be (2020)
Xtriage (Phenix) : 1.13
EDS : 2.35
buster-report : 1.1.7 (2018)
Percentile statistics : 20191225.v01 (using entries in the PDB archive December 25th 2019)
Refmac : 5.8.0158
CCP4 : 7.0.044 (Gargrove)
Ideal geometry (proteins) : Engh & Huber (2001)
Ideal geometry (DNA, RNA) : Parkinson et al. (1996)
Validation Pipeline (wwPDB-VP) : 2.35


1 Overall quality at a glance i

The following experimental techniques were used to determine the structure:

X-RAY DIFFRACTION

The reported resolution of this entry is 3.85 Å.

Percentile scores (ranging between 0-100) for global validation metrics of the entry are shown in the following graphic. The table shows the number of entries on which the scores are based.







Metric	Whole archive (#Entries)	Similar resolution (#Entries, resolution range(Å))
R_{free}	130704	1048 (4.10-3.62)
Clashscore	141614	1015 (4.08-3.64)
Ramachandran outliers	138981	1069 (4.10-3.62)
Sidechain outliers	138945	1062 (4.10-3.62)
RSRZ outliers	127900	1206 (4.12-3.60)

The table below summarises the geometric issues observed across the polymeric chains and their fit to the electron density. The red, orange, yellow and green segments of the lower bar indicate the fraction of residues that contain outliers for ≥ 3 , 2, 1 and 0 types of geometric quality criteria respectively. A grey segment represents the fraction of residues that are not modelled. The numeric value for each fraction is indicated below the corresponding segment, with a dot representing fractions $\leq 5\%$. The upper red bar (where present) indicates the fraction of residues that have poor fit to the electron density. The numeric value is given above the bar.

Mol	Chain	Length	Quality of chain
1	A	840	
1	D	840	
1	G	840	
2	B	344	
2	E	344	

Continued on next page...

Continued from previous page...

Mol	Chain	Length	Quality of chain
2	H	344	 <p>81% 14% 8%</p>
3	C	271	 <p>87% 5% 3%</p>
3	F	271	 <p>89% 8% 2%</p>
3	I	271	 <p>89% 8% 2%</p>

2 Entry composition [i](#)

There are 6 unique types of molecules in this entry. The entry contains 67386 atoms, of which 33591 are hydrogens and 0 are deuteriums.

In the tables below, the ZeroOcc column contains the number of atoms modelled with zero occupancy, the AltConf column contains the number of residues with at least one atom in alternate conformation and the Trace column contains the number of residues modelled with at most 2 atoms.

- Molecule 1 is a protein called DNA damage-binding protein 1.

Mol	Chain	Residues	Atoms						ZeroOcc	AltConf	Trace
			Total	C	H	N	O	S			
1	A	826	12936	4105	6449	1094	1252	36	6449	0	0
1	D	827	12957	4111	6462	1095	1253	36	6462	0	0
1	G	826	12938	4106	6452	1093	1251	36	6452	0	0

There are 39 discrepancies between the modelled and reference sequences:

Chain	Residue	Modelled	Actual	Comment	Reference
A	-3	GLY	-	expression tag	UNP Q16531
A	-2	GLY	-	expression tag	UNP Q16531
A	-1	GLY	-	expression tag	UNP Q16531
A	0	ARG	-	expression tag	UNP Q16531
A	700	GLY	-	linker	UNP Q16531
A	701	ASN	-	linker	UNP Q16531
A	702	GLY	-	linker	UNP Q16531
A	703	ASN	-	linker	UNP Q16531
A	704	SER	-	linker	UNP Q16531
A	705	GLY	-	linker	UNP Q16531
A	706	GLU	-	linker	UNP Q16531
A	707	ILE	-	linker	UNP Q16531
A	708	GLN	-	linker	UNP Q16531
D	-3	GLY	-	expression tag	UNP Q16531
D	-2	GLY	-	expression tag	UNP Q16531
D	-1	GLY	-	expression tag	UNP Q16531
D	0	ARG	-	expression tag	UNP Q16531
D	700	GLY	-	linker	UNP Q16531
D	701	ASN	-	linker	UNP Q16531
D	702	GLY	-	linker	UNP Q16531
D	703	ASN	-	linker	UNP Q16531
D	704	SER	-	linker	UNP Q16531
D	705	GLY	-	linker	UNP Q16531

Continued on next page...

Continued from previous page...

Chain	Residue	Modelled	Actual	Comment	Reference
D	706	GLU	-	linker	UNP Q16531
D	707	ILE	-	linker	UNP Q16531
D	708	GLN	-	linker	UNP Q16531
G	-3	GLY	-	expression tag	UNP Q16531
G	-2	GLY	-	expression tag	UNP Q16531
G	-1	GLY	-	expression tag	UNP Q16531
G	0	ARG	-	expression tag	UNP Q16531
G	700	GLY	-	linker	UNP Q16531
G	701	ASN	-	linker	UNP Q16531
G	702	GLY	-	linker	UNP Q16531
G	703	ASN	-	linker	UNP Q16531
G	704	SER	-	linker	UNP Q16531
G	705	GLY	-	linker	UNP Q16531
G	706	GLU	-	linker	UNP Q16531
G	707	ILE	-	linker	UNP Q16531
G	708	GLN	-	linker	UNP Q16531

- Molecule 2 is a protein called Cyclin-dependent kinase 12.

Mol	Chain	Residues	Atoms							ZeroOcc	AltConf	Trace
			Total	C	H	N	O	P	S			
2	B	327	5341	1706	2676	451	490	1	17	2676	0	0
2	E	325	5309	1695	2663	447	486	1	17	2663	0	0
2	H	330	5395	1726	2702	455	494	1	17	2702	0	0

There are 15 discrepancies between the modelled and reference sequences:

Chain	Residue	Modelled	Actual	Comment	Reference
B	709	GLY	-	expression tag	UNP Q9NYV4
B	710	GLY	-	expression tag	UNP Q9NYV4
B	711	GLY	-	expression tag	UNP Q9NYV4
B	965	ARG	LYS	engineered mutation	UNP Q9NYV4
B	1052	GLN	-	expression tag	UNP Q9NYV4
E	709	GLY	-	expression tag	UNP Q9NYV4
E	710	GLY	-	expression tag	UNP Q9NYV4
E	711	GLY	-	expression tag	UNP Q9NYV4
E	965	ARG	LYS	engineered mutation	UNP Q9NYV4
E	1052	GLN	-	expression tag	UNP Q9NYV4
H	709	GLY	-	expression tag	UNP Q9NYV4
H	710	GLY	-	expression tag	UNP Q9NYV4

Continued on next page...

Continued from previous page...

Chain	Residue	Modelled	Actual	Comment	Reference
H	711	GLY	-	expression tag	UNP Q9NYV4
H	965	ARG	LYS	engineered mutation	UNP Q9NYV4
H	1052	GLN	-	expression tag	UNP Q9NYV4

- Molecule 3 is a protein called Cyclin-K.

Mol	Chain	Residues	Atoms					ZeroOcc	AltConf	Trace	
3	C	248	Total	C	H	N	O	S	2048	0	0
			4111	1341	2048	346	363	13			
3	F	248	Total	C	H	N	O	S	2048	0	0
			4111	1341	2048	346	363	13			
3	I	248	Total	C	H	N	O	S	2048	0	0
			4111	1341	2048	346	363	13			

There are 12 discrepancies between the modelled and reference sequences:


Chain	Residue	Modelled	Actual	Comment	Reference
C	-3	GLY	-	expression tag	UNP O75909
C	-2	GLY	-	expression tag	UNP O75909
C	-1	GLY	-	expression tag	UNP O75909
C	0	ARG	-	expression tag	UNP O75909
F	-3	GLY	-	expression tag	UNP O75909
F	-2	GLY	-	expression tag	UNP O75909
F	-1	GLY	-	expression tag	UNP O75909
F	0	ARG	-	expression tag	UNP O75909
I	-3	GLY	-	expression tag	UNP O75909
I	-2	GLY	-	expression tag	UNP O75909
I	-1	GLY	-	expression tag	UNP O75909
I	0	ARG	-	expression tag	UNP O75909

- Molecule 4 is SULFATE ION (three-letter code: SO4) (formula: O₄S).




Mol	Chain	Residues	Atoms	ZeroOcc	AltConf
4	A	1	Total O S 5 4 1	0	0
4	A	1	Total O S 5 4 1	0	0
4	A	1	Total O S 5 4 1	0	0
4	C	1	Total O S 5 4 1	0	0
4	D	1	Total O S 5 4 1	0	0
4	G	1	Total O S 5 4 1	0	0
4	G	1	Total O S 5 4 1	0	0
4	G	1	Total O S 5 4 1	0	0
4	I	1	Total O S 5 4 1	0	0

- Molecule 5 is 2-(1 {H}-benzimidazol-2-ylsulfanyl)- {N}-(5-chloranylpyridin-2-yl)ethanamide (three-letter code: RKO) (formula: C₁₄H₁₁ClN₄OS) (labeled as "Ligand of Interest" by depositor).



Mol	Chain	Residues	Atoms						ZeroOcc	AltConf		
			Total	C	Cl	H	N	O			S	
5	B	1	Total	32	14	1	11	4	1	1	11	0
5	E	1	Total	32	14	1	11	4	1	1	11	0
5	H	1	Total	32	14	1	11	4	1	1	11	0

- Molecule 6 is CITRIC ACID (three-letter code: CIT) (formula: C₆H₈O₇).



Mol	Chain	Residues	Atoms			ZeroOcc	AltConf		
			Total	C	H			O	
6	D	1	Total	18	6	5	7	5	0

Continued on next page...


Continued from previous page...

Mol	Chain	Residues	Atoms				ZeroOcc	AltConf
			Total	C	H	O		
6	F	1	18	6	5	7	5	0


3 Residue-property plots [i](#)


These plots are drawn for all protein, RNA, DNA and oligosaccharide chains in the entry. The first graphic for a chain summarises the proportions of the various outlier classes displayed in the second graphic. The second graphic shows the sequence view annotated by issues in geometry and electron density. Residues are color-coded according to the number of geometric quality criteria for which they contain at least one outlier: green = 0, yellow = 1, orange = 2 and red = 3 or more. A red dot above a residue indicates a poor fit to the electron density ($RSRZ > 2$). Stretches of 2 or more consecutive residues without any outlier are shown as a green connector. Residues present in the sample, but not in the model, are shown in grey.

- Molecule 1: DNA damage-binding protein 1




- Molecule 1: DNA damage-binding protein 1







- Molecule 1: DNA damage-binding protein 1




- Molecule 2: Cyclin-dependent kinase 12





- Molecule 2: Cyclin-dependent kinase 12









● Molecule 2: Cyclin-dependent kinase 12





● Molecule 3: Cyclin-K



● Molecule 3: Cyclin-K



● Molecule 3: Cyclin-K



4 Data and refinement statistics

Property	Value	Source
Space group	P 31 2 1	Depositor
Cell constants a, b, c, α , β , γ	249.77Å 249.77Å 218.03Å 90.00° 90.00° 120.00°	Depositor
Resolution (Å)	76.78 – 3.85 216.31 – 3.85	Depositor EDS
% Data completeness (in resolution range)	93.4 (76.78-3.85) 93.5 (216.31-3.85)	Depositor EDS
R_{merge}	(Not available)	Depositor
R_{sym}	(Not available)	Depositor
$\langle I/\sigma(I) \rangle$ ¹	1.53 (at 3.89Å)	Xtrriage
Refinement program	PHENIX 1.20.1_4487	Depositor
R, R_{free}	0.181 , 0.224 0.195 , 0.232	Depositor DCC
R_{free} test set	3442 reflections (4.95%)	wwPDB-VP
Wilson B-factor (Å ²)	130.4	Xtrriage
Anisotropy	0.021	Xtrriage
Bulk solvent k_{sol} (e/Å ³), B_{sol} (Å ²)	0.32 , 108.9	EDS
L-test for twinning ²	$\langle L \rangle = 0.41$, $\langle L^2 \rangle = 0.23$	Xtrriage
Estimated twinning fraction	0.077 for -h,-k,l	Xtrriage
F_o, F_c correlation	0.90	EDS
Total number of atoms	67386	wwPDB-VP
Average B, all atoms (Å ²)	161.0	wwPDB-VP

Xtrriage's analysis on translational NCS is as follows: *The largest off-origin peak in the Patterson function is 1.54% of the height of the origin peak. No significant pseudotranslation is detected.*

¹Intensities estimated from amplitudes.

²Theoretical values of $\langle |L| \rangle$, $\langle L^2 \rangle$ for acentric reflections are 0.5, 0.333 respectively for untwinned datasets, and 0.375, 0.2 for perfectly twinned datasets.

5 Model quality [i](#)

5.1 Standard geometry [i](#)

Bond lengths and bond angles in the following residue types are not validated in this section: CIT, SO4, RKO, TPO

The Z score for a bond length (or angle) is the number of standard deviations the observed value is removed from the expected value. A bond length (or angle) with $|Z| > 5$ is considered an outlier worth inspection. RMSZ is the root-mean-square of all Z scores of the bond lengths (or angles).

Mol	Chain	Bond lengths		Bond angles	
		RMSZ	# Z >5	RMSZ	# Z >5
1	A	0.31	0/6604	0.59	0/8931
1	D	0.31	0/6612	0.59	0/8942
1	G	0.31	0/6603	0.59	0/8930
2	B	0.31	0/2713	0.56	0/3657
2	E	0.31	0/2693	0.58	0/3630
2	H	0.31	0/2743	0.52	0/3699
3	C	0.31	0/2120	0.52	0/2868
3	F	0.32	0/2120	0.55	0/2868
3	I	0.31	0/2120	0.54	0/2868
All	All	0.31	0/34328	0.57	0/46393

There are no bond length outliers.

There are no bond angle outliers.

There are no chirality outliers.

There are no planarity outliers.

5.2 Too-close contacts [i](#)

In the following table, the Non-H and H(model) columns list the number of non-hydrogen atoms and hydrogen atoms in the chain respectively. The H(added) column lists the number of hydrogen atoms added and optimized by MolProbity. The Clashes column lists the number of clashes within the asymmetric unit, whereas Symm-Clashes lists symmetry-related clashes.

Mol	Chain	Non-H	H(model)	H(added)	Clashes	Symm-Clashes
1	A	6487	6449	6451	48	0
1	D	6495	6462	6464	37	0
1	G	6486	6452	6454	62	0
2	B	2665	2676	2676	34	0

Continued on next page...

Continued from previous page...

Mol	Chain	Non-H	H(model)	H(added)	Clashes	Symm-Clashes
2	E	2646	2663	2663	30	0
2	H	2693	2702	2702	34	0
3	C	2063	2048	2048	7	0
3	F	2063	2048	2048	6	0
3	I	2063	2048	2048	5	0
4	A	15	0	0	0	0
4	C	5	0	0	0	0
4	D	5	0	0	0	0
4	G	15	0	0	0	0
4	I	5	0	0	0	0
5	B	21	11	0	2	0
5	E	21	11	0	0	0
5	H	21	11	0	0	0
6	D	13	5	5	0	0
6	F	13	5	5	0	0
All	All	33795	33591	33564	250	0

The all-atom clashscore is defined as the number of clashes found per 1000 atoms (including hydrogen atoms). The all-atom clashscore for this structure is 4.

All (250) close contacts within the same asymmetric unit are listed below, sorted by their clash magnitude.

Atom-1	Atom-2	Interatomic distance (Å)	Clash overlap (Å)
3:F:231:TYR:OH	3:F:236:GLU:OE1	1.88	0.90
2:H:803:LYS:HA	3:I:142:VAL:HG11	1.55	0.88
1:A:974:LEU:HD11	1:A:1000:LEU:HD22	1.75	0.69
1:A:922:LEU:HD11	1:A:930:VAL:HB	1.75	0.68
2:H:799:ALA:HB1	2:H:804:LYS:HB2	1.75	0.67
1:G:315:THR:HG23	1:G:323:PHE:HB3	1.76	0.67
2:H:787:VAL:HB	2:H:875:LEU:O	1.95	0.67
1:A:364:VAL:HG22	1:A:375:LEU:HD13	1.79	0.65
2:H:828:LEU:HB3	2:H:1034:PRO:HB3	1.79	0.64
2:B:1031:PRO:O	2:B:1033:LEU:HD22	1.97	0.64
1:A:972:PHE:O	1:A:999:HIS:O	2.15	0.63
1:D:985:THR:HB	1:D:988:GLU:HG2	1.81	0.62
1:G:72:GLU:OE2	1:G:103:ARG:NH2	2.33	0.62
2:H:823:LEU:CD1	2:H:867:LEU:HD23	2.30	0.62
1:A:6:VAL:HG22	1:A:1040:VAL:HG22	1.82	0.61
1:G:1047:TRP:HZ3	1:G:1132:VAL:HG13	1.63	0.61
2:E:755:LEU:HD22	2:E:812:VAL:HG22	1.81	0.61
1:G:7:VAL:HG13	1:G:1091:GLY:HA3	1.82	0.60

Continued on next page...

Continued from previous page...

Atom-1	Atom-2	Interatomic distance (Å)	Clash overlap (Å)
1:D:213:GLU:HG2	1:D:215:GLU:H	1.65	0.60
2:E:755:LEU:CD2	2:E:812:VAL:HG22	2.31	0.60
1:G:311:ALA:HB2	1:G:324:VAL:HG13	1.84	0.59
1:D:207:TRP:HB3	1:D:242:GLY:HA2	1.85	0.59
2:H:828:LEU:HD13	2:H:1034:PRO:HG3	1.85	0.59
1:G:1109:VAL:HG12	1:G:1129:LEU:HD12	1.84	0.59
1:D:1115:ASP:OD2	1:D:1121:LYS:NZ	2.36	0.58
1:A:981:SER:HA	1:A:989:ARG:HH11	1.69	0.58
2:E:856:LEU:HD11	2:E:915:PRO:HG3	1.85	0.58
1:G:773:SER:C	1:G:775:THR:H	2.07	0.58
2:H:841:LYS:HD2	2:H:1023:VAL:HB	1.85	0.58
2:B:867:LEU:HD23	2:B:868:ASN:O	2.04	0.58
1:D:7:VAL:HG13	1:D:1091:GLY:HA3	1.85	0.57
2:H:741:VAL:HG22	2:H:756:LYS:HG2	1.86	0.57
1:G:43:VAL:HG23	1:G:52:VAL:HG21	1.86	0.56
1:G:1047:TRP:CZ3	1:G:1132:VAL:HG13	2.38	0.56
1:A:775:THR:HG22	1:A:775:THR:O	2.06	0.56
1:G:7:VAL:HG21	1:G:1139:ILE:HD11	1.87	0.56
1:A:886:SER:O	1:A:908:ASN:HB2	2.06	0.56
1:G:773:SER:O	1:G:775:THR:N	2.35	0.55
2:H:733:ILE:HG21	2:H:743:LYS:HB2	1.88	0.55
2:E:741:VAL:HG22	2:E:756:LYS:HG2	1.88	0.55
1:D:770:LEU:HD13	1:D:865:GLU:HB2	1.87	0.55
1:A:36:ASN:O	1:A:37:THR:OG1	2.20	0.55
2:B:844:MET:HE3	2:B:922:CYS:HB3	1.89	0.55
2:E:760:LEU:HD12	2:E:760:LEU:N	2.21	0.55
1:A:936:LYS:HD2	1:A:943:GLU:OE1	2.08	0.54
1:G:1023:PRO:HB3	1:G:1047:TRP:CE2	2.43	0.54
1:A:816:LEU:HD13	1:A:831:VAL:HG22	1.90	0.54
2:B:839:PHE:CE2	2:B:929:LEU:HD11	2.43	0.54
2:H:733:ILE:CG2	2:H:743:LYS:HB2	2.38	0.54
2:E:867:LEU:HD13	2:E:873:ILE:CD1	2.38	0.54
2:H:760:LEU:HD12	2:H:760:LEU:N	2.23	0.53
2:B:735:GLU:HG2	2:B:740:GLN:HG2	1.90	0.53
1:A:207:TRP:HB3	1:A:242:GLY:HA2	1.90	0.53
2:E:865:ILE:CD1	2:E:925:ILE:HD13	2.38	0.53
2:B:951:LEU:HD21	2:B:986:PHE:HE2	1.75	0.52
1:D:886:SER:HB2	1:D:908:ASN:O	2.08	0.52
1:G:1061:VAL:HG11	1:G:1104:LYS:HB3	1.91	0.52
1:G:768:SER:HB3	1:G:808:LEU:HD11	1.90	0.52
1:D:372:GLN:NE2	1:D:392:ASN:O	2.42	0.52

Continued on next page...

Continued from previous page...

Atom-1	Atom-2	Interatomic distance (Å)	Clash overlap (Å)
1:G:891:TYR:HB3	1:G:899:LEU:HD22	1.91	0.52
1:A:931:LEU:HD22	1:A:947:ARG:HH21	1.76	0.51
1:A:59:GLY:HA2	1:A:1073:TRP:CZ3	2.46	0.51
1:D:816:LEU:HD13	1:D:831:VAL:HG22	1.92	0.51
1:A:255:GLN:HB2	1:A:279:ARG:HH22	1.75	0.51
3:C:76:ILE:CD1	3:C:198:SER:HB3	2.41	0.51
2:B:755:LEU:CD2	2:B:812:VAL:HG22	2.40	0.51
1:G:852:GLN:O	1:G:858:LEU:HA	2.11	0.51
1:A:248:ILE:HG12	1:A:250:PRO:HD3	1.92	0.51
1:G:112:ILE:HD13	2:H:986:PHE:CE2	2.46	0.51
1:G:1011:SER:OG	1:G:1013:VAL:HG22	2.11	0.51
2:E:774:GLU:HG2	2:E:778:LEU:HD12	1.93	0.50
1:D:60:LYS:O	1:D:81:THR:HA	2.11	0.50
1:A:1080:ARG:HD3	2:B:825:GLU:HA	1.94	0.50
2:E:865:ILE:HD12	2:E:925:ILE:HD13	1.93	0.50
2:B:894:ASN:OD1	2:B:909:GLY:HA2	2.12	0.50
1:D:709:LYS:HG2	1:D:710:LEU:N	2.27	0.50
1:G:947:ARG:HG2	1:G:948:ASP:N	2.26	0.49
2:B:729:ILE:HD13	2:B:744:ALA:HB2	1.94	0.49
2:B:787:VAL:HA	2:B:874:LYS:HD3	1.93	0.49
3:C:76:ILE:HD12	3:C:198:SER:HB3	1.93	0.49
2:H:858:ARG:HH12	2:H:882:ARG:HD3	1.77	0.49
1:G:770:LEU:HD21	1:G:865:GLU:HB2	1.93	0.49
1:G:36:ASN:O	1:G:37:THR:OG1	2.20	0.49
2:H:865:ILE:CD1	2:H:925:ILE:HD13	2.42	0.49
1:A:184:ASP:HB2	1:A:185:PRO:CD	2.43	0.49
2:E:844:MET:HE1	2:E:922:CYS:SG	2.53	0.49
1:A:170:LEU:HD11	1:A:179:CYS:HB2	1.95	0.49
1:G:931:LEU:HD13	1:G:947:ARG:CZ	2.42	0.49
2:H:1027:LYS:HE2	2:H:1029:ALA:HB2	1.94	0.49
2:H:867:LEU:HB2	2:H:873:ILE:HD13	1.95	0.48
1:D:987:GLU:HG2	2:E:740:GLN:CD	2.34	0.48
1:A:223:PRO:HD2	1:A:268:GLY:HA3	1.95	0.48
2:H:760:LEU:HD12	2:H:760:LEU:H	1.77	0.48
1:D:849:VAL:HG11	1:D:851:PHE:CZ	2.49	0.48
1:D:224:GLU:N	1:D:225:PRO:HD2	2.29	0.48
2:B:733:ILE:HG21	2:B:743:LYS:HB2	1.95	0.48
1:D:146:ASP:OD1	1:D:147:ARG:N	2.47	0.48
1:G:43:VAL:HG23	1:G:52:VAL:CG2	2.44	0.47
1:A:736:LEU:HG	1:A:816:LEU:HD22	1.95	0.47
1:G:858:LEU:HD12	1:G:858:LEU:O	2.14	0.47

Continued on next page...

Continued from previous page...

Atom-1	Atom-2	Interatomic distance (Å)	Clash overlap (Å)
2:H:762:ASN:OD1	2:H:763:GLU:N	2.48	0.47
1:A:922:LEU:HD12	1:A:931:LEU:O	2.15	0.47
2:H:858:ARG:NH2	2:H:893:TPO:O1P	2.47	0.47
1:A:318:ASP:OD1	1:A:319:ASN:N	2.47	0.47
1:G:762:SER:O	1:G:803:HIS:HA	2.15	0.47
2:B:956:CYS:SG	2:B:959:VAL:HG22	2.55	0.46
2:B:960:TRP:CZ2	2:B:966:LEU:HD11	2.50	0.46
2:B:903:PRO:HG3	2:B:917:ILE:HB	1.97	0.46
1:D:63:VAL:O	1:D:79:ILE:HA	2.16	0.46
1:D:288:GLU:HB2	1:D:298:LYS:HB2	1.98	0.46
2:B:917:ILE:HG13	2:B:918:ASP:N	2.31	0.46
1:G:223:PRO:HG3	1:G:263:ARG:HH11	1.80	0.46
1:G:933:LEU:HD22	1:G:942:PHE:HB3	1.98	0.46
2:H:773:ARG:HD3	2:H:881:ALA:O	2.15	0.46
2:H:917:ILE:HG13	2:H:918:ASP:N	2.31	0.46
1:G:184:ASP:HB2	1:G:185:PRO:CD	2.46	0.46
3:I:63:ARG:HE	3:I:123:LEU:HD21	1.81	0.46
1:A:909:ILE:HB	1:A:925:ASP:OD2	2.15	0.46
1:A:928:ARG:HD2	5:B:1101:RKO:C11	2.45	0.46
2:B:741:VAL:HG22	2:B:756:LYS:HG2	1.96	0.46
3:C:235:TRP:CH2	3:C:244:VAL:HG22	2.51	0.46
1:G:375:LEU:HB2	1:G:1012:LEU:HD21	1.97	0.46
1:A:915:LYS:HE3	1:A:957:VAL:O	2.16	0.45
1:G:886:SER:HB2	1:G:908:ASN:O	2.16	0.45
1:A:387:LEU:HD11	1:A:735:VAL:HG21	1.98	0.45
1:D:378:CYS:SG	1:D:724:ILE:HB	2.56	0.45
2:H:823:LEU:HD13	2:H:867:LEU:HD23	1.98	0.45
2:E:802:PHE:CD2	3:F:142:VAL:HG12	2.51	0.45
2:B:755:LEU:HD23	2:B:812:VAL:HG22	1.98	0.45
1:D:387:LEU:HG	1:D:717:LEU:HD11	1.98	0.45
2:B:754:ALA:HB3	5:B:1101:RKO:C3	2.47	0.45
1:A:841:ALA:HB1	2:B:1035:HIS:HB3	1.98	0.45
2:H:848:GLU:OE1	2:H:1012:GLU:N	2.49	0.45
2:B:733:ILE:CG2	2:B:743:LYS:HB2	2.47	0.45
2:E:779:ARG:HB3	3:F:21:LYS:HE2	1.98	0.45
2:E:819:ASP:C	2:E:819:ASP:OD1	2.55	0.45
1:G:847:ARG:HD2	1:G:863:GLU:OE2	2.17	0.45
1:A:226:PHE:CE2	1:A:287:LYS:HG2	2.51	0.45
1:G:30:ASN:ND2	1:G:43:VAL:HG22	2.32	0.45
1:G:59:GLY:HA2	1:G:1073:TRP:CZ3	2.52	0.44
1:G:143:ILE:HG12	1:G:154:ALA:HB2	1.99	0.44

Continued on next page...

Continued from previous page...

Atom-1	Atom-2	Interatomic distance (Å)	Clash overlap (Å)
1:A:889:ARG:HD2	1:A:891:TYR:CZ	2.52	0.44
1:A:999:HIS:O	1:A:1001:GLY:N	2.46	0.44
3:C:84:PHE:HA	1:D:746:SER:HB3	1.98	0.44
1:D:1114:TYR:O	1:D:1121:LYS:HA	2.17	0.44
3:F:76:ILE:HD12	3:F:159:HIS:CE1	2.53	0.44
1:G:833:THR:OG1	1:G:847:ARG:HB2	2.18	0.44
1:G:207:TRP:HB3	1:G:242:GLY:HA2	2.00	0.44
1:G:59:GLY:HA2	1:G:1073:TRP:CE3	2.52	0.44
2:B:741:VAL:CG2	2:B:756:LYS:HG2	2.48	0.44
1:D:912:LEU:HD11	1:D:926:LEU:HD13	1.99	0.44
2:E:732:ILE:HG23	2:E:732:ILE:O	2.18	0.44
1:G:1106:GLN:HA	1:G:1109:VAL:HG22	2.00	0.44
3:I:195:THR:CG2	3:I:257:LEU:HD11	2.48	0.44
1:G:928:ARG:HH22	2:H:822:GLY:HA3	1.83	0.44
1:A:248:ILE:HD12	1:A:300:LEU:O	2.18	0.43
2:B:910:GLU:C	2:B:912:ARG:H	2.21	0.43
1:D:375:LEU:HB2	1:D:1012:LEU:HD21	2.00	0.43
2:E:802:PHE:HD2	3:F:142:VAL:HG12	1.82	0.43
2:E:841:LYS:HD2	2:E:1023:VAL:HB	2.00	0.43
2:H:820:LEU:O	2:H:824:LEU:HG	2.18	0.43
2:B:839:PHE:CD2	2:B:929:LEU:HD11	2.53	0.43
1:G:213:GLU:HG2	1:G:215:GLU:H	1.82	0.43
2:H:758:VAL:O	2:H:808:ALA:HB1	2.18	0.43
3:C:48:ARG:NH1	3:C:52:GLU:OE2	2.52	0.43
2:E:888:GLU:HG2	2:E:888:GLU:O	2.17	0.43
1:G:370:GLN:HG2	1:G:1014:MET:HE1	2.00	0.43
2:E:823:LEU:CD1	2:E:867:LEU:HD23	2.48	0.43
1:A:118:THR:OG1	1:A:134:ARG:NH2	2.35	0.43
1:D:928:ARG:HA	1:D:928:ARG:HD2	1.82	0.43
1:G:366:ASP:OD2	1:G:371:GLY:N	2.51	0.43
2:H:841:LYS:HD3	2:H:1025:LEU:HD13	2.00	0.43
2:B:1030:PRO:HA	2:B:1031:PRO:HD3	1.92	0.43
1:A:225:PRO:HG2	1:A:267:ASN:HB2	2.01	0.43
1:A:968:ALA:HA	1:A:974:LEU:HD23	2.01	0.43
2:B:755:LEU:HD23	2:B:812:VAL:HG13	1.99	0.43
1:G:7:VAL:HG23	1:G:1039:LEU:HB3	2.00	0.43
1:G:849:VAL:HG11	1:G:851:PHE:CZ	2.54	0.43
1:G:795:ASP:HB3	1:G:798:THR:OG1	2.19	0.43
2:E:844:MET:HE2	2:E:844:MET:HA	2.01	0.43
2:E:1033:LEU:N	2:E:1033:LEU:HD22	2.34	0.43
1:G:255:GLN:OE1	1:G:279:ARG:NH1	2.51	0.43

Continued on next page...

Continued from previous page...

Atom-1	Atom-2	Interatomic distance (Å)	Clash overlap (Å)
1:G:773:SER:C	1:G:775:THR:N	2.72	0.43
1:A:849:VAL:HG11	1:A:851:PHE:CZ	2.54	0.42
1:D:886:SER:O	1:D:908:ASN:HB2	2.19	0.42
1:D:1105:MET:SD	1:D:1130:ILE:HD11	2.58	0.42
1:G:387:LEU:HD11	1:G:735:VAL:HG21	2.00	0.42
2:E:838:SER:O	2:E:842:GLN:HG3	2.19	0.42
1:G:731:GLN:OE1	1:G:796:GLN:NE2	2.52	0.42
2:H:989:ILE:HG23	2:H:990:PRO:HD2	2.01	0.42
1:A:63:VAL:O	1:A:79:ILE:HA	2.20	0.42
1:A:774:SER:O	1:A:775:THR:HB	2.20	0.42
2:E:758:VAL:O	2:E:808:ALA:HB1	2.20	0.42
1:G:365:VAL:HG11	1:G:733:PHE:CZ	2.55	0.42
1:A:166:ASP:HB3	1:A:219:VAL:HG23	2.02	0.42
1:D:1030:PHE:CZ	1:D:1038:GLY:HA3	2.54	0.42
1:G:984:THR:O	1:G:984:THR:HG22	2.18	0.42
1:G:159:LEU:HD21	1:G:164:VAL:HG21	2.02	0.42
2:H:867:LEU:HB2	2:H:873:ILE:CD1	2.49	0.42
2:B:906:LEU:HD21	2:B:913:TYR:HB3	2.01	0.42
2:E:739:GLY:HA3	2:E:757:LYS:O	2.19	0.42
1:G:936:LYS:HD3	1:G:936:LYS:HA	1.90	0.42
2:B:849:TYR:O	2:B:853:LYS:HG2	2.20	0.41
2:E:1025:LEU:HD22	2:E:1025:LEU:H	1.85	0.41
1:G:1109:VAL:HG11	1:G:1126:ALA:HA	2.02	0.41
2:B:828:LEU:HB2	2:B:1034:PRO:HG3	2.01	0.41
1:D:922:LEU:HD11	1:D:930:VAL:HB	2.01	0.41
2:H:784:ARG:O	2:H:874:LYS:HE2	2.20	0.41
3:C:249:ASP:O	3:C:253:GLN:HG3	2.21	0.41
1:D:68:ARG:HB2	1:D:75:ASP:OD1	2.20	0.41
1:D:257:THR:O	1:D:275:ASP:HB2	2.20	0.41
1:G:835:MET:O	1:G:843:PRO:HB3	2.21	0.41
1:A:213:GLU:HG2	1:A:215:GLU:H	1.85	0.41
1:A:288:GLU:HB2	1:A:298:LYS:HB2	2.03	0.41
1:A:888:VAL:HG23	1:A:908:ASN:ND2	2.34	0.41
1:G:790:ASN:HA	1:G:805:HIS:O	2.20	0.41
2:H:738:TYR:OH	2:H:756:LYS:HD3	2.19	0.41
3:I:195:THR:HG21	3:I:257:LEU:HD11	2.02	0.41
2:E:718:ASP:OD1	3:F:152:LYS:HG2	2.20	0.41
1:G:931:LEU:HD13	1:G:947:ARG:NH2	2.36	0.41
1:A:928:ARG:HD3	1:A:928:ARG:HA	1.84	0.41
1:D:35:LYS:O	1:D:36:ASN:C	2.59	0.41
1:A:914:LEU:CD2	1:A:923:VAL:HG22	2.51	0.41

Continued on next page...

Continued from previous page...

Atom-1	Atom-2	Interatomic distance (Å)	Clash overlap (Å)
1:A:958:GLU:HB2	1:A:1007:PHE:CB	2.51	0.41
1:A:977:CYS:SG	1:A:994:GLU:HG2	2.60	0.41
3:C:243:PRO:HG2	3:C:246:VAL:HG23	2.03	0.41
1:D:3:TYR:HB3	1:D:1048:TYR:HB2	2.03	0.41
1:D:932:LEU:HD22	1:D:965:PHE:CZ	2.56	0.41
1:D:1011:SER:OG	1:D:1013:VAL:HG12	2.20	0.41
2:E:840:MET:HG3	2:E:926:LEU:HD13	2.03	0.41
2:E:917:ILE:HG13	2:E:918:ASP:N	2.36	0.41
1:G:969:GLU:HG2	1:G:973:ASN:HB2	2.02	0.41
2:H:1037:GLN:OE1	2:H:1042:LEU:HD13	2.21	0.41
3:I:266:PRO:O	3:I:267:HIS:C	2.59	0.41
2:B:1035:HIS:ND1	2:B:1038:ASP:HB2	2.35	0.40
1:G:275:ASP:OD1	1:G:275:ASP:C	2.59	0.40
2:H:865:ILE:HD11	2:H:925:ILE:HD13	2.03	0.40
1:A:311:ALA:HB2	1:A:324:VAL:HG13	2.03	0.40
1:G:127:GLU:HB2	1:G:129:ARG:HG3	2.02	0.40
2:B:841:LYS:HD2	2:B:1023:VAL:HB	2.03	0.40
2:B:1010:THR:O	2:B:1014:THR:HG23	2.21	0.40
1:D:225:PRO:HG2	1:D:267:ASN:O	2.21	0.40
2:B:832:SER:H	2:B:835:HIS:CD2	2.40	0.40
2:B:910:GLU:O	2:B:911:GLU:HB3	2.21	0.40
1:D:114:ARG:HD3	2:E:930:PHE:O	2.21	0.40
1:G:987:GLU:HG2	2:H:740:GLN:NE2	2.37	0.40
1:A:151:GLU:OE1	1:A:153:LYS:HE2	2.22	0.40
1:D:1114:TYR:N	1:D:1122:ARG:O	2.42	0.40
2:E:857:HIS:NE2	2:E:877:ASP:O	2.54	0.40
1:G:378:CYS:SG	1:G:724:ILE:HB	2.60	0.40

There are no symmetry-related clashes.

5.3 Torsion angles [i](#)

5.3.1 Protein backbone [i](#)

In the following table, the Percentiles column shows the percent Ramachandran outliers of the chain as a percentile score with respect to all X-ray entries followed by that with respect to entries of similar resolution.

The Analysed column shows the number of residues for which the backbone conformation was analysed, and the total number of residues.

Mol	Chain	Analysed	Favoured	Allowed	Outliers	Percentiles	
1	A	822/840 (98%)	799 (97%)	23 (3%)	0	100	100
1	D	823/840 (98%)	803 (98%)	20 (2%)	0	100	100
1	G	822/840 (98%)	803 (98%)	19 (2%)	0	100	100
2	B	324/344 (94%)	313 (97%)	11 (3%)	0	100	100
2	E	322/344 (94%)	312 (97%)	10 (3%)	0	100	100
2	H	327/344 (95%)	317 (97%)	10 (3%)	0	100	100
3	C	246/271 (91%)	241 (98%)	5 (2%)	0	100	100
3	F	246/271 (91%)	242 (98%)	4 (2%)	0	100	100
3	I	246/271 (91%)	242 (98%)	4 (2%)	0	100	100
All	All	4178/4365 (96%)	4072 (98%)	106 (2%)	0	100	100

There are no Ramachandran outliers to report.

5.3.2 Protein sidechains [i](#)

In the following table, the Percentiles column shows the percent sidechain outliers of the chain as a percentile score with respect to all X-ray entries followed by that with respect to entries of similar resolution.

The Analysed column shows the number of residues for which the sidechain conformation was analysed, and the total number of residues.

Mol	Chain	Analysed	Rotameric	Outliers	Percentiles	
1	A	721/728 (99%)	717 (99%)	4 (1%)	86	91
1	D	722/728 (99%)	718 (99%)	4 (1%)	86	91
1	G	721/728 (99%)	715 (99%)	6 (1%)	81	89
2	B	294/308 (96%)	285 (97%)	9 (3%)	40	64
2	E	292/308 (95%)	285 (98%)	7 (2%)	49	69
2	H	297/308 (96%)	290 (98%)	7 (2%)	49	69
3	C	223/242 (92%)	221 (99%)	2 (1%)	78	88
3	F	223/242 (92%)	222 (100%)	1 (0%)	91	94
3	I	223/242 (92%)	222 (100%)	1 (0%)	91	94
All	All	3716/3834 (97%)	3675 (99%)	41 (1%)	73	84

All (41) residues with a non-rotameric sidechain are listed below:

Mol	Chain	Res	Type
1	A	290	GLN
1	A	766	SER
1	A	903	CYS
1	A	929	SER
2	B	728	ASP
2	B	760	LEU
2	B	858	ARG
2	B	896	VAL
2	B	905	GLU
2	B	991	SER
2	B	1035	HIS
2	B	1036	TRP
2	B	1039	CYS
3	C	231	TYR
3	C	257	LEU
1	D	7	VAL
1	D	766	SER
1	D	928	ARG
1	D	929	SER
2	E	728	ASP
2	E	805	ASP
2	E	819	ASP
2	E	860	ILE
2	E	896	VAL
2	E	1035	HIS
2	E	1036	TRP
3	F	231	TYR
1	G	7	VAL
1	G	295	VAL
1	G	315	THR
1	G	928	ARG
1	G	929	SER
1	G	1120	MET
2	H	787	VAL
2	H	896	VAL
2	H	897	ILE
2	H	1025	LEU
2	H	1036	TRP
2	H	1037	GLN
2	H	1039	CYS
3	I	231	TYR

Sometimes sidechains can be flipped to improve hydrogen bonding and reduce clashes. All (4) such sidechains are listed below:

Mol	Chain	Res	Type
1	A	727	GLN
2	B	818	HIS
1	G	261	HIS
1	G	1005	ASN

5.3.3 RNA [i](#)

There are no RNA molecules in this entry.

5.4 Non-standard residues in protein, DNA, RNA chains [i](#)

3 non-standard protein/DNA/RNA residues are modelled in this entry.

In the following table, the Counts columns list the number of bonds (or angles) for which Mogul statistics could be retrieved, the number of bonds (or angles) that are observed in the model and the number of bonds (or angles) that are defined in the Chemical Component Dictionary. The Link column lists molecule types, if any, to which the group is linked. The Z score for a bond length (or angle) is the number of standard deviations the observed value is removed from the expected value. A bond length (or angle) with $|Z| > 2$ is considered an outlier worth inspection. RMSZ is the root-mean-square of all Z scores of the bond lengths (or angles).

Mol	Type	Chain	Res	Link	Bond lengths			Bond angles		
					Counts	RMSZ	# Z > 2	Counts	RMSZ	# Z > 2
2	TPO	B	893	2	8,10,11	1.46	1 (12%)	10,14,16	1.36	1 (10%)
2	TPO	E	893	2	8,10,11	1.66	2 (25%)	10,14,16	1.22	1 (10%)
2	TPO	H	893	2	8,10,11	1.62	1 (12%)	10,14,16	1.10	1 (10%)

In the following table, the Chirals column lists the number of chiral outliers, the number of chiral centers analysed, the number of these observed in the model and the number defined in the Chemical Component Dictionary. Similar counts are reported in the Torsion and Rings columns. '-' means no outliers of that kind were identified.

Mol	Type	Chain	Res	Link	Chirals	Torsions	Rings
2	TPO	B	893	2	-	0/9/11/13	-
2	TPO	E	893	2	-	5/9/11/13	-
2	TPO	H	893	2	-	1/9/11/13	-

All (4) bond length outliers are listed below:

Mol	Chain	Res	Type	Atoms	Z	Observed(Å)	Ideal(Å)
2	H	893	TPO	P-O1P	3.26	1.61	1.50
2	B	893	TPO	P-O1P	3.12	1.60	1.50

Continued on next page...

Continued from previous page...

Mol	Chain	Res	Type	Atoms	Z	Observed(Å)	Ideal(Å)
2	E	893	TPO	P-O1P	3.06	1.60	1.50
2	E	893	TPO	P-OG1	2.05	1.63	1.59

All (3) bond angle outliers are listed below:

Mol	Chain	Res	Type	Atoms	Z	Observed($^{\circ}$)	Ideal($^{\circ}$)
2	B	893	TPO	P-OG1-CB	-3.64	112.21	123.21
2	E	893	TPO	P-OG1-CB	-2.23	116.48	123.21
2	H	893	TPO	P-OG1-CB	-2.08	116.91	123.21

There are no chirality outliers.

All (6) torsion outliers are listed below:

Mol	Chain	Res	Type	Atoms
2	E	893	TPO	N-CA-CB-CG2
2	E	893	TPO	N-CA-CB-OG1
2	E	893	TPO	C-CA-CB-CG2
2	E	893	TPO	CG2-CB-OG1-P
2	E	893	TPO	CB-OG1-P-O3P
2	H	893	TPO	CB-OG1-P-O3P

There are no ring outliers.

1 monomer is involved in 1 short contact:

Mol	Chain	Res	Type	Clashes	Symm-Clashes
2	H	893	TPO	1	0

5.5 Carbohydrates [i](#)

There are no monosaccharides in this entry.

5.6 Ligand geometry [i](#)

14 ligands are modelled in this entry.

In the following table, the Counts columns list the number of bonds (or angles) for which Mogul statistics could be retrieved, the number of bonds (or angles) that are observed in the model and the number of bonds (or angles) that are defined in the Chemical Component Dictionary. The Link column lists molecule types, if any, to which the group is linked. The Z score for a bond length (or angle) is the number of standard deviations the observed value is removed from the

expected value. A bond length (or angle) with $|Z| > 2$ is considered an outlier worth inspection. RMSZ is the root-mean-square of all Z scores of the bond lengths (or angles).

Mol	Type	Chain	Res	Link	Bond lengths			Bond angles		
					Counts	RMSZ	# $ Z > 2$	Counts	RMSZ	# $ Z > 2$
5	RKO	B	1101	-	21,23,23	0.55	0	24,31,31	0.71	1 (4%)
4	SO4	C	301	-	4,4,4	0.21	0	6,6,6	0.05	0
5	RKO	H	1101	-	21,23,23	0.56	0	24,31,31	0.85	1 (4%)
4	SO4	G	1202	-	4,4,4	0.23	0	6,6,6	0.05	0
4	SO4	D	1202	-	4,4,4	0.16	0	6,6,6	0.05	0
4	SO4	A	1201	-	4,4,4	0.18	0	6,6,6	0.05	0
4	SO4	A	1203	-	4,4,4	0.27	0	6,6,6	0.12	0
6	CIT	F	301	-	12,12,12	1.11	0	17,17,17	1.65	3 (17%)
4	SO4	G	1201	-	4,4,4	0.15	0	6,6,6	0.10	0
6	CIT	D	1201	-	12,12,12	1.15	0	17,17,17	1.48	1 (5%)
5	RKO	E	1101	-	21,23,23	0.55	0	24,31,31	0.78	1 (4%)
4	SO4	G	1203	-	4,4,4	0.23	0	6,6,6	0.10	0
4	SO4	I	301	-	4,4,4	0.20	0	6,6,6	0.07	0
4	SO4	A	1202	-	4,4,4	0.17	0	6,6,6	0.08	0

In the following table, the Chirals column lists the number of chiral outliers, the number of chiral centers analysed, the number of these observed in the model and the number defined in the Chemical Component Dictionary. Similar counts are reported in the Torsion and Rings columns. '-' means no outliers of that kind were identified.

Mol	Type	Chain	Res	Link	Chirals	Torsions	Rings
5	RKO	B	1101	-	-	0/7/9/9	0/3/3/3
5	RKO	H	1101	-	-	0/7/9/9	0/3/3/3
6	CIT	F	301	-	-	3/16/16/16	-
6	CIT	D	1201	-	-	2/16/16/16	-
5	RKO	E	1101	-	-	0/7/9/9	0/3/3/3

There are no bond length outliers.

All (7) bond angle outliers are listed below:

Mol	Chain	Res	Type	Atoms	Z	Observed(°)	Ideal(°)
6	F	301	CIT	O6-C6-C3	4.61	121.05	113.05
6	D	1201	CIT	O6-C6-C3	3.76	119.58	113.05
6	F	301	CIT	O5-C6-C3	-2.29	119.01	122.25
5	E	1101	RKO	C12-C11-C10	-2.17	116.96	120.08
6	F	301	CIT	O4-C5-C4	2.16	121.28	114.35
5	H	1101	RKO	C12-C11-C10	-2.10	117.06	120.08
5	B	1101	RKO	C12-C11-C10	-2.09	117.07	120.08

There are no chirality outliers.

All (5) torsion outliers are listed below:


Mol	Chain	Res	Type	Atoms
6	F	301	CIT	C2-C3-C4-C5
6	F	301	CIT	C6-C3-C4-C5
6	D	1201	CIT	C1-C2-C3-C6
6	D	1201	CIT	C1-C2-C3-O7
6	F	301	CIT	O7-C3-C4-C5


There are no ring outliers.

1 monomer is involved in 2 short contacts:

Mol	Chain	Res	Type	Clashes	Symm-Clashes
5	B	1101	RKO	2	0

The following is a two-dimensional graphical depiction of Mogul quality analysis of bond lengths, bond angles, torsion angles, and ring geometry for all instances of the Ligand of Interest. In addition, ligands with molecular weight > 250 and outliers as shown on the validation Tables will also be included. For torsion angles, if less than 5% of the Mogul distribution of torsion angles is within 10 degrees of the torsion angle in question, then that torsion angle is considered an outlier. Any bond that is central to one or more torsion angles identified as an outlier by Mogul will be highlighted in the graph. For rings, the root-mean-square deviation (RMSD) between the ring in question and similar rings identified by Mogul is calculated over all ring torsion angles. If the average RMSD is greater than 60 degrees and the minimal RMSD between the ring in question and any Mogul-identified rings is also greater than 60 degrees, then that ring is considered an outlier. The outliers are highlighted in purple. The color gray indicates Mogul did not find sufficient equivalents in the CSD to analyse the geometry.





5.7 Other polymers [\(i\)](#)

There are no such residues in this entry.

5.8 Polymer linkage issues [\(i\)](#)

There are no chain breaks in this entry.

6 Fit of model and data

6.1 Protein, DNA and RNA chains

In the following table, the column labelled ‘#RSRZ > 2’ contains the number (and percentage) of RSRZ outliers, followed by percent RSRZ outliers for the chain as percentile scores relative to all X-ray entries and entries of similar resolution. The OWAB column contains the minimum, median, 95th percentile and maximum values of the occupancy-weighted average B-factor per residue. The column labelled ‘Q < 0.9’ lists the number of (and percentage) of residues with an average occupancy less than 0.9.

Mol	Chain	Analysed	<RSRZ>	#RSRZ>2	OWAB(Å ²)	Q<0.9
1	A	826/840 (98%)	0.52	58 (7%) 16 12	99, 145, 222, 319	0
1	D	827/840 (98%)	0.48	46 (5%) 24 20	90, 140, 213, 333	0
1	G	826/840 (98%)	0.55	63 (7%) 13 10	103, 148, 224, 308	0
2	B	326/344 (94%)	0.87	52 (15%) 1 2	111, 152, 235, 288	0
2	E	324/344 (94%)	0.63	20 (6%) 20 16	108, 143, 221, 291	0
2	H	329/344 (95%)	0.72	26 (7%) 12 10	90, 127, 225, 291	0
3	C	248/271 (91%)	0.42	9 (3%) 42 34	99, 140, 190, 262	0
3	F	248/271 (91%)	0.47	2 (0%) 86 80	90, 117, 169, 252	0
3	I	248/271 (91%)	0.45	5 (2%) 65 56	92, 123, 169, 253	0
All	All	4202/4365 (96%)	0.56	281 (6%) 17 13	90, 141, 221, 333	0

All (281) RSRZ outliers are listed below:

Mol	Chain	Res	Type	RSRZ
2	H	1043	TRP	6.2
2	B	1034	PRO	5.9
2	H	1040	HIS	5.7
2	E	1039	CYS	5.5
2	H	1036	TRP	4.9
2	H	1041	GLU	4.7
2	B	896	VAL	4.6
2	E	882	ARG	4.4
2	E	1036	TRP	4.3
2	B	1041	GLU	4.3
1	G	327	ARG	4.1
1	D	64	MET	4.1
2	H	1044	SER	4.1
1	D	91	TYR	4.1
2	B	884	TYR	4.1

Continued on next page...

Continued from previous page...

Mol	Chain	Res	Type	RSRZ
2	B	828	LEU	4.0
2	H	798	ASP	3.8
2	E	896	VAL	3.7
2	B	798	ASP	3.7
2	H	1032	ASP	3.6
1	A	23	PHE	3.6
2	B	797	GLN	3.6
2	B	800	LEU	3.6
1	A	61	ILE	3.5
2	B	1028	MET	3.5
2	E	890	ARG	3.5
2	B	803	LYS	3.5
1	G	289	GLU	3.5
2	B	897	ILE	3.5
2	H	720	GLY	3.4
1	D	31	LEU	3.4
1	G	133	LEU	3.3
2	H	1039	CYS	3.3
2	E	892	TYR	3.3
1	A	356	LEU	3.3
2	E	891	PRO	3.2
2	H	1038	ASP	3.2
1	G	966	LEU	3.2
1	G	253	ILE	3.2
1	G	328	LEU	3.2
2	B	720	GLY	3.2
1	D	39	LEU	3.2
1	D	367	LEU	3.2
2	H	738	TYR	3.1
1	A	1029	LEU	3.1
2	B	738	TYR	3.1
2	H	890	ARG	3.0
1	D	1129	LEU	3.0
2	B	799	ALA	3.0
1	D	317	LEU	3.0
1	G	64	MET	3.0
1	A	1030	PHE	3.0
1	A	1126	ALA	3.0
1	G	1129	LEU	3.0
3	I	266	PRO	3.0
1	A	1016	ASN	3.0
2	B	1036	TRP	3.0

Continued on next page...

Continued from previous page...

Mol	Chain	Res	Type	RSRZ
2	E	720	GLY	3.0
3	C	54	ALA	2.9
1	G	317	LEU	2.9
1	A	91	TYR	2.9
2	B	755	LEU	2.9
1	A	39	LEU	2.9
1	A	5	TYR	2.9
1	D	33	ILE	2.9
2	B	866	LEU	2.9
1	G	5	TYR	2.9
2	B	775	ILE	2.8
2	H	1034	PRO	2.8
1	D	998	PHE	2.8
2	B	740	GLN	2.8
1	D	195	VAL	2.8
2	B	890	ARG	2.8
2	H	1033	LEU	2.8
1	A	100	ILE	2.8
1	G	1097	PHE	2.8
1	A	735	VAL	2.8
1	G	31	LEU	2.8
2	H	828	LEU	2.8
2	B	829	VAL	2.8
1	G	61	ILE	2.8
2	B	886	SER	2.8
1	D	100	ILE	2.8
1	D	133	LEU	2.7
1	G	375	LEU	2.7
1	G	49	LEU	2.7
2	B	811	LEU	2.7
3	C	267	HIS	2.7
1	A	1051	LEU	2.7
1	G	1088	PHE	2.7
1	G	387	LEU	2.7
2	B	839	PHE	2.7
1	A	816	LEU	2.7
1	A	1129	LEU	2.7
1	A	930	VAL	2.7
3	F	254	ILE	2.7
1	D	297	LEU	2.7
1	G	1039	LEU	2.7
1	G	974	LEU	2.6

Continued on next page...

Continued from previous page...

Mol	Chain	Res	Type	RSRZ
1	G	295	VAL	2.6
2	E	831	PHE	2.6
1	G	858	LEU	2.6
1	G	1040	VAL	2.6
1	A	1097	PHE	2.6
2	B	1039	CYS	2.6
1	D	135	LEU	2.6
2	B	875	LEU	2.6
1	A	359	ILE	2.6
2	B	781	LEU	2.6
2	B	864	ASN	2.6
1	A	57	MET	2.6
1	A	77	LEU	2.6
2	E	727	PHE	2.6
1	D	328	LEU	2.5
1	G	170	LEU	2.5
1	G	1007	PHE	2.5
1	G	1136	LEU	2.5
1	A	1079	GLU	2.5
1	D	37	THR	2.5
1	D	907	ASN	2.5
1	G	4	ASN	2.5
2	B	955	PRO	2.5
1	D	232	ILE	2.5
1	A	724	ILE	2.5
1	G	33	ILE	2.5
1	G	390	ILE	2.5
1	A	1008	CYS	2.5
2	E	829	VAL	2.5
2	E	897	ILE	2.5
1	A	1019	GLU	2.5
1	D	140	PHE	2.5
1	G	310	ILE	2.5
1	A	130	MET	2.4
1	G	305	LEU	2.4
1	G	314	LEU	2.4
2	B	858	ARG	2.4
1	D	32	LEU	2.4
1	G	229	ALA	2.4
1	A	967	GLY	2.4
1	G	377	THR	2.4
1	D	42	TYR	2.4

Continued on next page...

Continued from previous page...

Mol	Chain	Res	Type	RSRZ
2	H	820	LEU	2.4
1	A	1139	ILE	2.4
1	A	1118	SER	2.4
2	B	894	ASN	2.4
2	E	884	TYR	2.4
2	H	892	TYR	2.4
1	A	135	LEU	2.4
1	D	1040	VAL	2.4
1	A	1140	HIS	2.4
2	H	896	VAL	2.4
2	B	742	TYR	2.4
1	A	387	LEU	2.4
1	G	124	ILE	2.4
2	B	951	LEU	2.4
1	G	829	PHE	2.4
2	E	878	PHE	2.4
3	F	267	HIS	2.4
1	A	34	ALA	2.4
2	B	892	TYR	2.4
1	A	975	PHE	2.3
1	G	131	ILE	2.3
3	C	153	PHE	2.3
1	G	848	ILE	2.3
1	G	816	LEU	2.3
1	D	23	PHE	2.3
1	D	5	TYR	2.3
1	G	307	GLU	2.3
1	G	927	MET	2.3
2	B	1001	LEU	2.3
1	D	1088	PHE	2.3
1	G	276	MET	2.3
1	G	300	LEU	2.3
1	A	1094	ILE	2.3
3	C	155	LEU	2.3
1	D	2	SER	2.3
1	G	303	GLU	2.3
3	I	79	HIS	2.3
2	H	732	ILE	2.3
1	G	273	LEU	2.3
1	G	32	LEU	2.3
1	G	280	LEU	2.3
2	H	1031	PRO	2.3

Continued on next page...

Continued from previous page...

Mol	Chain	Res	Type	RSRZ
1	A	140	PHE	2.3
1	A	880	LEU	2.3
1	A	1035	GLY	2.3
1	D	922	LEU	2.3
1	G	57	MET	2.3
1	A	120	ILE	2.3
2	E	738	TYR	2.3
2	B	802	PHE	2.3
3	C	106	VAL	2.2
1	D	78	PHE	2.2
1	A	40	GLU	2.2
1	A	709	LYS	2.2
1	G	333	LEU	2.2
1	A	336	LEU	2.2
1	A	858	LEU	2.2
1	A	33	ILE	2.2
1	D	79	ILE	2.2
1	G	195	VAL	2.2
1	G	258	ILE	2.2
2	E	867	LEU	2.2
1	D	202	PHE	2.2
2	E	955	PRO	2.2
1	A	195	VAL	2.2
2	B	932	LYS	2.2
1	A	1136	LEU	2.2
2	E	886	SER	2.2
1	G	356	LEU	2.2
2	B	1029	ALA	2.2
1	D	1065	VAL	2.2
1	G	291	MET	2.2
1	A	226	PHE	2.2
1	D	387	LEU	2.2
2	H	1042	LEU	2.2
1	A	791	LEU	2.2
1	D	40	GLU	2.2
2	H	873	ILE	2.2
1	A	328	LEU	2.2
1	D	1000	LEU	2.2
1	D	928	ARG	2.1
1	D	1005	ASN	2.1
1	G	871	TYR	2.1
1	G	922	LEU	2.1

Continued on next page...

Continued from previous page...

Mol	Chain	Res	Type	RSRZ
1	D	157	ILE	2.1
1	A	710	LEU	2.1
2	B	913	TYR	2.1
1	A	32	LEU	2.1
2	B	867	LEU	2.1
2	B	878	PHE	2.1
3	C	234	TRP	2.1
1	D	1097	PHE	2.1
2	B	721	LYS	2.1
2	B	744	ALA	2.1
1	A	112	ILE	2.1
1	G	722	ARG	2.1
2	B	1033	LEU	2.1
2	E	881	ALA	2.1
1	G	1004	VAL	2.1
2	B	855	PHE	2.1
1	G	100	ILE	2.1
1	A	60	LYS	2.1
1	D	139	LEU	2.1
1	G	1076	PHE	2.1
1	A	830	ILE	2.1
1	G	1089	ILE	2.1
2	B	831	PHE	2.1
1	G	232	ILE	2.1
2	H	721	LYS	2.1
1	G	237	ILE	2.1
3	C	164	LEU	2.1
2	B	809	PHE	2.1
1	A	1089	ILE	2.1
1	D	49	LEU	2.1
1	D	1002	GLU	2.1
3	I	54	ALA	2.1
1	D	112	ILE	2.1
1	D	143	ILE	2.1
2	B	883	LEU	2.1
3	C	148	LEU	2.1
2	H	742	TYR	2.0
2	B	876	ALA	2.0
1	A	273	LEU	2.0
1	G	297	LEU	2.0
1	A	131	ILE	2.0
1	A	31	LEU	2.0

Continued on next page...

Continued from previous page...

Mol	Chain	Res	Type	RSRZ
2	B	930	PHE	2.0
3	I	70	THR	2.0
1	A	733	PHE	2.0
1	D	246	LEU	2.0
2	E	875	LEU	2.0
2	H	887	GLU	2.0
1	D	99	ASP	2.0
2	H	775	ILE	2.0
1	G	923	VAL	2.0
3	C	120	ALA	2.0
1	D	375	LEU	2.0
2	B	767	PHE	2.0
2	B	882	ARG	2.0
3	I	267	HIS	2.0

6.2 Non-standard residues in protein, DNA, RNA chains [i](#)

In the following table, the Atoms column lists the number of modelled atoms in the group and the number defined in the chemical component dictionary. The B-factors column lists the minimum, median, 95th percentile and maximum values of B factors of atoms in the group. The column labelled 'Q< 0.9' lists the number of atoms with occupancy less than 0.9.

Mol	Type	Chain	Res	Atoms	RSCC	RSR	B-factors(Å ²)	Q<0.9
2	TPO	B	893	11/12	0.51	0.35	240,245,296,296	6
2	TPO	E	893	11/12	0.56	0.29	236,253,321,321	6
2	TPO	H	893	11/12	0.74	0.34	164,198,242,242	6

6.3 Carbohydrates [i](#)

There are no monosaccharides in this entry.

6.4 Ligands [i](#)

In the following table, the Atoms column lists the number of modelled atoms in the group and the number defined in the chemical component dictionary. The B-factors column lists the minimum, median, 95th percentile and maximum values of B factors of atoms in the group. The column labelled 'Q< 0.9' lists the number of atoms with occupancy less than 0.9.


Mol	Type	Chain	Res	Atoms	RSCC	RSR	B-factors(Å ²)	Q<0.9
4	SO4	G	1202	5/5	0.71	0.23	148,158,182,195	0

Continued on next page...

Continued from previous page...




Mol	Type	Chain	Res	Atoms	RSCC	RSR	B-factors(Å ²)	Q<0.9
4	SO4	G	1203	5/5	0.76	0.14	176,177,192,217	0
4	SO4	A	1202	5/5	0.77	0.19	157,172,185,208	0
4	SO4	A	1203	5/5	0.80	0.23	146,161,214,219	0
6	CIT	D	1201	13/13	0.80	0.22	123,163,218,218	5
4	SO4	G	1201	5/5	0.82	0.30	141,142,162,167	0
4	SO4	C	301	5/5	0.83	0.18	163,166,172,191	0
6	CIT	F	301	13/13	0.84	0.21	141,161,183,211	5
5	RKO	H	1101	21/21	0.85	0.73	102,148,213,215	11
4	SO4	I	301	5/5	0.86	0.14	132,158,177,178	0
5	RKO	E	1101	21/21	0.87	0.83	97,146,221,228	11
5	RKO	B	1101	21/21	0.87	0.62	104,156,198,220	11
4	SO4	D	1202	5/5	0.91	0.20	133,142,164,166	0
4	SO4	A	1201	5/5	0.93	0.23	136,144,164,167	0

The following is a graphical depiction of the model fit to experimental electron density of all instances of the Ligand of Interest. In addition, ligands with molecular weight > 250 and outliers as shown on the geometry validation Tables will also be included. Each fit is shown from different orientation to approximate a three-dimensional view.






Electron density around RKO E 1101:

$2mF_o-DF_c$ (at 0.7 rmsd) in gray
 mF_o-DF_c (at 3 rmsd) in purple (negative)
and green (positive)

**Electron density around RKO B 1101:**

$2mF_o-DF_c$ (at 0.7 rmsd) in gray
 mF_o-DF_c (at 3 rmsd) in purple (negative)
and green (positive)



6.5 Other polymers [i](#)

There are no such residues in this entry.