



Full wwPDB X-ray Structure Validation Report ⓘ

Dec 12, 2023 – 12:28 pm GMT

PDB ID : 8BW1
Title : Yeast 20S proteasome in complex with an engineered fellutamide derivative (C14QAL)
Authors : Bozhueyuek, K.A.J.; Praeve, L.; Kegler, C.; Kaiser, S.; Shi, Y.; Kuttelochner, W.; Schenk, L.; Groll, M.; Hochberg, G.K.A.; Bode, H.B.
Deposited on : 2022-12-06
Resolution : 3.25 Å(reported)

This is a Full wwPDB X-ray Structure Validation Report for a publicly released PDB entry.

We welcome your comments at validation@mail.wwpdb.org

A user guide is available at

<https://www.wwpdb.org/validation/2017/XrayValidationReportHelp>

with specific help available everywhere you see the ⓘ symbol.

The types of validation reports are described at

<http://www.wwpdb.org/validation/2017/FAQs#types>.

The following versions of software and data (see [references ⓘ](#)) were used in the production of this report:

MolProbity : 4.02b-467
Mogul : 1.8.4, CSD as541be (2020)
Xtriage (Phenix) : 1.13
EDS : 2.36
buster-report : 1.1.7 (2018)
Percentile statistics : 20191225.v01 (using entries in the PDB archive December 25th 2019)
Refmac : 5.8.0158
CCP4 : 7.0.044 (Gargrove)
Ideal geometry (proteins) : Engh & Huber (2001)
Ideal geometry (DNA, RNA) : Parkinson et al. (1996)
Validation Pipeline (wwPDB-VP) : 2.36


1 Overall quality at a glance

The following experimental techniques were used to determine the structure:

X-RAY DIFFRACTION





The reported resolution of this entry is 3.25 Å.

Percentile scores (ranging between 0-100) for global validation metrics of the entry are shown in the following graphic. The table shows the number of entries on which the scores are based.



Metric	Whole archive (#Entries)	Similar resolution (#Entries, resolution range(Å))
R_{free}	130704	1191 (3.30-3.22)
Clashscore	141614	1251 (3.30-3.22)
Ramachandran outliers	138981	1229 (3.30-3.22)
Sidechain outliers	138945	1228 (3.30-3.22)
RSRZ outliers	127900	1154 (3.30-3.22)

The table below summarises the geometric issues observed across the polymeric chains and their fit to the electron density. The red, orange, yellow and green segments of the lower bar indicate the fraction of residues that contain outliers for ≥ 3 , 2, 1 and 0 types of geometric quality criteria respectively. A grey segment represents the fraction of residues that are not modelled. The numeric value for each fraction is indicated below the corresponding segment, with a dot representing fractions $\leq 5\%$. The upper red bar (where present) indicates the fraction of residues that have poor fit to the electron density. The numeric value is given above the bar.

Mol	Chain	Length	Quality of chain
1	A	250	 97%
1	O	250	 97%
2	B	258	 89% 6% 5%
2	P	258	 88% 6% 5%




Continued on next page...

Continued from previous page...

Mol	Chain	Length	Quality of chain
3	C	254	2% 87% 6% • 6%
3	Q	254	3% 86% 7% • 6%
4	D	260	% 85% 5% 10%
4	R	260	% 85% 5% 10%
5	E	234	% 92% 6% ••
5	S	234	2% 93% 5% ••
6	F	288	% 81% • 16%
6	T	288	% 81% • 16%
7	G	252	% 89% 7% •
7	U	252	% 89% 6% •
8	H	232	3% 82% 13% ••
8	V	232	3% 83% 13% ••
9	I	205	% 91% 8%
9	W	205	% 89% 10%
10	J	198	% 88% 9% ••
10	X	198	% 81% 16% ••
11	K	212	% 77% 20% •
11	Y	212	% 77% 20% •
12	L	222	% 92% 7%
12	Z	222	% 92% 7%
13	M	246	% 89% •• 7%
13	a	246	% 91% • 7%
14	N	196	% 93% 7% •
14	b	196	% 98% •
15	e	3	33% 67% 33%

Continued on next page...

Continued from previous page...

Mol	Chain	Length	Quality of chain
15	f	3	 33% 67%
15	g	3	 33% 100%
15	h	3	 33% 67%

The following table lists non-polymeric compounds, carbohydrate monomers and non-standard residues in protein, DNA, RNA chains that are outliers for geometric or electron-density-fit criteria:

Mol	Type	Chain	Res	Chirality	Geometry	Clashes	Electron density
15	DCL	e	4	-	-	-	X
15	DCL	g	4	-	-	-	X
18	MYR	g	101	-	-	-	X
18	MYR	h	101	-	-	-	X

2 Entry composition

There are 19 unique types of molecules in this entry. The entry contains 49555 atoms, of which 0 are hydrogens and 0 are deuteriums.

In the tables below, the ZeroOcc column contains the number of atoms modelled with zero occupancy, the AltConf column contains the number of residues with at least one atom in alternate conformation and the Trace column contains the number of residues modelled with at most 2 atoms.

- Molecule 1 is a protein called Proteasome subunit alpha type-2.

Mol	Chain	Residues	Atoms					ZeroOcc	AltConf	Trace
			Total	C	N	O	S			
1	A	250	Total 1915	C 1219	N 315	O 377	S 4	0	0	0
1	O	250	Total 1915	C 1219	N 315	O 377	S 4	0	0	0

- Molecule 2 is a protein called Proteasome subunit alpha type-3.

Mol	Chain	Residues	Atoms					ZeroOcc	AltConf	Trace
			Total	C	N	O	S			
2	B	244	Total 1904	C 1201	N 321	O 379	S 3	0	0	0
2	P	244	Total 1904	C 1201	N 321	O 379	S 3	0	0	0

- Molecule 3 is a protein called Proteasome subunit alpha type-4.

Mol	Chain	Residues	Atoms					ZeroOcc	AltConf	Trace
			Total	C	N	O	S			
3	C	240	Total 1881	C 1176	N 329	O 372	S 4	0	0	0
3	Q	240	Total 1881	C 1176	N 329	O 372	S 4	0	0	0

- Molecule 4 is a protein called Proteasome subunit alpha type-5.

Mol	Chain	Residues	Atoms					ZeroOcc	AltConf	Trace
			Total	C	N	O	S			
4	D	235	Total 1813	C 1136	N 304	O 366	S 7	0	0	0
4	R	235	Total 1813	C 1136	N 304	O 366	S 7	0	0	0

- Molecule 5 is a protein called Proteasome subunit alpha type-6.

Mol	Chain	Residues	Atoms					ZeroOcc	AltConf	Trace
			Total	C	N	O	S			
5	E	231	Total 1773	C 1114	N 307	O 348	S 4	0	0	0
5	S	231	Total 1773	C 1114	N 307	O 348	S 4	0	0	0

- Molecule 6 is a protein called Probable proteasome subunit alpha type-7.

Mol	Chain	Residues	Atoms					ZeroOcc	AltConf	Trace
			Total	C	N	O	S			
6	F	243	Total 1892	C 1203	N 329	O 356	S 4	0	0	0
6	T	243	Total 1892	C 1203	N 329	O 356	S 4	0	0	0

- Molecule 7 is a protein called Proteasome subunit alpha type-1.

Mol	Chain	Residues	Atoms					ZeroOcc	AltConf	Trace
			Total	C	N	O	S			
7	G	241	Total 1907	C 1214	N 320	O 365	S 8	0	0	0
7	U	241	Total 1907	C 1214	N 320	O 365	S 8	0	0	0

- Molecule 8 is a protein called Proteasome subunit beta type-2.

Mol	Chain	Residues	Atoms					ZeroOcc	AltConf	Trace
			Total	C	N	O	S			
8	H	226	Total 1719	C 1082	N 298	O 332	S 7	0	0	0
8	V	226	Total 1719	C 1082	N 298	O 332	S 7	0	0	0

- Molecule 9 is a protein called Proteasome subunit beta type-3.

Mol	Chain	Residues	Atoms					ZeroOcc	AltConf	Trace
			Total	C	N	O	S			
9	I	204	Total 1581	C 1010	N 258	O 305	S 8	0	0	0
9	W	204	Total 1581	C 1010	N 258	O 305	S 8	0	0	0

- Molecule 10 is a protein called Proteasome subunit beta type-4.

Mol	Chain	Residues	Atoms					ZeroOcc	AltConf	Trace
			Total	C	N	O	S			
10	J	195	Total 1561	C 992	N 264	O 299	S 6	0	0	0

Continued on next page...

Continued from previous page...

Mol	Chain	Residues	Atoms					ZeroOcc	AltConf	Trace
			Total	C	N	O	S			
10	X	195	1561	992	264	299	6	0	0	0

- Molecule 11 is a protein called Proteasome subunit beta type-5.

Mol	Chain	Residues	Atoms					ZeroOcc	AltConf	Trace
			Total	C	N	O	S			
11	K	212	1644	1045	280	312	7	0	0	0
11	Y	212	1644	1045	280	312	7	0	0	0

- Molecule 12 is a protein called Proteasome subunit beta type-6.

Mol	Chain	Residues	Atoms					ZeroOcc	AltConf	Trace
			Total	C	N	O	S			
12	L	222	1757	1115	303	335	4	0	0	0
12	Z	222	1757	1115	303	335	4	0	0	0

- Molecule 13 is a protein called Proteasome subunit beta type-7.

Mol	Chain	Residues	Atoms					ZeroOcc	AltConf	Trace
			Total	C	N	O	S			
13	M	230	1797	1137	307	346	7	0	0	0
13	a	230	1797	1137	307	346	7	0	0	0

- Molecule 14 is a protein called Proteasome subunit beta type-1.

Mol	Chain	Residues	Atoms					ZeroOcc	AltConf	Trace
			Total	C	N	O	S			
14	N	196	1512	955	250	300	7	0	0	0
14	b	196	1512	955	250	300	7	0	0	0

- Molecule 15 is a protein called 3-PYRIDIN-4-YL-2,4-DIHYDRO-INDENO[1,2-.C.]PYRAZOLE.

Mol	Chain	Residues	Atoms				ZeroOcc	AltConf	Trace
			Total	C	N	O			
15	e	3	22	14	4	4	0	0	0

Continued on next page...

Continued from previous page...

Mol	Chain	Residues	Atoms				ZeroOcc	AltConf	Trace
15	f	3	Total	C	N	O	0	0	0
			22	14	4	4			
15	g	3	Total	C	N	O	0	0	0
			22	14	4	4			
15	h	3	Total	C	N	O	0	0	0
			22	14	4	4			


- Molecule 16 is MAGNESIUM ION (three-letter code: MG) (formula: Mg).

Mol	Chain	Residues	Atoms		ZeroOcc	AltConf
16	G	1	Total	Mg	0	0
			1	1		
16	I	1	Total	Mg	0	0
			1	1		
16	J	1	Total	Mg	0	0
			1	1		
16	K	1	Total	Mg	0	0
			1	1		
16	N	1	Total	Mg	0	0
			1	1		
16	V	1	Total	Mg	0	0
			1	1		
16	Y	1	Total	Mg	0	0
			1	1		
16	Z	1	Total	Mg	0	0
			1	1		

- Molecule 17 is CHLORIDE ION (three-letter code: CL) (formula: Cl).

Mol	Chain	Residues	Atoms		ZeroOcc	AltConf
17	G	1	Total	Cl	0	0
			1	1		
17	N	1	Total	Cl	0	0
			1	1		
17	U	1	Total	Cl	0	0
			1	1		

- Molecule 18 is MYRISTIC ACID (three-letter code: MYR) (formula: C₁₄H₂₈O₂) (labeled as "Ligand of Interest" by depositor).



Mol	Chain	Residues	Atoms	ZeroOcc	AltConf
18	e	1	Total C O 15 14 1	0	0
18	f	1	Total C O 15 14 1	0	0
18	g	1	Total C O 15 14 1	0	0
18	h	1	Total C O 15 14 1	0	0

- Molecule 19 is water.

Mol	Chain	Residues	Atoms	ZeroOcc	AltConf
19	A	1	Total O 1 1	0	0
19	B	3	Total O 3 3	0	0
19	C	2	Total O 2 2	0	0
19	D	1	Total O 1 1	0	0
19	E	5	Total O 5 5	0	0
19	F	1	Total O 1 1	0	0
19	G	3	Total O 3 3	0	0
19	H	3	Total O 3 3	0	0

Continued on next page...

Continued from previous page...

Mol	Chain	Residues	Atoms	ZeroOcc	AltConf
19	I	2	Total O 2 2	0	0
19	J	4	Total O 4 4	0	0
19	K	7	Total O 7 7	0	0
19	L	6	Total O 6 6	0	0
19	M	6	Total O 6 6	0	0
19	N	4	Total O 4 4	0	0
19	O	1	Total O 1 1	0	0
19	P	6	Total O 6 6	0	0
19	Q	2	Total O 2 2	0	0
19	R	2	Total O 2 2	0	0
19	S	1	Total O 1 1	0	0
19	T	1	Total O 1 1	0	0
19	U	2	Total O 2 2	0	0
19	V	3	Total O 3 3	0	0
19	W	1	Total O 1 1	0	0
19	X	3	Total O 3 3	0	0
19	Y	5	Total O 5 5	0	0
19	Z	3	Total O 3 3	0	0
19	a	3	Total O 3 3	0	0
19	b	1	Total O 1 1	0	0
19	f	1	Total O 1 1	0	0

Continued on next page...


Continued from previous page...

Mol	Chain	Residues	Atoms		ZeroOcc	AltConf
19	h	1	Total	O	0	0
			1	1		


3 Residue-property plots [i](#)

These plots are drawn for all protein, RNA, DNA and oligosaccharide chains in the entry. The first graphic for a chain summarises the proportions of the various outlier classes displayed in the second graphic. The second graphic shows the sequence view annotated by issues in geometry and electron density. Residues are color-coded according to the number of geometric quality criteria for which they contain at least one outlier: green = 0, yellow = 1, orange = 2 and red = 3 or more. A red dot above a residue indicates a poor fit to the electron density ($RSRZ > 2$). Stretches of 2 or more consecutive residues without any outlier are shown as a green connector. Residues present in the sample, but not in the model, are shown in grey.


- Molecule 1: Proteasome subunit alpha type-2




- Molecule 1: Proteasome subunit alpha type-2




- Molecule 2: Proteasome subunit alpha type-3





- Molecule 2: Proteasome subunit alpha type-3



- Molecule 3: Proteasome subunit alpha type-4





- Molecule 3: Proteasome subunit alpha type-4





HIS



• Molecule 4: Proteasome subunit alpha type-5





• Molecule 4: Proteasome subunit alpha type-5





• Molecule 5: Proteasome subunit alpha type-6



• Molecule 5: Proteasome subunit alpha type-6




• Molecule 6: Probable proteasome subunit alpha type-7




GLU
GLY
ASP
ILE
HIS
LEU
GLU


• Molecule 6: Probable proteasome subunit alpha type-7




- Molecule 7: Proteasome subunit alpha type-1




- Molecule 7: Proteasome subunit alpha type-1




- Molecule 8: Proteasome subunit beta type-2




- Molecule 8: Proteasome subunit beta type-2




- Molecule 9: Proteasome subunit beta type-3




- Molecule 9: Proteasome subunit beta type-3




- Molecule 10: Proteasome subunit beta type-4




- Molecule 10: Proteasome subunit beta type-4



- Molecule 11: Proteasome subunit beta type-5



- Molecule 11: Proteasome subunit beta type-5




- Molecule 12: Proteasome subunit beta type-6









- Molecule 12: Proteasome subunit beta type-6





- Molecule 13: Proteasome subunit beta type-7



- Molecule 13: Proteasome subunit beta type-7



- Molecule 14: Proteasome subunit beta type-1



- Molecule 14: Proteasome subunit beta type-1



- Molecule 15: 3-PYRIDIN-4-YL-2,4-DIHYDRO-INDENO[1,2-C]PYRAZOLE



- Molecule 15: 3-PYRIDIN-4-YL-2,4-DIHYDRO-INDENO[1,2-C]PYRAZOLE



Q2
A3
X4

- Molecule 15: 3-PYRIDIN-4-YL-2,4-DIHYDRO-INDENO[1,2-.C.]PYRAZOLE

Chain g:  33% 100%

Q2
A3
X4

- Molecule 15: 3-PYRIDIN-4-YL-2,4-DIHYDRO-INDENO[1,2-.C.]PYRAZOLE

Chain h:  33% 67%

Q2
A3
X4

4 Data and refinement statistics

Property	Value	Source
Space group	P 1 21 1	Depositor
Cell constants a, b, c, α , β , γ	134.97Å 300.87Å 143.98Å 90.00° 112.78° 90.00°	Depositor
Resolution (Å)	30.00 – 3.25 29.97 – 3.25	Depositor EDS
% Data completeness (in resolution range)	95.2 (30.00-3.25) 95.3 (29.97-3.25)	Depositor EDS
R_{merge}	0.10	Depositor
R_{sym}	(Not available)	Depositor
$\langle I/\sigma(I) \rangle$ ¹	2.66 (at 3.24Å)	Xtrriage
Refinement program	REFMAC 5.8.0258	Depositor
R, R_{free}	0.174 , 0.212 0.188 , 0.221	Depositor DCC
R_{free} test set	7890 reflections (5.00%)	wwPDB-VP
Wilson B-factor (Å ²)	81.6	Xtrriage
Anisotropy	0.212	Xtrriage
Bulk solvent k_{sol} (e/Å ³), B_{sol} (Å ²)	0.29 , 44.5	EDS
L-test for twinning ²	$\langle L \rangle = 0.48$, $\langle L^2 \rangle = 0.31$	Xtrriage
Estimated twinning fraction	No twinning to report.	Xtrriage
F_o, F_c correlation	0.95	EDS
Total number of atoms	49555	wwPDB-VP
Average B, all atoms (Å ²)	99.0	wwPDB-VP

Xtrriage's analysis on translational NCS is as follows: *The largest off-origin peak in the Patterson function is 2.76% of the height of the origin peak. No significant pseudotranslation is detected.*

¹Intensities estimated from amplitudes.

²Theoretical values of $\langle |L| \rangle$, $\langle L^2 \rangle$ for acentric reflections are 0.5, 0.333 respectively for untwinned datasets, and 0.375, 0.2 for perfectly twinned datasets.

5 Model quality

5.1 Standard geometry

Bond lengths and bond angles in the following residue types are not validated in this section: DCL, CL, MYR, MG

The Z score for a bond length (or angle) is the number of standard deviations the observed value is removed from the expected value. A bond length (or angle) with $|Z| > 5$ is considered an outlier worth inspection. RMSZ is the root-mean-square of all Z scores of the bond lengths (or angles).

Mol	Chain	Bond lengths		Bond angles	
		RMSZ	# Z >5	RMSZ	# Z >5
1	A	0.65	0/1952	0.69	0/2642
1	O	0.65	0/1952	0.69	0/2642
2	B	0.65	0/1934	0.70	0/2618
2	P	0.65	0/1934	0.70	0/2618
3	C	0.65	0/1910	0.71	0/2586
3	Q	0.66	0/1910	0.71	0/2586
4	D	0.66	0/1837	0.70	0/2475
4	R	0.66	0/1837	0.70	0/2475
5	E	0.66	0/1800	0.70	0/2433
5	S	0.66	0/1800	0.71	0/2433
6	F	0.65	0/1932	0.69	0/2609
6	T	0.65	0/1932	0.69	0/2609
7	G	0.64	0/1945	0.69	0/2634
7	U	0.64	0/1945	0.69	0/2634
8	H	0.65	0/1750	0.72	0/2373
8	V	0.65	0/1750	0.72	0/2373
9	I	0.64	0/1611	0.70	0/2174
9	W	0.65	0/1611	0.70	0/2174
10	J	0.63	0/1589	0.69	0/2142
10	X	0.62	0/1589	0.69	0/2142
11	K	0.64	0/1681	0.72	0/2274
11	Y	0.65	0/1681	0.72	0/2274
12	L	0.64	0/1795	0.69	0/2420
12	Z	0.63	0/1795	0.69	0/2420
13	M	0.64	0/1828	0.71	0/2480
13	a	0.64	0/1828	0.71	0/2480
14	N	0.64	0/1541	0.70	0/2087
14	b	0.64	0/1541	0.70	0/2087
15	e	0.56	0/13	0.99	0/16
15	f	0.62	0/13	0.80	0/16
15	g	0.51	0/13	1.07	0/16
15	h	0.56	0/13	0.94	0/16

Mol	Chain	Bond lengths		Bond angles	
		RMSZ	# Z >5	RMSZ	# Z >5
All	All	0.65	0/50262	0.70	0/67958

There are no bond length outliers.

There are no bond angle outliers.

There are no chirality outliers.

There are no planarity outliers.

5.2 Too-close contacts [i](#)

In the following table, the Non-H and H(model) columns list the number of non-hydrogen atoms and hydrogen atoms in the chain respectively. The H(added) column lists the number of hydrogen atoms added and optimized by MolProbity. The Clashes column lists the number of clashes within the asymmetric unit, whereas Symm-Clashes lists symmetry-related clashes.

Mol	Chain	Non-H	H(model)	H(added)	Clashes	Symm-Clashes
1	A	1915	0	1929	3	0
1	O	1915	0	1929	3	0
2	B	1904	0	1904	4	0
2	P	1904	0	1904	6	0
3	C	1881	0	1895	6	0
3	Q	1881	0	1895	7	0
4	D	1813	0	1797	3	0
4	R	1813	0	1797	4	0
5	E	1773	0	1775	5	0
5	S	1773	0	1775	5	0
6	F	1892	0	1883	2	0
6	T	1892	0	1883	1	0
7	G	1907	0	1901	5	0
7	U	1907	0	1901	5	0
8	H	1719	0	1718	31	0
8	V	1719	0	1718	31	0
9	I	1581	0	1574	13	0
9	W	1581	0	1574	11	0
10	J	1561	0	1569	18	0
10	X	1561	0	1569	31	0
11	K	1644	0	1594	37	0
11	Y	1644	0	1594	35	0
12	L	1757	0	1711	11	0
12	Z	1757	0	1711	11	0
13	M	1797	0	1800	5	0

Continued on next page...

Continued from previous page...

Mol	Chain	Non-H	H(model)	H(added)	Clashes	Symm-Clashes
13	a	1797	0	1800	0	0
14	N	1512	0	1481	6	0
14	b	1512	0	1481	0	0
15	e	22	0	23	0	0
15	f	22	0	22	0	0
15	g	22	0	22	0	0
15	h	22	0	22	0	0
16	G	1	0	0	0	0
16	I	1	0	0	0	0
16	J	1	0	0	0	0
16	K	1	0	0	0	0
16	N	1	0	0	0	0
16	V	1	0	0	0	0
16	Y	1	0	0	0	0
16	Z	1	0	0	0	0
17	G	1	0	0	0	0
17	N	1	0	0	0	0
17	U	1	0	0	0	0
18	e	15	0	27	0	0
18	f	15	0	27	0	0
18	g	15	0	27	0	0
18	h	15	0	27	0	0
19	A	1	0	0	0	0
19	B	3	0	0	0	0
19	C	2	0	0	0	0
19	D	1	0	0	0	0
19	E	5	0	0	0	0
19	F	1	0	0	0	0
19	G	3	0	0	0	0
19	H	3	0	0	0	0
19	I	2	0	0	0	0
19	J	4	0	0	0	0
19	K	7	0	0	0	0
19	L	6	0	0	0	0
19	M	6	0	0	1	0
19	N	4	0	0	0	0
19	O	1	0	0	0	0
19	P	6	0	0	0	0
19	Q	2	0	0	0	0
19	R	2	0	0	0	0
19	S	1	0	0	0	0
19	T	1	0	0	0	0

Continued on next page...

Continued from previous page...

Mol	Chain	Non-H	H(model)	H(added)	Clashes	Symm-Clashes
19	U	2	0	0	0	0
19	V	3	0	0	0	0
19	W	1	0	0	0	0
19	X	3	0	0	0	0
19	Y	5	0	0	0	0
19	Z	3	0	0	0	0
19	a	3	0	0	0	0
19	b	1	0	0	0	0
19	f	1	0	0	0	0
19	h	1	0	0	0	0
All	All	49555	0	49259	262	0

The all-atom clashscore is defined as the number of clashes found per 1000 atoms (including hydrogen atoms). The all-atom clashscore for this structure is 3.

All (262) close contacts within the same asymmetric unit are listed below, sorted by their clash magnitude.

Atom-1	Atom-2	Interatomic distance (Å)	Clash overlap (Å)
8:H:2:THR:HG21	8:H:162:GLY:HA3	1.34	1.10
8:H:2:THR:OG1	8:H:169:SER:HB3	1.53	1.08
10:J:139:TYR:OH	10:X:25:ILE:O	1.89	0.91
10:X:16:ALA:HB2	10:X:161:LEU:HD21	1.57	0.87
10:X:160:LEU:HD12	10:X:160:LEU:O	1.76	0.86
8:H:2:THR:OG1	8:H:169:SER:CB	2.25	0.84
10:J:155:GLU:OE1	10:J:155:GLU:N	2.13	0.78
10:J:25:ILE:HD11	10:X:135:TYR:HB3	1.65	0.77
8:H:18:THR:HG21	8:H:172:ASN:HB2	1.67	0.75
8:V:18:THR:HG21	8:V:172:ASN:HB2	1.67	0.75
3:Q:160:GLN:HA	3:Q:160:GLN:HE21	1.52	0.75
3:C:160:GLN:HE21	3:C:160:GLN:HA	1.52	0.74
11:K:209:ASN:O	9:W:38:LYS:NZ	2.22	0.72
11:Y:9:GLN:HE21	11:Y:147:ASP:HA	1.55	0.72
10:J:25:ILE:HG12	10:J:25:ILE:O	1.90	0.72
10:J:25:ILE:HD12	10:X:135:TYR:CD1	2.25	0.71
8:V:2:THR:HG21	8:V:162:GLY:HA3	1.72	0.70
11:K:73:ARG:NH2	11:K:104:TYR:O	2.23	0.69
10:X:25:ILE:O	10:X:25:ILE:HG12	1.92	0.67
11:K:9:GLN:HE21	11:K:147:ASP:HA	1.56	0.67
8:V:2:THR:O	8:V:159:ILE:HD12	1.96	0.64
10:X:160:LEU:HD12	10:X:160:LEU:C	2.18	0.63
11:K:4:LEU:HD11	11:K:15:ALA:HB3	1.81	0.62

Continued on next page...

Continued from previous page...

Atom-1	Atom-2	Interatomic distance (Å)	Clash overlap (Å)
11:Y:73:ARG:NH2	11:Y:104:TYR:O	2.23	0.62
10:X:139:TYR:CE1	10:X:171:ARG:HB3	2.34	0.61
11:Y:9:GLN:NE2	11:Y:147:ASP:HA	2.16	0.60
11:Y:4:LEU:HD22	11:Y:140:LEU:HD21	1.82	0.60
8:V:18:THR:HB	8:V:30:ASN:HD22	1.67	0.60
8:H:2:THR:HG23	8:H:130:GLY:HA3	1.83	0.60
8:V:18:THR:CG2	8:V:172:ASN:HB2	2.32	0.60
9:I:38:LYS:NZ	11:Y:209:ASN:O	2.34	0.59
12:Z:31:THR:HG23	12:Z:36:ASN:HD21	1.67	0.59
12:L:31:THR:HG23	12:L:36:ASN:HD21	1.67	0.59
8:H:18:THR:CG2	8:H:172:ASN:HB2	2.32	0.59
8:H:18:THR:HB	8:H:30:ASN:HD22	1.68	0.58
11:K:45:MET:SD	11:K:52:CYS:HB3	2.42	0.58
11:Y:4:LEU:C	11:Y:4:LEU:CD1	2.72	0.58
10:X:27:VAL:HG12	10:X:27:VAL:O	2.01	0.58
8:V:2:THR:O	8:V:159:ILE:CD1	2.51	0.58
11:K:9:GLN:NE2	11:K:147:ASP:HA	2.18	0.58
11:K:1:THR:O	11:K:130:GLY:HA3	2.04	0.57
10:X:139:TYR:CE1	10:X:171:ARG:CB	2.87	0.56
9:I:9:GLY:HA3	9:I:41:LYS:HE2	1.88	0.56
12:L:12:ILE:HD12	12:L:110:ILE:HD12	1.88	0.56
8:H:2:THR:HG1	8:H:169:SER:HB3	1.65	0.55
11:K:4:LEU:O	11:K:4:LEU:HD12	2.06	0.55
8:H:3:ILE:HG13	8:H:99:ILE:HD12	1.89	0.55
7:U:23:PHE:O	7:U:26:THR:HB	2.05	0.55
12:Z:12:ILE:HD12	12:Z:110:ILE:HD12	1.88	0.55
7:G:23:PHE:O	7:G:26:THR:HB	2.06	0.55
10:J:16:ALA:HB2	10:J:161:LEU:HD21	1.88	0.55
8:V:166:ASP:OD2	8:V:169:SER:OG	2.25	0.54
11:K:19:ARG:O	11:K:33:LYS:NZ	2.33	0.53
9:W:9:GLY:HA3	9:W:41:LYS:HE2	1.90	0.53
12:Z:12:ILE:CD1	12:Z:110:ILE:HD12	2.38	0.53
12:L:194:ARG:CZ	8:V:29:LYS:HE2	2.39	0.53
10:X:21:VAL:HG23	10:X:29:LYS:HB3	1.91	0.53
12:L:12:ILE:CD1	12:L:110:ILE:HD12	2.39	0.53
8:V:2:THR:OG1	8:V:169:SER:CB	2.57	0.53
8:H:3:ILE:HD11	8:H:127:LEU:HB3	1.89	0.52
3:C:35:LYS:HG2	3:C:158:SER:O	2.09	0.52
10:X:19:LYS:HD2	10:X:180:ILE:HG13	1.91	0.52
8:H:166:ASP:OD2	8:H:169:SER:OG	2.28	0.52
11:K:159:ARG:NH2	10:X:146:HIS:ND1	2.58	0.51

Continued on next page...

Continued from previous page...

Atom-1	Atom-2	Interatomic distance (Å)	Clash overlap (Å)
14:N:7:THR:HG23	14:N:123:PRO:O	2.10	0.51
10:X:165:VAL:HG21	10:X:195:PHE:HE1	1.76	0.51
11:Y:37:ILE:HG23	11:Y:60:GLY:HA2	1.93	0.51
11:K:2:THR:OG1	11:K:171:SER:OG	2.28	0.51
11:Y:19:ARG:O	11:Y:33:LYS:NZ	2.33	0.51
9:I:10:ILE:HG21	9:I:141:ALA:HB3	1.93	0.50
8:H:19:ARG:O	8:H:33:LYS:NZ	2.43	0.50
11:Y:4:LEU:HD12	11:Y:4:LEU:O	2.11	0.50
3:Q:35:LYS:HG2	3:Q:158:SER:O	2.11	0.50
10:X:19:LYS:CD	10:X:180:ILE:HG13	2.41	0.50
10:J:147:HIS:ND1	10:J:147:HIS:N	2.60	0.50
11:K:1:THR:HG21	11:K:46:ALA:HA	1.93	0.50
8:H:29:LYS:NZ	9:I:150:GLU:OE1	2.44	0.50
4:R:160:ASN:HB3	4:R:179:TRP:CE2	2.47	0.50
11:Y:50:ALA:HB2	12:Z:128:VAL:HG23	1.93	0.49
8:H:84:LYS:HE2	8:H:119:THR:CG2	2.42	0.49
11:K:37:ILE:HG23	11:K:60:GLY:HA2	1.94	0.49
9:W:10:ILE:HG21	9:W:141:ALA:HB3	1.93	0.49
11:Y:2:THR:HG21	11:Y:164:ALA:CB	2.42	0.49
4:D:160:ASN:HB3	4:D:179:TRP:CE2	2.47	0.49
8:V:84:LYS:HE2	8:V:119:THR:CG2	2.42	0.49
2:P:217:LYS:C	2:P:219:ALA:H	2.15	0.49
8:H:3:ILE:HG12	8:H:3:ILE:O	2.12	0.49
8:H:16:ALA:HB3	8:H:34:LEU:HD11	1.95	0.49
10:J:146:HIS:HB3	10:J:147:HIS:ND1	2.27	0.49
13:M:97:ALA:HA	13:M:130:VAL:HG21	1.95	0.49
8:H:50:ALA:HB3	9:I:126:ILE:HD11	1.94	0.49
11:K:179:HIS:CE1	11:K:181:THR:HG23	2.48	0.49
11:Y:46:ALA:HB3	11:Y:98:GLY:O	2.13	0.49
2:B:217:LYS:C	2:B:219:ALA:H	2.15	0.48
9:W:62:LEU:CD1	9:W:104:VAL:HG21	2.42	0.48
9:I:62:LEU:CD1	9:I:104:VAL:HG21	2.43	0.48
14:N:83:LYS:HG3	14:N:119:VAL:CG2	2.43	0.48
8:V:1:THR:HG21	8:V:46:ALA:HB2	1.95	0.48
11:Y:50:ALA:CB	12:Z:128:VAL:HG23	2.43	0.48
11:K:159:ARG:CZ	10:X:146:HIS:ND1	2.76	0.48
11:Y:34:VAL:CG1	11:Y:42:LEU:HD22	2.43	0.48
10:J:22:THR:HG21	10:X:173:PRO:HB3	1.96	0.48
11:K:34:VAL:CG1	11:K:42:LEU:HD22	2.43	0.48
10:X:1:MET:HG2	10:X:34:LYS:HE3	1.95	0.48
11:Y:179:HIS:CE1	11:Y:181:THR:HG23	2.48	0.48

Continued on next page...

Continued from previous page...

Atom-1	Atom-2	Interatomic distance (Å)	Clash overlap (Å)
11:K:4:LEU:CD1	11:K:4:LEU:C	2.83	0.48
8:H:29:LYS:HZ1	9:I:150:GLU:CD	2.18	0.48
3:Q:51:LYS:O	3:Q:52:LEU:HB2	2.13	0.48
7:U:78:ILE:N	7:U:79:PRO:CD	2.77	0.47
8:V:1:THR:HA	8:V:33:LYS:HZ3	1.79	0.47
1:A:1:MET:HG3	6:F:122:TYR:CZ	2.50	0.47
3:C:51:LYS:O	3:C:52:LEU:HB2	2.13	0.47
7:G:78:ILE:N	7:G:79:PRO:CD	2.77	0.47
8:V:16:ALA:HB3	8:V:34:LEU:HD11	1.96	0.47
10:J:1:MET:HG2	10:J:34:LYS:HE3	1.95	0.47
8:H:29:LYS:NZ	9:I:150:GLU:OE2	2.48	0.47
10:J:26:SER:HA	10:X:139:TYR:OH	2.15	0.47
10:J:155:GLU:H	10:J:155:GLU:CD	2.09	0.47
1:O:55:LEU:HB3	7:U:159:ALA:O	2.15	0.47
8:V:84:LYS:HE2	8:V:119:THR:HG23	1.97	0.47
8:V:35:HIS:CB	8:V:56:THR:HG21	2.45	0.47
8:V:20:SER:HB3	8:V:28:ASP:HB3	1.97	0.46
8:H:210:THR:HG21	9:I:167:SER:HB3	1.97	0.46
3:C:108:THR:HG21	3:C:146:TYR:HB3	1.98	0.46
5:S:71:LEU:HD22	5:S:71:LEU:C	2.36	0.46
10:X:3:ILE:HG23	10:X:18:SER:HB3	1.97	0.46
11:Y:4:LEU:C	11:Y:4:LEU:HD12	2.35	0.46
11:Y:4:LEU:HD11	11:Y:15:ALA:HB3	1.97	0.46
11:K:46:ALA:HB3	11:K:98:GLY:O	2.15	0.46
11:K:56:GLU:OE2	11:K:99:THR:HG21	2.16	0.46
14:N:8:PHE:CE2	14:N:10:ASP:HB2	2.50	0.46
11:Y:25:TRP:CH2	12:Z:144:SER:HA	2.51	0.46
5:E:71:LEU:C	5:E:71:LEU:HD22	2.36	0.46
11:Y:38:ASN:HB2	11:Y:39:PRO:CD	2.46	0.46
11:K:4:LEU:HD12	11:K:4:LEU:C	2.36	0.46
12:L:8:ASN:HA	12:L:30:ILE:O	2.16	0.46
3:Q:201:VAL:O	3:Q:202:GLN:CB	2.64	0.46
8:V:1:THR:HG21	8:V:46:ALA:CB	2.46	0.46
10:X:21:VAL:CG2	10:X:29:LYS:HB3	2.46	0.46
11:Y:13:ILE:HG13	11:Y:153:ALA:HB1	1.97	0.46
12:Z:13:LEU:HD11	12:Z:150:LEU:HD21	1.98	0.46
10:J:3:ILE:HG23	10:J:18:SER:HB3	1.98	0.45
11:K:13:ILE:HG13	11:K:153:ALA:HB1	1.98	0.45
12:L:145:LEU:HD11	8:V:25:ILE:HD11	1.96	0.45
8:V:3:ILE:HG13	8:V:99:ILE:HD12	1.98	0.45
10:X:149:ARG:HB2	10:X:152:MET:HG3	1.97	0.45

Continued on next page...

Continued from previous page...

Atom-1	Atom-2	Interatomic distance (Å)	Clash overlap (Å)
12:Z:8:ASN:HA	12:Z:30:ILE:O	2.15	0.45
2:B:145:TYR:OH	2:B:217:LYS:N	2.49	0.45
12:L:13:LEU:HD11	12:L:150:LEU:HD21	1.98	0.45
8:V:2:THR:OG1	8:V:169:SER:HB3	2.16	0.45
11:Y:56:GLU:OE2	11:Y:99:THR:HG21	2.16	0.45
11:K:38:ASN:HB2	11:K:39:PRO:CD	2.47	0.45
13:M:31:GLY:C	13:M:190:ARG:HH21	2.20	0.45
3:C:201:VAL:O	3:C:202:GLN:CB	2.63	0.45
2:P:145:TYR:OH	2:P:217:LYS:N	2.49	0.45
8:H:84:LYS:HE2	8:H:119:THR:HG23	1.98	0.45
11:K:20:ALA:CB	11:K:31:VAL:HG21	2.47	0.45
11:Y:4:LEU:HD22	11:Y:140:LEU:CD2	2.46	0.45
12:Z:3:ASN:HD22	12:Z:4:PRO:HD2	1.82	0.45
8:H:35:HIS:CB	8:H:56:THR:HG21	2.46	0.45
10:X:159:ASP:O	10:X:162:LYS:HB2	2.16	0.45
11:Y:1:THR:O	11:Y:130:GLY:HA3	2.17	0.45
11:Y:20:ALA:CB	11:Y:31:VAL:HG21	2.47	0.45
6:T:123:ASN:C	6:T:123:ASN:HD22	2.21	0.44
5:E:77:ALA:N	5:E:78:PRO:CD	2.81	0.44
3:Q:108:THR:HG21	3:Q:146:TYR:HB3	1.98	0.44
6:F:123:ASN:C	6:F:123:ASN:HD22	2.21	0.44
5:S:77:ALA:N	5:S:78:PRO:CD	2.81	0.44
13:M:2:GLN:NE2	19:M:301:HOH:O	2.50	0.44
8:H:113:ILE:HG12	8:H:119:THR:HG22	1.98	0.44
1:O:161:ALA:O	2:P:55:LEU:HD23	2.17	0.44
8:V:210:THR:HG21	9:W:167:SER:HB3	1.99	0.44
4:D:88:ALA:HA	4:D:99:ILE:HG21	2.00	0.44
8:V:2:THR:OG1	8:V:169:SER:OG	2.31	0.44
8:V:113:ILE:HG12	8:V:119:THR:HG22	1.99	0.44
12:L:3:ASN:HD22	12:L:4:PRO:HD2	1.82	0.44
11:K:209:ASN:OD1	11:K:209:ASN:C	2.56	0.43
4:R:88:ALA:HA	4:R:99:ILE:HG21	2.00	0.43
10:J:177:LYS:NZ	10:X:169:GLU:O	2.50	0.43
11:K:50:ALA:HB2	12:L:128:VAL:HG23	2.01	0.43
9:W:36:SER:HB2	10:X:126:VAL:HG11	2.00	0.43
11:Y:6:PHE:HA	11:Y:125:ASP:O	2.18	0.43
11:Y:145:LYS:HB2	11:Y:148:LEU:HD13	2.01	0.43
11:K:6:PHE:HA	11:K:125:ASP:O	2.18	0.43
11:K:20:ALA:HB2	11:K:31:VAL:HG21	2.01	0.43
11:Y:41:LEU:HD23	11:Y:41:LEU:HA	1.81	0.43
4:R:159:TYR:CE2	5:S:56:SER:HB3	2.54	0.43

Continued on next page...

Continued from previous page...

Atom-1	Atom-2	Interatomic distance (Å)	Clash overlap (Å)
11:Y:209:ASN:OD1	11:Y:209:ASN:C	2.57	0.43
2:B:47:ALA:HB1	2:B:64:LYS:HD2	2.01	0.43
2:B:50:LYS:HD3	2:B:50:LYS:HA	1.78	0.43
1:A:64:VAL:HG11	1:A:212:ALA:HB3	2.01	0.42
10:J:50:ALA:O	11:K:91:LYS:NZ	2.52	0.42
13:M:187:ARG:NH1	8:V:139:GLU:OE1	2.42	0.42
12:Z:146:ILE:HG22	12:Z:150:LEU:HD22	2.02	0.42
2:P:47:ALA:HB1	2:P:64:LYS:HD2	2.01	0.42
7:U:34:LEU:C	7:U:34:LEU:HD23	2.40	0.42
11:Y:20:ALA:HB2	11:Y:31:VAL:HG21	2.01	0.42
10:J:169:GLU:O	10:X:177:LYS:NZ	2.51	0.42
10:X:139:TYR:CE1	10:X:171:ARG:HB2	2.55	0.42
10:X:168:LEU:O	10:X:172:MET:HB2	2.20	0.42
7:G:34:LEU:C	7:G:34:LEU:HD23	2.40	0.42
8:H:24:PRO:O	12:Z:196:ILE:HG12	2.20	0.42
11:K:179:HIS:CE1	11:K:181:THR:CG2	3.03	0.42
3:Q:169:VAL:HG23	3:Q:196:SER:HB2	2.01	0.42
4:R:24:LYS:O	4:R:166:SER:HA	2.20	0.42
8:V:112:SER:HB3	8:V:125:LEU:HD13	2.00	0.42
11:Y:179:HIS:CE1	11:Y:181:THR:CG2	3.03	0.42
11:K:145:LYS:HB2	11:K:148:LEU:HD13	2.02	0.42
14:N:14:LEU:HD12	14:N:14:LEU:N	2.34	0.42
4:D:24:LYS:O	4:D:166:SER:HA	2.20	0.42
8:H:112:SER:HB3	8:H:125:LEU:HD13	2.00	0.42
11:Y:44:THR:HG21	11:Y:100:MET:HE3	2.00	0.42
12:L:146:ILE:HG22	12:L:150:LEU:HD22	2.01	0.42
1:O:64:VAL:HG11	1:O:212:ALA:HB3	2.02	0.42
10:J:168:LEU:O	10:J:172:MET:HB2	2.19	0.41
14:N:45:ARG:HB3	14:N:52:THR:HB	2.01	0.41
8:V:3:ILE:HG22	8:V:16:ALA:HB1	2.01	0.41
8:H:1:THR:O	8:H:128:GLY:HA3	2.20	0.41
11:K:44:THR:HG21	11:K:100:MET:HE3	2.02	0.41
8:H:34:LEU:N	8:H:34:LEU:HD12	2.35	0.41
11:K:140:LEU:HD12	11:K:140:LEU:HA	1.88	0.41
7:U:73:VAL:HG12	7:U:133:THR:HB	2.01	0.41
9:I:20:VAL:HG13	9:I:118:PRO:HB3	2.02	0.41
10:J:25:ILE:CD1	10:X:135:TYR:HB3	2.45	0.41
11:K:2:THR:HG21	11:K:164:ALA:CB	2.50	0.41
11:K:32:LYS:HE2	11:K:32:LYS:HB3	1.75	0.41
12:L:194:ARG:NH2	8:V:29:LYS:HE2	2.35	0.41
13:M:165:ILE:HB	13:M:166:PRO:HD3	2.03	0.41

Continued on next page...

Continued from previous page...

Atom-1	Atom-2	Interatomic distance (Å)	Clash overlap (Å)
8:V:34:LEU:HD12	8:V:34:LEU:N	2.36	0.41
5:E:9:THR:HG21	5:E:119:THR:HA	2.01	0.41
5:E:68:HIS:HE1	5:E:102:LEU:O	2.04	0.41
9:I:141:ALA:HB2	9:I:177:ASP:HB2	2.03	0.41
5:S:9:THR:HG21	5:S:119:THR:HA	2.01	0.41
8:V:2:THR:N	8:V:17:ASP:OD1	2.45	0.41
9:W:20:VAL:HG13	9:W:118:PRO:HB3	2.02	0.41
14:N:159:LEU:HD12	14:N:173:ILE:HG23	2.03	0.41
10:X:144:LEU:O	10:X:148:TYR:HB2	2.21	0.41
11:Y:3:THR:HG22	11:Y:16:VAL:HB	2.03	0.41
1:A:226:GLY:HA3	8:H:186:TYR:O	2.21	0.41
7:G:73:VAL:HG12	7:G:133:THR:HB	2.01	0.41
8:H:29:LYS:NZ	9:I:150:GLU:CD	2.73	0.41
8:H:137:VAL:HG21	8:H:161:ALA:HB2	2.03	0.41
9:I:94:LEU:HD11	9:I:106:PRO:HG2	2.02	0.41
9:W:94:LEU:HD11	9:W:106:PRO:HG2	2.02	0.41
10:X:1:MET:HB3	10:X:34:LYS:HE3	2.03	0.41
11:Y:12:ILE:HB	11:Y:180:VAL:HB	2.03	0.41
11:Y:16:VAL:HG23	11:Y:17:ASP:O	2.20	0.41
11:Y:45:MET:SD	11:Y:52:CYS:HB3	2.60	0.41
11:K:16:VAL:HG23	11:K:17:ASP:O	2.20	0.41
11:K:42:LEU:HD23	11:K:42:LEU:HA	1.95	0.41
8:H:4:VAL:HG13	8:H:159:ILE:HD13	2.03	0.40
2:P:114:LEU:HD23	2:P:114:LEU:HA	1.94	0.40
9:W:7:ASN:HA	9:W:29:GLY:O	2.21	0.40
9:W:141:ALA:HB2	9:W:177:ASP:HB2	2.03	0.40
5:S:68:HIS:HE1	5:S:102:LEU:O	2.05	0.40
8:V:29:LYS:NZ	9:W:150:GLU:OE2	2.55	0.40
8:V:104:ASP:HB2	8:V:105:PRO:HD2	2.03	0.40
3:C:169:VAL:HG23	3:C:196:SER:HB2	2.02	0.40
5:E:80:ALA:HB2	5:E:129:VAL:HG21	2.02	0.40
7:G:43:VAL:HG11	7:G:194:VAL:HA	2.04	0.40
11:K:41:LEU:HD23	11:K:41:LEU:HA	1.82	0.40
2:P:124:HIS:HB3	3:Q:124:VAL:HG12	2.04	0.40

There are no symmetry-related clashes.

5.3 Torsion angles

5.3.1 Protein backbone

In the following table, the Percentiles column shows the percent Ramachandran outliers of the chain as a percentile score with respect to all X-ray entries followed by that with respect to entries of similar resolution.

The Analysed column shows the number of residues for which the backbone conformation was analysed, and the total number of residues.

Mol	Chain	Analysed	Favoured	Allowed	Outliers	Percentiles	
1	A	248/250 (99%)	239 (96%)	8 (3%)	1 (0%)	34	67
1	O	248/250 (99%)	238 (96%)	9 (4%)	1 (0%)	34	67
2	B	242/258 (94%)	232 (96%)	6 (2%)	4 (2%)	9	36
2	P	242/258 (94%)	232 (96%)	6 (2%)	4 (2%)	9	36
3	C	238/254 (94%)	231 (97%)	4 (2%)	3 (1%)	12	41
3	Q	238/254 (94%)	231 (97%)	4 (2%)	3 (1%)	12	41
4	D	231/260 (89%)	226 (98%)	5 (2%)	0	100	100
4	R	231/260 (89%)	226 (98%)	5 (2%)	0	100	100
5	E	229/234 (98%)	219 (96%)	10 (4%)	0	100	100
5	S	229/234 (98%)	219 (96%)	10 (4%)	0	100	100
6	F	241/288 (84%)	236 (98%)	5 (2%)	0	100	100
6	T	241/288 (84%)	237 (98%)	4 (2%)	0	100	100
7	G	239/252 (95%)	236 (99%)	3 (1%)	0	100	100
7	U	239/252 (95%)	236 (99%)	3 (1%)	0	100	100
8	H	224/232 (97%)	219 (98%)	5 (2%)	0	100	100
8	V	224/232 (97%)	218 (97%)	6 (3%)	0	100	100
9	I	202/205 (98%)	194 (96%)	8 (4%)	0	100	100
9	W	202/205 (98%)	194 (96%)	8 (4%)	0	100	100
10	J	193/198 (98%)	188 (97%)	5 (3%)	0	100	100
10	X	193/198 (98%)	189 (98%)	4 (2%)	0	100	100
11	K	210/212 (99%)	206 (98%)	4 (2%)	0	100	100
11	Y	210/212 (99%)	206 (98%)	4 (2%)	0	100	100
12	L	220/222 (99%)	214 (97%)	6 (3%)	0	100	100
12	Z	220/222 (99%)	214 (97%)	6 (3%)	0	100	100
13	M	228/246 (93%)	220 (96%)	8 (4%)	0	100	100

Continued on next page...

Continued from previous page...

Mol	Chain	Analysed	Favoured	Allowed	Outliers	Percentiles	
13	a	228/246 (93%)	220 (96%)	8 (4%)	0	100	100
14	N	194/196 (99%)	190 (98%)	4 (2%)	0	100	100
14	b	194/196 (99%)	190 (98%)	4 (2%)	0	100	100
15	e	1/3 (33%)	0	1 (100%)	0	100	100
15	f	1/3 (33%)	1 (100%)	0	0	100	100
15	g	1/3 (33%)	1 (100%)	0	0	100	100
15	h	1/3 (33%)	1 (100%)	0	0	100	100
All	All	6282/6626 (95%)	6103 (97%)	163 (3%)	16 (0%)	41	72

All (16) Ramachandran outliers are listed below:

Mol	Chain	Res	Type
2	B	51	VAL
3	C	202	GLN
2	P	51	VAL
3	Q	202	GLN
1	A	2	THR
2	B	218	GLY
2	B	222	GLY
1	O	2	THR
2	P	218	GLY
2	P	222	GLY
2	B	220	ASN
2	P	220	ASN
3	C	205	ALA
3	Q	205	ALA
3	C	183	PRO
3	Q	183	PRO

5.3.2 Protein sidechains [i](#)

In the following table, the Percentiles column shows the percent sidechain outliers of the chain as a percentile score with respect to all X-ray entries followed by that with respect to entries of similar resolution.

The Analysed column shows the number of residues for which the sidechain conformation was analysed, and the total number of residues.

Mol	Chain	Analysed	Rotameric	Outliers	Percentiles	
1	A	209/209 (100%)	206 (99%)	3 (1%)	67	81
1	O	209/209 (100%)	206 (99%)	3 (1%)	67	81
2	B	203/216 (94%)	198 (98%)	5 (2%)	47	71
2	P	203/216 (94%)	198 (98%)	5 (2%)	47	71
3	C	212/226 (94%)	202 (95%)	10 (5%)	26	57
3	Q	212/226 (94%)	202 (95%)	10 (5%)	26	57
4	D	194/215 (90%)	185 (95%)	9 (5%)	27	57
4	R	194/215 (90%)	185 (95%)	9 (5%)	27	57
5	E	190/193 (98%)	182 (96%)	8 (4%)	30	59
5	S	190/193 (98%)	182 (96%)	8 (4%)	30	59
6	F	201/239 (84%)	192 (96%)	9 (4%)	27	58
6	T	201/239 (84%)	192 (96%)	9 (4%)	27	58
7	G	206/210 (98%)	198 (96%)	8 (4%)	32	61
7	U	206/210 (98%)	198 (96%)	8 (4%)	32	61
8	H	185/190 (97%)	177 (96%)	8 (4%)	29	59
8	V	185/190 (97%)	180 (97%)	5 (3%)	44	70
9	I	172/173 (99%)	168 (98%)	4 (2%)	50	73
9	W	172/173 (99%)	168 (98%)	4 (2%)	50	73
10	J	173/175 (99%)	167 (96%)	6 (4%)	36	64
10	X	173/175 (99%)	165 (95%)	8 (5%)	27	57
11	K	169/169 (100%)	160 (95%)	9 (5%)	22	53
11	Y	169/169 (100%)	160 (95%)	9 (5%)	22	53
12	L	185/185 (100%)	181 (98%)	4 (2%)	52	74
12	Z	185/185 (100%)	181 (98%)	4 (2%)	52	74
13	M	196/208 (94%)	190 (97%)	6 (3%)	40	67
13	a	196/208 (94%)	190 (97%)	6 (3%)	40	67
14	N	162/162 (100%)	158 (98%)	4 (2%)	47	71
14	b	162/162 (100%)	158 (98%)	4 (2%)	47	71
15	e	1/1 (100%)	1 (100%)	0	100	100
15	f	1/1 (100%)	0	1 (100%)	0	0
15	g	1/1 (100%)	1 (100%)	0	100	100
15	h	1/1 (100%)	0	1 (100%)	0	0

Continued on next page...

Continued from previous page...

Mol	Chain	Analysed	Rotameric	Outliers	Percentiles
All	All	5318/5544 (96%)	5131 (96%)	187 (4%)	36 64

All (187) residues with a non-rotameric sidechain are listed below:

Mol	Chain	Res	Type
1	A	122	THR
1	A	157	PHE
1	A	250	LEU
2	B	55	LEU
2	B	79	LEU
2	B	113	ARG
2	B	191	LEU
2	B	238	LEU
3	C	4	ARG
3	C	38	ASN
3	C	51	LYS
3	C	77	ASN
3	C	147	GLN
3	C	160	GLN
3	C	169	VAL
3	C	180	LYS
3	C	206	LYS
3	C	240	GLU
4	D	99	ILE
4	D	125	LEU
4	D	143	ASP
4	D	176	LEU
4	D	193	LEU
4	D	214	ILE
4	D	235	LEU
4	D	236	LYS
4	D	242	GLU
5	E	9	THR
5	E	29	LYS
5	E	55	LEU
5	E	71	LEU
5	E	184	ASN
5	E	188	LEU
5	E	202	ASP
5	E	231	LYS
6	F	117	GLN
6	F	123	ASN

Continued on next page...

Continued from previous page...

Mol	Chain	Res	Type
6	F	139	LYS
6	F	172	LEU
6	F	181	GLU
6	F	201	GLU
6	F	202	ASP
6	F	214	TRP
6	F	240	GLN
7	G	83	ASN
7	G	115	LEU
7	G	117	GLN
7	G	122	ARG
7	G	125	MET
7	G	208	GLU
7	G	235	ARG
7	G	236	LEU
8	H	2	THR
8	H	3	ILE
8	H	20	SER
8	H	30	ASN
8	H	68	LEU
8	H	113	ILE
8	H	169	SER
8	H	196	ARG
9	I	37	ASN
9	I	126	ILE
9	I	171	LEU
9	I	182	TRP
10	J	3	ILE
10	J	25	ILE
10	J	35	THR
10	J	90	LYS
10	J	99	GLN
10	J	147	HIS
11	K	4	LEU
11	K	9	GLN
11	K	35	ILE
11	K	97	MET
11	K	100	MET
11	K	140	LEU
11	K	148	LEU
11	K	209	ASN
11	K	211	ILE

Continued on next page...

Continued from previous page...

Mol	Chain	Res	Type
12	L	23	LEU
12	L	108	HIS
12	L	136	CYS
12	L	150	LEU
13	M	2	GLN
13	M	48	ASN
13	M	70	LEU
13	M	104	ARG
13	M	161	ARG
13	M	187	ARG
14	N	9	LYS
14	N	83	LYS
14	N	104	ASP
14	N	107	LYS
1	O	122	THR
1	O	157	PHE
1	O	250	LEU
2	P	55	LEU
2	P	79	LEU
2	P	113	ARG
2	P	191	LEU
2	P	238	LEU
3	Q	4	ARG
3	Q	38	ASN
3	Q	51	LYS
3	Q	77	ASN
3	Q	147	GLN
3	Q	160	GLN
3	Q	169	VAL
3	Q	180	LYS
3	Q	206	LYS
3	Q	240	GLU
4	R	99	ILE
4	R	125	LEU
4	R	143	ASP
4	R	176	LEU
4	R	193	LEU
4	R	214	ILE
4	R	235	LEU
4	R	236	LYS
4	R	242	GLU
5	S	9	THR

Continued on next page...

Continued from previous page...

Mol	Chain	Res	Type
5	S	29	LYS
5	S	55	LEU
5	S	71	LEU
5	S	184	ASN
5	S	188	LEU
5	S	202	ASP
5	S	231	LYS
6	T	117	GLN
6	T	123	ASN
6	T	139	LYS
6	T	172	LEU
6	T	181	GLU
6	T	201	GLU
6	T	202	ASP
6	T	214	TRP
6	T	240	GLN
7	U	83	ASN
7	U	115	LEU
7	U	117	GLN
7	U	122	ARG
7	U	125	MET
7	U	208	GLU
7	U	235	ARG
7	U	236	LEU
8	V	30	ASN
8	V	68	LEU
8	V	113	ILE
8	V	169	SER
8	V	196	ARG
9	W	37	ASN
9	W	126	ILE
9	W	171	LEU
9	W	182	TRP
10	X	3	ILE
10	X	21	VAL
10	X	25	ILE
10	X	35	THR
10	X	90	LYS
10	X	99	GLN
10	X	151	ASP
10	X	160	LEU
11	Y	4	LEU

Continued on next page...

Continued from previous page...

Mol	Chain	Res	Type
11	Y	9	GLN
11	Y	35	ILE
11	Y	97	MET
11	Y	100	MET
11	Y	140	LEU
11	Y	148	LEU
11	Y	209	ASN
11	Y	211	ILE
12	Z	23	LEU
12	Z	108	HIS
12	Z	136	CYS
12	Z	150	LEU
13	a	2	GLN
13	a	48	ASN
13	a	70	LEU
13	a	104	ARG
13	a	161	ARG
13	a	187	ARG
14	b	9	LYS
14	b	83	LYS
14	b	104	ASP
14	b	107	LYS
15	f	2	GLN
15	h	2	GLN

Sometimes sidechains can be flipped to improve hydrogen bonding and reduce clashes. All (121) such sidechains are listed below:

Mol	Chain	Res	Type
2	B	20	GLN
2	B	58	GLN
2	B	95	GLN
2	B	119	GLN
2	B	123	GLN
2	B	155	ASN
2	B	176	GLN
3	C	17	GLN
3	C	38	ASN
3	C	77	ASN
3	C	116	GLN
3	C	120	GLN
3	C	147	GLN
3	C	160	GLN

Continued on next page...

Continued from previous page...

Mol	Chain	Res	Type
4	D	15	GLN
4	D	91	HIS
4	D	146	GLN
4	D	225	ASN
5	E	68	HIS
5	E	92	ASN
5	E	99	ASN
5	E	116	GLN
5	E	118	ASN
5	E	120	GLN
5	E	151	ASN
5	E	184	ASN
6	F	19	GLN
6	F	86	ASN
6	F	117	GLN
6	F	123	ASN
6	F	191	GLN
6	F	240	GLN
7	G	83	ASN
7	G	114	ASN
7	G	117	GLN
7	G	121	GLN
7	G	166	GLN
7	G	167	GLN
7	G	175	ASN
8	H	9	ASN
8	H	30	ASN
8	H	189	ASN
9	I	37	ASN
10	J	55	GLN
11	K	9	GLN
11	K	85	ASN
11	K	176	ASN
11	K	179	HIS
11	K	208	ASN
12	L	3	ASN
12	L	49	ASN
12	L	70	ASN
13	M	18	ASN
13	M	48	ASN
13	M	102	GLN
13	M	179	ASN

Continued on next page...

Continued from previous page...

Mol	Chain	Res	Type
13	M	194	ASN
13	M	213	GLN
14	N	161	GLN
2	P	20	GLN
2	P	58	GLN
2	P	95	GLN
2	P	119	GLN
2	P	123	GLN
2	P	176	GLN
3	Q	38	ASN
3	Q	77	ASN
3	Q	116	GLN
3	Q	120	GLN
3	Q	147	GLN
3	Q	160	GLN
4	R	15	GLN
4	R	91	HIS
4	R	146	GLN
4	R	225	ASN
5	S	68	HIS
5	S	92	ASN
5	S	99	ASN
5	S	116	GLN
5	S	118	ASN
5	S	120	GLN
5	S	151	ASN
5	S	184	ASN
6	T	19	GLN
6	T	86	ASN
6	T	117	GLN
6	T	123	ASN
6	T	191	GLN
6	T	240	GLN
7	U	83	ASN
7	U	114	ASN
7	U	117	GLN
7	U	121	GLN
7	U	166	GLN
7	U	167	GLN
7	U	175	ASN
8	V	9	ASN
8	V	30	ASN

Continued on next page...

Continued from previous page...

Mol	Chain	Res	Type
8	V	189	ASN
9	W	37	ASN
10	X	55	GLN
10	X	86	GLN
11	Y	9	GLN
11	Y	85	ASN
11	Y	176	ASN
11	Y	179	HIS
11	Y	208	ASN
12	Z	3	ASN
12	Z	49	ASN
12	Z	70	ASN
12	Z	79	HIS
13	a	18	ASN
13	a	48	ASN
13	a	102	GLN
13	a	179	ASN
13	a	194	ASN
13	a	213	GLN
14	b	161	GLN
15	f	2	GLN
15	g	2	GLN
15	h	2	GLN

5.3.3 RNA [i](#)

There are no RNA molecules in this entry.

5.4 Non-standard residues in protein, DNA, RNA chains [i](#)

4 non-standard protein/DNA/RNA residues are modelled in this entry.

In the following table, the Counts columns list the number of bonds (or angles) for which Mogul statistics could be retrieved, the number of bonds (or angles) that are observed in the model and the number of bonds (or angles) that are defined in the Chemical Component Dictionary. The Link column lists molecule types, if any, to which the group is linked. The Z score for a bond length (or angle) is the number of standard deviations the observed value is removed from the expected value. A bond length (or angle) with $|Z| > 2$ is considered an outlier worth inspection. RMSZ is the root-mean-square of all Z scores of the bond lengths (or angles).

Mol	Type	Chain	Res	Link	Bond lengths			Bond angles		
					Counts	RMSZ	# Z > 2	Counts	RMSZ	# Z > 2
15	DCL	h	4	15,11	7,7,7	0.39	0	6,8,8	1.20	1 (16%)
15	DCL	g	4	15,8	7,7,7	0.25	0	6,8,8	0.97	0
15	DCL	f	4	15	7,7,7	0.77	0	6,8,8	1.55	2 (33%)
15	DCL	e	4	15,8	7,7,7	0.87	1 (14%)	6,8,8	0.91	0

In the following table, the Chirals column lists the number of chiral outliers, the number of chiral centers analysed, the number of these observed in the model and the number defined in the Chemical Component Dictionary. Similar counts are reported in the Torsion and Rings columns. '-' means no outliers of that kind were identified.

Mol	Type	Chain	Res	Link	Chirals	Torsions	Rings
15	DCL	h	4	15,11	-	2/6/6/6	-
15	DCL	g	4	15,8	-	3/6/6/6	-
15	DCL	f	4	15	-	1/6/6/6	-
15	DCL	e	4	15,8	-	5/6/6/6	-

All (1) bond length outliers are listed below:

Mol	Chain	Res	Type	Atoms	Z	Observed(Å)	Ideal(Å)
15	e	4	DCL	C-CA	2.24	1.56	1.52

All (3) bond angle outliers are listed below:

Mol	Chain	Res	Type	Atoms	Z	Observed(°)	Ideal(°)
15	f	4	DCL	CB-CA-C	-2.77	107.25	111.79
15	f	4	DCL	CG-CB-CA	-2.28	107.92	116.39
15	h	4	DCL	CG-CB-CA	-2.21	108.19	116.39

There are no chirality outliers.

All (11) torsion outliers are listed below:

Mol	Chain	Res	Type	Atoms
15	e	4	DCL	O-C-CA-N
15	e	4	DCL	O-C-CA-CB
15	e	4	DCL	N-CA-CB-CG
15	h	4	DCL	N-CA-CB-CG
15	g	4	DCL	O-C-CA-CB

Continued on next page...

Continued from previous page...

Mol	Chain	Res	Type	Atoms
15	g	4	DCL	O-C-CA-N
15	h	4	DCL	CA-CB-CG-CD2
15	g	4	DCL	CA-CB-CG-CD2
15	f	4	DCL	CA-CB-CG-CD2
15	e	4	DCL	C-CA-CB-CG
15	e	4	DCL	CA-CB-CG-CD1

There are no ring outliers.

No monomer is involved in short contacts.

5.5 Carbohydrates [i](#)

There are no monosaccharides in this entry.

5.6 Ligand geometry [i](#)

Of 15 ligands modelled in this entry, 11 are monoatomic - leaving 4 for Mogul analysis.

In the following table, the Counts columns list the number of bonds (or angles) for which Mogul statistics could be retrieved, the number of bonds (or angles) that are observed in the model and the number of bonds (or angles) that are defined in the Chemical Component Dictionary. The Link column lists molecule types, if any, to which the group is linked. The Z score for a bond length (or angle) is the number of standard deviations the observed value is removed from the expected value. A bond length (or angle) with $|Z| > 2$ is considered an outlier worth inspection. RMSZ is the root-mean-square of all Z scores of the bond lengths (or angles).

Mol	Type	Chain	Res	Link	Bond lengths			Bond angles		
					Counts	RMSZ	$\# Z > 2$	Counts	RMSZ	$\# Z > 2$
18	MYR	e	101	15	14,14,15	0.35	0	13,13,15	0.94	0
18	MYR	h	101	15	14,14,15	0.37	0	13,13,15	0.83	0
18	MYR	f	101	15	14,14,15	0.39	0	13,13,15	0.80	0
18	MYR	g	101	15	14,14,15	0.38	0	13,13,15	0.89	0

In the following table, the Chirals column lists the number of chiral outliers, the number of chiral centers analysed, the number of these observed in the model and the number defined in the Chemical Component Dictionary. Similar counts are reported in the Torsion and Rings columns. '-' means no outliers of that kind were identified.

Mol	Type	Chain	Res	Link	Chirals	Torsions	Rings
18	MYR	e	101	15	-	3/11/12/13	-
18	MYR	h	101	15	-	4/11/12/13	-

Continued on next page...

Continued from previous page...

Mol	Type	Chain	Res	Link	Chirals	Torsions	Rings
18	MYR	f	101	15	-	3/11/12/13	-
18	MYR	g	101	15	-	6/11/12/13	-

There are no bond length outliers.

There are no bond angle outliers.

There are no chirality outliers.


All (16) torsion outliers are listed below:

Mol	Chain	Res	Type	Atoms
18	g	101	MYR	C10-C11-C12-C13
18	g	101	MYR	C2-C3-C4-C5
18	e	101	MYR	C9-C10-C11-C12
18	g	101	MYR	C9-C10-C11-C12
18	g	101	MYR	C11-C10-C9-C8
18	g	101	MYR	C4-C5-C6-C7
18	e	101	MYR	C5-C6-C7-C8
18	h	101	MYR	C4-C5-C6-C7
18	f	101	MYR	C9-C10-C11-C12
18	h	101	MYR	C11-C10-C9-C8
18	g	101	MYR	C6-C7-C8-C9
18	h	101	MYR	C11-C12-C13-C14
18	e	101	MYR	C6-C7-C8-C9
18	f	101	MYR	C11-C10-C9-C8
18	f	101	MYR	C7-C8-C9-C10
18	h	101	MYR	C2-C3-C4-C5

There are no ring outliers.

No monomer is involved in short contacts.

The following is a two-dimensional graphical depiction of Mogul quality analysis of bond lengths, bond angles, torsion angles, and ring geometry for all instances of the Ligand of Interest. In addition, ligands with molecular weight > 250 and outliers as shown on the validation Tables will also be included. For torsion angles, if less than 5% of the Mogul distribution of torsion angles is within 10 degrees of the torsion angle in question, then that torsion angle is considered an outlier. Any bond that is central to one or more torsion angles identified as an outlier by Mogul will be highlighted in the graph. For rings, the root-mean-square deviation (RMSD) between the ring in question and similar rings identified by Mogul is calculated over all ring torsion angles. If the average RMSD is greater than 60 degrees and the minimal RMSD between the ring in question and any Mogul-identified rings is also greater than 60 degrees, then that ring is considered an outlier. The outliers are highlighted in purple. The color gray indicates Mogul did not find sufficient equivalents in the CSD to analyse the geometry.



5.7 Other polymers [i](#)

There are no such residues in this entry.

5.8 Polymer linkage issues [i](#)

There are no chain breaks in this entry.

6 Fit of model and data [i](#)

6.1 Protein, DNA and RNA chains [i](#)

In the following table, the column labelled '#RSRZ > 2' contains the number (and percentage) of RSRZ outliers, followed by percent RSRZ outliers for the chain as percentile scores relative to all X-ray entries and entries of similar resolution. The OWAB column contains the minimum, median, 95th percentile and maximum values of the occupancy-weighted average B-factor per residue. The column labelled 'Q < 0.9' lists the number of (and percentage) of residues with an average occupancy less than 0.9.

Mol	Chain	Analysed	<RSRZ>	#RSRZ>2	OWAB(Å ²)	Q<0.9
1	A	250/250 (100%)	-0.36	2 (0%) 86 86	71, 90, 129, 157	0
1	O	250/250 (100%)	-0.27	5 (2%) 65 63	76, 99, 137, 168	0
2	B	244/258 (94%)	-0.20	4 (1%) 72 69	73, 98, 153, 206	0
2	P	244/258 (94%)	-0.21	6 (2%) 57 53	83, 103, 159, 188	0
3	C	240/254 (94%)	-0.28	4 (1%) 70 67	73, 103, 156, 174	0
3	Q	240/254 (94%)	-0.07	7 (2%) 51 50	85, 118, 184, 200	0
4	D	235/260 (90%)	-0.40	2 (0%) 84 84	75, 101, 130, 161	0
4	R	235/260 (90%)	-0.23	1 (0%) 92 92	80, 110, 145, 176	0
5	E	231/234 (98%)	-0.34	3 (1%) 77 75	76, 104, 141, 163	0
5	S	231/234 (98%)	-0.22	4 (1%) 70 67	76, 111, 151, 176	0
6	F	243/288 (84%)	-0.38	3 (1%) 79 77	68, 95, 132, 166	0
6	T	243/288 (84%)	-0.32	2 (0%) 86 86	73, 102, 145, 167	0
7	G	241/252 (95%)	-0.45	0 100 100	66, 92, 124, 159	0
7	U	241/252 (95%)	-0.40	0 100 100	72, 94, 125, 169	0
8	H	226/232 (97%)	-0.24	6 (2%) 54 51	70, 87, 121, 186	0
8	V	226/232 (97%)	-0.23	6 (2%) 54 51	73, 91, 125, 206	0
9	I	204/205 (99%)	-0.51	0 100 100	65, 85, 113, 141	0
9	W	204/205 (99%)	-0.43	2 (0%) 82 82	69, 87, 116, 143	0
10	J	195/198 (98%)	-0.43	0 100 100	67, 87, 113, 136	0
10	X	195/198 (98%)	-0.46	1 (0%) 91 90	69, 91, 116, 149	0
11	K	212/212 (100%)	-0.30	1 (0%) 91 90	70, 89, 123, 143	0
11	Y	212/212 (100%)	-0.33	1 (0%) 91 90	72, 92, 128, 146	0
12	L	222/222 (100%)	-0.43	1 (0%) 91 90	68, 88, 130, 153	0
12	Z	222/222 (100%)	-0.40	0 100 100	68, 90, 126, 157	0

Continued on next page...

Continued from previous page...

Mol	Chain	Analysed	<RSRZ>	#RSRZ>2	OWAB(Å ²)	Q<0.9
13	M	230/246 (93%)	-0.54	1 (0%) 92 92	63, 86, 113, 119	0
13	a	230/246 (93%)	-0.48	1 (0%) 92 92	64, 84, 111, 119	0
14	N	196/196 (100%)	-0.49	1 (0%) 91 90	66, 78, 112, 131	0
14	b	196/196 (100%)	-0.51	1 (0%) 91 90	68, 80, 109, 127	0
15	e	2/3 (66%)	1.50	1 (50%) 0 0	115, 115, 115, 116	0
15	f	2/3 (66%)	0.23	0 100 100	92, 92, 92, 92	0
15	g	2/3 (66%)	2.73	1 (50%) 0 0	119, 119, 119, 122	0
15	h	2/3 (66%)	0.61	0 100 100	97, 97, 97, 101	0
All	All	6346/6626 (95%)	-0.35	67 (1%) 80 80	63, 94, 141, 206	0

All (67) RSRZ outliers are listed below:

Mol	Chain	Res	Type	RSRZ
8	V	226	GLU	7.3
8	H	222	ASP	6.5
8	V	222	ASP	6.5
8	V	225	GLU	6.3
8	H	226	GLU	6.2
8	V	224	GLN	5.6
5	S	202	ASP	5.4
8	V	223	ILE	5.4
3	Q	50	LEU	5.2
8	H	223	ILE	5.0
15	g	3	ALA	5.0
2	B	220	ASN	4.8
13	a	1	THR	4.5
11	K	212	GLY	4.5
8	H	224	GLN	4.4
1	A	1	MET	4.3
11	Y	212	GLY	4.3
1	O	2	THR	4.1
1	A	2	THR	4.0
2	B	244	THR	3.9
3	Q	49	THR	3.7
3	Q	48	SER	3.6
3	C	50	LEU	3.5
3	Q	206	LYS	3.5
1	O	249	ALA	3.5
8	H	225	GLU	3.4

Continued on next page...

Continued from previous page...

Mol	Chain	Res	Type	RSRZ
2	B	221	ASP	3.4
2	P	241	THR	3.4
4	R	241	ALA	3.3
4	D	1	ASP	3.3
2	P	244	THR	3.2
5	E	202	ASP	3.2
10	X	1	MET	3.1
6	T	2	THR	3.1
1	O	250	LEU	3.1
2	P	220	ASN	3.0
1	O	1	MET	2.9
8	V	221	CYS	2.9
8	H	221	CYS	2.9
14	N	195	GLN	2.7
5	E	233	ILE	2.6
5	S	233	ILE	2.6
3	Q	236	GLN	2.6
5	S	204	SER	2.6
3	C	48	SER	2.5
3	Q	204	GLY	2.5
3	C	49	THR	2.5
2	P	52	THR	2.5
2	P	221	ASP	2.4
6	F	202	ASP	2.4
5	S	55	LEU	2.4
1	O	3	ASP	2.4
3	Q	140	ASP	2.3
2	P	218	GLY	2.3
6	F	243	ILE	2.3
5	E	204	SER	2.2
15	e	3	ALA	2.2
9	W	191	LYS	2.2
14	b	195	GLN	2.2
6	F	2	THR	2.2
2	B	241	THR	2.2
3	C	206	LYS	2.1
6	T	177	ASP	2.1
12	L	1	GLN	2.1
13	M	1	THR	2.0
4	D	142	ASP	2.0
9	W	1	SER	2.0

6.2 Non-standard residues in protein, DNA, RNA chains [i](#)

In the following table, the Atoms column lists the number of modelled atoms in the group and the number defined in the chemical component dictionary. The B-factors column lists the minimum, median, 95th percentile and maximum values of B factors of atoms in the group. The column labelled 'Q< 0.9' lists the number of atoms with occupancy less than 0.9.

Mol	Type	Chain	Res	Atoms	RSCC	RSR	B-factors(Å ²)	Q<0.9
15	DCL	g	4	8/8	0.78	0.57	112,119,122,123	0
15	DCL	e	4	8/8	0.80	0.49	114,117,119,119	0
15	DCL	h	4	8/8	0.93	0.23	94,101,107,112	0
15	DCL	f	4	8/8	0.97	0.26	85,92,99,105	0

6.3 Carbohydrates [i](#)

There are no monosaccharides in this entry.


6.4 Ligands [i](#)


In the following table, the Atoms column lists the number of modelled atoms in the group and the number defined in the chemical component dictionary. The B-factors column lists the minimum, median, 95th percentile and maximum values of B factors of atoms in the group. The column labelled 'Q< 0.9' lists the number of atoms with occupancy less than 0.9.

Mol	Type	Chain	Res	Atoms	RSCC	RSR	B-factors(Å ²)	Q<0.9
18	MYR	g	101	15/16	0.77	0.74	112,117,136,137	0
18	MYR	h	101	15/16	0.79	0.58	89,93,101,101	0
18	MYR	e	101	15/16	0.83	0.64	108,114,128,128	0
18	MYR	f	101	15/16	0.84	0.55	81,85,103,103	0
16	MG	G	301	1/1	0.85	0.26	77,77,77,77	0
16	MG	N	201	1/1	0.91	0.22	78,78,78,78	0
16	MG	K	301	1/1	0.94	0.14	95,95,95,95	0
16	MG	Z	301	1/1	0.95	0.14	83,83,83,83	0
17	CL	N	202	1/1	0.95	0.16	100,100,100,100	0
16	MG	I	301	1/1	0.95	0.15	89,89,89,89	0
17	CL	U	301	1/1	0.96	0.17	70,70,70,70	0
17	CL	G	302	1/1	0.97	0.08	61,61,61,61	0
16	MG	J	201	1/1	0.98	0.20	44,44,44,44	0
16	MG	Y	301	1/1	0.98	0.04	82,82,82,82	0
16	MG	V	301	1/1	0.99	0.27	111,111,111,111	0

The following is a graphical depiction of the model fit to experimental electron density of all instances of the Ligand of Interest. In addition, ligands with molecular weight > 250 and outliers

as shown on the geometry validation Tables will also be included. Each fit is shown from different orientation to approximate a three-dimensional view.





6.5 Other polymers [i](#)

There are no such residues in this entry.