



Full wwPDB X-ray Structure Validation Report ⓘ

Sep 19, 2022 – 01:42 PM EDT

PDB ID : 8DAZ
Title : Crystal structure of DMATS1 prenyltransferase in complex with L-Trp and GSPP
Authors : Eaton, S.A.; Ronnebaum, T.A.; Roose, B.W.; Christianson, D.W.
Deposited on : 2022-06-14
Resolution : 2.49 Å(reported)

This is a Full wwPDB X-ray Structure Validation Report for a publicly released PDB entry.

We welcome your comments at validation@mail.wwpdb.org

A user guide is available at

<https://www.wwpdb.org/validation/2017/XrayValidationReportHelp>

with specific help available everywhere you see the ⓘ symbol.

The types of validation reports are described at <http://www.wwpdb.org/validation/2017/FAQs#types>.

The following versions of software and data (see [references ⓘ](#)) were used in the production of this report:

MolProbity : 4.02b-467
Mogul : 1.8.5 (274361), CSD as541be (2020)
Xtriage (Phenix) : 1.13
EDS : 2.29
buster-report : 1.1.7 (2018)
Percentile statistics : 20191225.v01 (using entries in the PDB archive December 25th 2019)
Refmac : 5.8.0158
CCP4 : 7.0.044 (Gargrove)
Ideal geometry (proteins) : Engh & Huber (2001)
Ideal geometry (DNA, RNA) : Parkinson et al. (1996)
Validation Pipeline (wwPDB-VP) : 2.29


1 Overall quality at a glance i

The following experimental techniques were used to determine the structure:

X-RAY DIFFRACTION

The reported resolution of this entry is 2.49 Å.

Percentile scores (ranging between 0-100) for global validation metrics of the entry are shown in the following graphic. The table shows the number of entries on which the scores are based.



Metric	Whole archive (#Entries)	Similar resolution (#Entries, resolution range(Å))
R_{free}	130704	4661 (2.50-2.50)
Clashscore	141614	5346 (2.50-2.50)
Ramachandran outliers	138981	5231 (2.50-2.50)
Sidechain outliers	138945	5233 (2.50-2.50)
RSRZ outliers	127900	4559 (2.50-2.50)

The table below summarises the geometric issues observed across the polymeric chains and their fit to the electron density. The red, orange, yellow and green segments of the lower bar indicate the fraction of residues that contain outliers for ≥ 3 , 2, 1 and 0 types of geometric quality criteria respectively. A grey segment represents the fraction of residues that are not modelled. The numeric value for each fraction is indicated below the corresponding segment, with a dot representing fractions $\leq 5\%$. The upper red bar (where present) indicates the fraction of residues that have poor fit to the electron density. The numeric value is given above the bar.

Mol	Chain	Length	Quality of chain
1	A	419	<div style="display: flex; align-items: center;"> <div style="width: 5%; height: 10px; background-color: red; margin-right: 5px;"></div> <div style="width: 83%; height: 10px; background-color: green; margin-right: 5px;"></div> <div style="width: 11%; height: 10px; background-color: yellow; margin-right: 5px;"></div> <div style="width: 5%; height: 10px; background-color: grey;"></div> </div> <p style="margin-left: 5px;">83% 11% 5%</p>
1	B	419	<div style="display: flex; align-items: center;"> <div style="width: 3%; height: 10px; background-color: red; margin-right: 5px;"></div> <div style="width: 75%; height: 10px; background-color: green; margin-right: 5px;"></div> <div style="width: 12%; height: 10px; background-color: yellow; margin-right: 5px;"></div> <div style="width: 13%; height: 10px; background-color: grey;"></div> </div> <p style="margin-left: 5px;">75% 12% 13%</p>
1	C	419	<div style="display: flex; align-items: center;"> <div style="width: 5%; height: 10px; background-color: red; margin-right: 5px;"></div> <div style="width: 83%; height: 10px; background-color: green; margin-right: 5px;"></div> <div style="width: 11%; height: 10px; background-color: yellow; margin-right: 5px;"></div> <div style="width: 6%; height: 10px; background-color: grey;"></div> </div> <p style="margin-left: 5px;">83% 11% 6%</p>
1	D	419	<div style="display: flex; align-items: center;"> <div style="width: 4%; height: 10px; background-color: red; margin-right: 5px;"></div> <div style="width: 74%; height: 10px; background-color: green; margin-right: 5px;"></div> <div style="width: 11%; height: 10px; background-color: yellow; margin-right: 5px;"></div> <div style="width: 15%; height: 10px; background-color: grey;"></div> </div> <p style="margin-left: 5px;">74% 11% 15%</p>

The following table lists non-polymeric compounds, carbohydrate monomers and non-standard

residues in protein, DNA, RNA chains that are outliers for geometric or electron-density-fit criteria:

Mol	Type	Chain	Res	Chirality	Geometry	Clashes	Electron density
3	GST	C	501	-	-	X	-

2 Entry composition [i](#)


There are 4 unique types of molecules in this entry. The entry contains 11673 atoms, of which 0 are hydrogens and 0 are deuteriums.

In the tables below, the ZeroOcc column contains the number of atoms modelled with zero occupancy, the AltConf column contains the number of residues with at least one atom in alternate conformation and the Trace column contains the number of residues modelled with at most 2 atoms.

- Molecule 1 is a protein called Dimethylallyltryptophan synthase 1.


Mol	Chain	Residues	Atoms					ZeroOcc	AltConf	Trace
			Total	C	N	O	S			
1	A	397	Total 3099	C 2010	N 514	O 567	S 8	0	0	0
1	B	363	Total 2789	C 1817	N 461	O 504	S 7	0	0	0
1	C	392	Total 2978	C 1931	N 489	O 550	S 8	0	0	0
1	D	355	Total 2656	C 1737	N 432	O 480	S 7	0	0	0

- Molecule 2 is TRYPTOPHAN (three-letter code: TRP) (formula: $C_{11}H_{12}N_2O_2$) (labeled as "Ligand of Interest" by depositor).



Mol	Chain	Residues	Atoms				ZeroOcc	AltConf
			Total	C	N	O		
2	A	1	Total 15	C 11	N 2	O 2	0	0
2	C	1	Total 15	C 11	N 2	O 2	0	0


- Molecule 3 is GERANYL S-THIOLODIPHOSPHATE (three-letter code: GST) (formula: $C_{10}H_{20}O_6P_2S$) (labeled as "Ligand of Interest" by depositor).






Mol	Chain	Residues	Atoms					ZeroOcc	AltConf
			Total	C	O	P	S		
3	C	1	19	10	6	2	1	0	0

- Molecule 4 is water.

Mol	Chain	Residues	Atoms		ZeroOcc	AltConf
4	A	43	Total	O	0	0
			43	43		
4	B	22	Total	O	0	0
			22	22		
4	C	24	Total	O	0	0
			24	24		
4	D	13	Total	O	0	0
			13	13		



- Molecule 1: Dimethylallyltryptophan synthase 1



4 Data and refinement statistics

Property	Value	Source
Space group	P 21 21 21	Depositor
Cell constants a, b, c, α , β , γ	89.83Å 107.36Å 179.30Å 90.00° 90.00° 90.00°	Depositor
Resolution (Å)	92.11 – 2.49 92.11 – 2.49	Depositor EDS
% Data completeness (in resolution range)	94.8 (92.11-2.49) 84.2 (92.11-2.49)	Depositor EDS
R_{merge}	0.11	Depositor
R_{sym}	(Not available)	Depositor
$\langle I/\sigma(I) \rangle$ ¹	1.36 (at 2.48Å)	Xtrriage
Refinement program	PHENIX 1.14_3260	Depositor
R, R_{free}	0.236 , 0.261 0.236 , 0.261	Depositor DCC
R_{free} test set	2000 reflections (3.86%)	wwPDB-VP
Wilson B-factor (Å ²)	50.7	Xtrriage
Anisotropy	0.015	Xtrriage
Bulk solvent k_{sol} (e/Å ³), B_{sol} (Å ²)	0.33 , 41.8	EDS
L-test for twinning ²	$\langle L \rangle = 0.48$, $\langle L^2 \rangle = 0.31$	Xtrriage
Estimated twinning fraction	No twinning to report.	Xtrriage
F_o, F_c correlation	0.92	EDS
Total number of atoms	11673	wwPDB-VP
Average B, all atoms (Å ²)	58.0	wwPDB-VP

Xtrriage's analysis on translational NCS is as follows: *The largest off-origin peak in the Patterson function is 5.72% of the height of the origin peak. No significant pseudotranslation is detected.*

¹Intensities estimated from amplitudes.

²Theoretical values of $\langle |L| \rangle$, $\langle L^2 \rangle$ for acentric reflections are 0.5, 0.333 respectively for untwinned datasets, and 0.375, 0.2 for perfectly twinned datasets.

5 Model quality [i](#)

5.1 Standard geometry [i](#)

Bond lengths and bond angles in the following residue types are not validated in this section: GST

The Z score for a bond length (or angle) is the number of standard deviations the observed value is removed from the expected value. A bond length (or angle) with $|Z| > 5$ is considered an outlier worth inspection. RMSZ is the root-mean-square of all Z scores of the bond lengths (or angles).

Mol	Chain	Bond lengths		Bond angles	
		RMSZ	# Z >5	RMSZ	# Z >5
1	A	0.31	0/3196	0.50	0/4372
1	B	0.34	0/2876	0.54	0/3941
1	C	0.33	0/3067	0.53	0/4204
1	D	0.33	0/2735	0.53	0/3750
All	All	0.33	0/11874	0.53	0/16267

There are no bond length outliers.

There are no bond angle outliers.

There are no chirality outliers.

There are no planarity outliers.

5.2 Too-close contacts [i](#)

In the following table, the Non-H and H(model) columns list the number of non-hydrogen atoms and hydrogen atoms in the chain respectively. The H(added) column lists the number of hydrogen atoms added and optimized by MolProbity. The Clashes column lists the number of clashes within the asymmetric unit, whereas Symm-Clashes lists symmetry-related clashes.

Mol	Chain	Non-H	H(model)	H(added)	Clashes	Symm-Clashes
1	A	3099	0	2950	41	0
1	B	2789	0	2623	34	0
1	C	2978	0	2761	30	0
1	D	2656	0	2451	38	0
2	A	15	0	9	3	0
2	C	15	0	9	3	0
3	C	19	0	17	9	0
4	A	43	0	0	6	0
4	B	22	0	0	6	0

Continued on next page...

Continued from previous page...

Mol	Chain	Non-H	H(model)	H(added)	Clashes	Symm-Clashes
4	C	24	0	0	4	0
4	D	13	0	0	2	0
All	All	11673	0	10820	142	0

The all-atom clashscore is defined as the number of clashes found per 1000 atoms (including hydrogen atoms). The all-atom clashscore for this structure is 6.

All (142) close contacts within the same asymmetric unit are listed below, sorted by their clash magnitude.

Atom-1	Atom-2	Interatomic distance (Å)	Clash overlap (Å)
1:B:338:ARG:HG2	4:B:507:HOH:O	1.45	1.17
1:A:94:LYS:HE2	4:A:632:HOH:O	1.60	1.00
1:D:105:ARG:HG2	1:D:178:GLU:HG2	1.50	0.91
1:C:317:VAL:HG13	1:C:334:TYR:HB2	1.63	0.81
1:C:279:LEU:HB2	4:C:616:HOH:O	1.80	0.80
1:C:281:ARG:CD	4:C:620:HOH:O	2.30	0.78
1:A:129:ASN:HB2	4:A:608:HOH:O	1.84	0.77
1:A:138:ILE:CG2	1:A:141:LEU:HD13	2.17	0.74
1:A:257:ARG:NH2	2:A:501:TRP:O	2.21	0.73
1:A:376:PRO:HB3	1:A:412:ALA:HB1	1.69	0.72
1:B:317:VAL:HG13	1:B:334:TYR:HB2	1.70	0.72
1:D:280:ASP:O	1:D:283:ILE:HG22	1.92	0.70
1:A:44:GLU:HB3	1:A:366:SER:HB3	1.75	0.69
1:A:34:LEU:HD21	1:A:89:ILE:CD1	2.23	0.69
1:D:280:ASP:HA	1:D:283:ILE:CG2	2.23	0.67
1:D:375:ALA:HB2	1:D:380:LEU:HD21	1.77	0.67
1:A:138:ILE:HG22	1:A:141:LEU:HD13	1.77	0.67
1:A:94:LYS:CG	4:A:632:HOH:O	2.43	0.67
1:D:280:ASP:HA	1:D:283:ILE:HG22	1.77	0.67
1:C:235:LEU:HD23	1:C:258:SER:HB2	1.76	0.66
1:A:235:LEU:HD23	1:A:258:SER:HB2	1.78	0.66
1:B:377:SER:CB	4:B:519:HOH:O	2.43	0.65
1:D:280:ASP:O	1:D:283:ILE:CG2	2.46	0.63
1:A:34:LEU:HD21	1:A:89:ILE:HD12	1.80	0.62
1:D:280:ASP:CA	1:D:283:ILE:HG22	2.30	0.62
1:A:34:LEU:CD2	1:A:89:ILE:HD13	2.29	0.62
1:D:280:ASP:C	1:D:283:ILE:HG22	2.20	0.62
1:D:44:GLU:HB3	1:D:366:SER:HB3	1.82	0.62
1:B:235:LEU:HD23	1:B:258:SER:HB3	1.83	0.60
1:C:267:ARG:HG3	1:C:283:ILE:HG21	1.83	0.60
1:D:27:LYS:HE3	1:D:65:PRO:HA	1.84	0.59

Continued on next page...

Continued from previous page...

Atom-1	Atom-2	Interatomic distance (Å)	Clash overlap (Å)
1:C:155:GLY:C	4:C:614:HOH:O	2.39	0.59
1:A:81:PHE:O	2:A:501:TRP:N	2.36	0.59
3:C:501:GST:H11	2:C:502:TRP:CZ2	2.38	0.59
1:A:34:LEU:HD11	1:A:89:ILE:HD11	1.86	0.58
1:A:15:THR:HG23	1:C:54:GLU:HG2	1.84	0.58
1:A:100:LYS:HD3	1:D:288:ASP:HA	1.86	0.58
1:A:34:LEU:CD2	1:A:89:ILE:CD1	2.83	0.57
1:B:44:GLU:HB3	1:B:366:SER:HB3	1.87	0.57
1:D:334:TYR:HB3	1:D:389:TYR:CD1	2.40	0.57
1:A:94:LYS:HG2	4:A:632:HOH:O	2.03	0.57
1:B:15:THR:HG23	1:D:54:GLU:HG2	1.87	0.56
1:A:47:TYR:O	1:A:52:ARG:NH1	2.34	0.55
1:C:92:SER:HB3	3:C:501:GST:H82	1.89	0.55
1:A:34:LEU:HD22	1:A:89:ILE:HD13	1.89	0.54
1:D:254:ILE:O	1:D:319:ASN:HA	2.08	0.54
1:B:158:SER:HA	4:B:510:HOH:O	2.08	0.53
1:B:231:ASP:HB3	1:B:265:PHE:CE1	2.43	0.53
1:C:44:GLU:HB3	1:C:366:SER:HB3	1.89	0.53
1:D:151:HIS:HE1	1:D:156:PRO:HB2	1.73	0.53
1:D:333:ALA:O	1:D:391:ALA:HA	2.08	0.53
1:D:279:LEU:O	1:D:283:ILE:HG22	2.08	0.53
1:B:50:ASN:OD1	1:D:53:TYR:OH	2.25	0.53
1:B:92:SER:OG	1:B:105:ARG:NE	2.34	0.53
1:D:105:ARG:HD2	4:D:502:HOH:O	2.10	0.52
1:A:267:ARG:HG3	1:A:283:ILE:HG21	1.92	0.51
1:D:355:LEU:HD21	1:D:401:LEU:HD12	1.92	0.51
1:C:287:SER:OG	1:C:291:LYS:NZ	2.44	0.50
1:D:356:GLU:HG2	1:D:361:GLY:HA3	1.91	0.50
1:D:410:TYR:C	4:D:508:HOH:O	2.49	0.50
1:B:62:TRP:HE1	1:B:137:ILE:HD12	1.77	0.50
1:B:291:LYS:HD2	1:B:298:PRO:HA	1.93	0.49
1:A:138:ILE:HG21	1:A:141:LEU:HD13	1.91	0.49
1:B:27:LYS:HG2	1:B:65:PRO:HA	1.94	0.49
1:D:105:ARG:CG	1:D:178:GLU:HG2	2.31	0.48
1:D:174:PHE:CE2	1:D:191:ILE:HD11	2.49	0.48
1:C:174:PHE:HZ	3:C:501:GST:H101	1.79	0.48
1:A:292:ARG:NH2	1:A:357:ASP:OD2	2.43	0.48
1:B:231:ASP:HB3	1:B:265:PHE:HE1	1.78	0.48
1:D:239:MET:HB3	1:D:255:TYR:HB2	1.96	0.48
1:A:173:VAL:HA	1:A:189:TYR:O	2.14	0.47
1:D:151:HIS:CE1	1:D:156:PRO:HB2	2.49	0.47

Continued on next page...

Continued from previous page...

Atom-1	Atom-2	Interatomic distance (Å)	Clash overlap (Å)
1:C:168:THR:HG22	1:C:193:VAL:HG22	1.95	0.47
1:D:201:TRP:HB2	1:D:237:PRO:HB2	1.96	0.47
1:B:12:VAL:HG12	1:B:56:LEU:HD12	1.95	0.47
1:C:174:PHE:CZ	3:C:501:GST:H101	2.49	0.47
1:C:243:ASP:OD2	1:C:251:ARG:HD3	2.15	0.47
1:C:277:THR:OG1	1:C:278:ASP:N	2.48	0.47
1:B:110:LEU:HD11	1:B:130:LEU:HD22	1.96	0.46
1:B:242:ILE:HG22	1:B:252:LEU:HD23	1.97	0.46
1:C:49:LEU:HD23	1:C:52:ARG:CZ	2.45	0.46
1:A:159:PRO:HG2	1:A:193:VAL:HG23	1.98	0.46
1:B:106:TYR:CZ	1:B:177:LEU:HD12	2.50	0.46
1:C:90:GLU:O	3:C:501:GST:H83	2.16	0.46
3:C:501:GST:H2	3:C:501:GST:H52	1.41	0.46
1:C:176:ALA:HB1	3:C:501:GST:H92	1.98	0.46
1:C:239:MET:HB3	1:C:255:TYR:HB2	1.98	0.46
1:A:213:CYS:HB2	1:A:216:LEU:HD21	1.98	0.46
1:A:31:TRP:CZ3	1:A:60:TYR:HB2	2.51	0.45
1:B:158:SER:CA	4:B:510:HOH:O	2.65	0.45
3:C:501:GST:H102	2:C:502:TRP:CG	2.52	0.45
1:A:81:PHE:HA	4:A:607:HOH:O	2.17	0.45
1:B:37:GLN:HA	1:B:373:MET:SD	2.57	0.45
1:A:129:ASN:CB	4:A:608:HOH:O	2.53	0.45
1:C:251:ARG:HH21	1:C:253:LYS:HD3	1.81	0.45
1:D:213:CYS:SG	1:D:214:PRO:HD2	2.56	0.45
1:A:54:GLU:HG2	1:C:15:THR:HG23	1.98	0.45
1:C:225:TYR:O	1:C:232:GLY:HA3	2.17	0.44
1:B:51:GLU:CD	1:B:182:GLY:H	2.20	0.44
1:C:251:ARG:NH2	1:C:253:LYS:HD3	2.33	0.44
1:A:34:LEU:HD11	1:A:89:ILE:CD1	2.47	0.44
1:A:124:GLN:HB3	1:A:150:TRP:CZ2	2.53	0.44
1:B:369:ARG:NH1	4:B:502:HOH:O	2.50	0.44
1:C:106:TYR:CZ	1:C:177:LEU:HD12	2.53	0.44
1:D:13:TRP:CZ2	1:D:32:LYS:HA	2.52	0.44
1:B:105:ARG:HD2	4:B:504:HOH:O	2.18	0.44
1:C:254:ILE:O	1:C:319:ASN:HA	2.17	0.43
1:B:174:PHE:CE2	1:B:191:ILE:HD11	2.54	0.43
1:D:66:GLU:HB2	1:D:110:LEU:HD22	2.00	0.43
1:C:174:PHE:CE2	1:C:191:ILE:HD11	2.54	0.43
1:D:110:LEU:O	1:D:123:ASN:ND2	2.48	0.43
1:B:48:ASP:OD1	1:B:48:ASP:N	2.51	0.43
1:D:173:VAL:HA	1:D:189:TYR:O	2.19	0.43

Continued on next page...

Continued from previous page...

Atom-1	Atom-2	Interatomic distance (Å)	Clash overlap (Å)
1:A:205:LYS:HE2	1:A:209:GLU:OE2	2.19	0.43
1:B:338:ARG:HA	1:B:384:THR:HB	2.01	0.43
1:D:108:VAL:O	1:D:174:PHE:HB2	2.19	0.43
1:A:106:TYR:CZ	1:A:177:LEU:HD12	2.54	0.42
1:B:64:VAL:HG22	1:B:65:PRO:HD3	2.01	0.42
1:C:77:PRO:HG2	4:C:621:HOH:O	2.18	0.42
1:B:335:ILE:HA	1:B:336:PRO:HD3	1.89	0.42
1:A:389:TYR:HH	2:A:501:TRP:C	2.22	0.42
1:C:326:SER:C	1:C:328:ILE:H	2.23	0.42
1:D:356:GLU:CG	1:D:361:GLY:HA3	2.50	0.42
1:B:201:TRP:HB2	1:B:237:PRO:HB2	2.01	0.42
1:D:375:ALA:HB2	1:D:380:LEU:CD2	2.49	0.41
1:A:124:GLN:O	1:A:150:TRP:HH2	2.03	0.41
1:B:64:VAL:CG2	1:B:65:PRO:HD3	2.51	0.41
1:A:242:ILE:HG22	1:A:252:LEU:HD23	2.02	0.41
1:C:376:PRO:HB3	1:C:412:ALA:HB1	2.03	0.41
1:B:13:TRP:CZ2	1:B:32:LYS:HA	2.56	0.41
1:B:201:TRP:HZ3	1:B:254:ILE:HD13	1.86	0.41
1:A:272:ILE:HD13	1:A:329:PRO:HG2	2.02	0.41
1:B:105:ARG:HG2	1:B:178:GLU:HG2	2.03	0.41
1:B:391:ALA:HB3	1:B:402:THR:HB	2.02	0.41
3:C:501:GST:H102	2:C:502:TRP:CD2	2.56	0.41
1:A:323:ALA:HA	1:A:324:PRO:HD2	1.91	0.40
1:C:294:LEU:HA	1:C:294:LEU:HD23	1.82	0.40
1:D:71:PRO:HB3	1:D:410:TYR:CE1	2.57	0.40
1:A:235:LEU:HB3	1:A:256:ALA:HB1	2.04	0.40
1:D:241:ALA:HB3	1:D:253:LYS:HB2	2.04	0.40
1:D:375:ALA:CB	1:D:380:LEU:HD21	2.48	0.40
1:A:319:ASN:OD1	1:A:332:LYS:HB3	2.21	0.40

There are no symmetry-related clashes.

5.3 Torsion angles [i](#)

5.3.1 Protein backbone [i](#)

In the following table, the Percentiles column shows the percent Ramachandran outliers of the chain as a percentile score with respect to all X-ray entries followed by that with respect to entries of similar resolution.

The Analysed column shows the number of residues for which the backbone conformation was analysed, and the total number of residues.

Mol	Chain	Analysed	Favoured	Allowed	Outliers	Percentiles	
1	A	393/419 (94%)	378 (96%)	15 (4%)	0	100	100
1	B	355/419 (85%)	342 (96%)	13 (4%)	0	100	100
1	C	388/419 (93%)	374 (96%)	14 (4%)	0	100	100
1	D	345/419 (82%)	330 (96%)	14 (4%)	1 (0%)	41	61
All	All	1481/1676 (88%)	1424 (96%)	56 (4%)	1 (0%)	51	73

All (1) Ramachandran outliers are listed below:

Mol	Chain	Res	Type
1	D	339	HIS

5.3.2 Protein sidechains [i](#)

In the following table, the Percentiles column shows the percent sidechain outliers of the chain as a percentile score with respect to all X-ray entries followed by that with respect to entries of similar resolution.

The Analysed column shows the number of residues for which the sidechain conformation was analysed, and the total number of residues.

Mol	Chain	Analysed	Rotameric	Outliers	Percentiles	
1	A	320/363 (88%)	317 (99%)	3 (1%)	78	92
1	B	280/363 (77%)	278 (99%)	2 (1%)	84	94
1	C	292/363 (80%)	289 (99%)	3 (1%)	76	90
1	D	254/363 (70%)	252 (99%)	2 (1%)	81	93
All	All	1146/1452 (79%)	1136 (99%)	10 (1%)	78	92

All (10) residues with a non-rotameric sidechain are listed below:

Mol	Chain	Res	Type
1	A	105	ARG
1	A	319	ASN
1	A	365	GLN
1	B	105	ARG
1	B	319	ASN
1	C	71	PRO
1	C	105	ARG
1	C	319	ASN
1	D	105	ARG
1	D	319	ASN

Sometimes sidechains can be flipped to improve hydrogen bonding and reduce clashes. There are no such sidechains identified.

5.3.3 RNA [i](#)

There are no RNA molecules in this entry.

5.4 Non-standard residues in protein, DNA, RNA chains [i](#)

There are no non-standard protein/DNA/RNA residues in this entry.

5.5 Carbohydrates [i](#)

There are no monosaccharides in this entry.

5.6 Ligand geometry [i](#)

3 ligands are modelled in this entry.

In the following table, the Counts columns list the number of bonds (or angles) for which Mogul statistics could be retrieved, the number of bonds (or angles) that are observed in the model and the number of bonds (or angles) that are defined in the Chemical Component Dictionary. The Link column lists molecule types, if any, to which the group is linked. The Z score for a bond length (or angle) is the number of standard deviations the observed value is removed from the expected value. A bond length (or angle) with $|Z| > 2$ is considered an outlier worth inspection. RMSZ is the root-mean-square of all Z scores of the bond lengths (or angles).

Mol	Type	Chain	Res	Link	Bond lengths			Bond angles		
					Counts	RMSZ	# Z > 2	Counts	RMSZ	# Z > 2
2	TRP	A	501	-	14,16,16	1.07	1 (7%)	16,22,22	1.07	2 (12%)
2	TRP	C	502	-	14,16,16	0.99	1 (7%)	16,22,22	1.19	3 (18%)
3	GST	C	501	-	14,18,18	1.59	2 (14%)	17,25,25	2.22	8 (47%)

In the following table, the Chirals column lists the number of chiral outliers, the number of chiral centers analysed, the number of these observed in the model and the number defined in the Chemical Component Dictionary. Similar counts are reported in the Torsion and Rings columns. '-' means no outliers of that kind were identified.

Mol	Type	Chain	Res	Link	Chirals	Torsions	Rings
2	TRP	A	501	-	-	0/7/8/8	0/2/2/2
2	TRP	C	502	-	-	0/7/8/8	0/2/2/2
3	GST	C	501	-	-	5/13/19/19	-

All (4) bond length outliers are listed below:

Mol	Chain	Res	Type	Atoms	Z	Observed(Å)	Ideal(Å)
3	C	501	GST	C1-S1	-4.13	1.79	1.84
3	C	501	GST	PB-O3B	-3.28	1.48	1.56
2	C	502	TRP	CD2-CE2	-2.27	1.36	1.42
2	A	501	TRP	CD2-CE2	-2.20	1.36	1.42

All (13) bond angle outliers are listed below:

Mol	Chain	Res	Type	Atoms	Z	Observed(°)	Ideal(°)
3	C	501	GST	C10-C3-C4	4.17	122.28	115.27
3	C	501	GST	C5-C4-C3	-3.69	100.83	112.98
3	C	501	GST	C8-C7-C6	-3.60	112.23	122.65
3	C	501	GST	C8-C7-C9	3.26	121.81	114.60
3	C	501	GST	C5-C6-C7	-2.89	117.88	127.75
2	A	501	TRP	OXT-C-CA	2.65	122.42	113.38
3	C	501	GST	C4-C3-C2	-2.27	116.52	121.12
2	C	502	TRP	OXT-C-CA	2.20	120.86	113.38
2	C	502	TRP	CE3-CD2-CE2	2.19	121.07	118.17
3	C	501	GST	C2-C1-S1	-2.18	101.08	112.00
3	C	501	GST	O1A-PA-O1B	2.15	111.85	104.64
2	A	501	TRP	OXT-C-O	-2.06	119.41	124.09
2	C	502	TRP	OXT-C-O	-2.01	119.53	124.09

There are no chirality outliers.

All (5) torsion outliers are listed below:


Mol	Chain	Res	Type	Atoms
3	C	501	GST	PB-O1B-PA-O1A
3	C	501	GST	C3-C4-C5-C6
3	C	501	GST	C10-C3-C4-C5
3	C	501	GST	C2-C3-C4-C5
3	C	501	GST	PB-O1B-PA-O3A


There are no ring outliers.

3 monomers are involved in 12 short contacts:

Mol	Chain	Res	Type	Clashes	Symm-Clashes
2	A	501	TRP	3	0
2	C	502	TRP	3	0
3	C	501	GST	9	0

The following is a two-dimensional graphical depiction of Mogul quality analysis of bond lengths, bond angles, torsion angles, and ring geometry for all instances of the Ligand of Interest. In addition, ligands with molecular weight > 250 and outliers as shown on the validation Tables will also be included. For torsion angles, if less than 5% of the Mogul distribution of torsion angles is within 10 degrees of the torsion angle in question, then that torsion angle is considered an outlier. Any bond that is central to one or more torsion angles identified as an outlier by Mogul will be highlighted in the graph. For rings, the root-mean-square deviation (RMSD) between the ring in question and similar rings identified by Mogul is calculated over all ring torsion angles. If the average RMSD is greater than 60 degrees and the minimal RMSD between the ring in question and any Mogul-identified rings is also greater than 60 degrees, then that ring is considered an outlier. The outliers are highlighted in purple. The color gray indicates Mogul did not find sufficient equivalents in the CSD to analyse the geometry.





5.7 Other polymers [\(i\)](#)

There are no such residues in this entry.

5.8 Polymer linkage issues [\(i\)](#)

There are no chain breaks in this entry.

6 Fit of model and data

6.1 Protein, DNA and RNA chains

In the following table, the column labelled ‘#RSRZ > 2’ contains the number (and percentage) of RSRZ outliers, followed by percent RSRZ outliers for the chain as percentile scores relative to all X-ray entries and entries of similar resolution. The OWAB column contains the minimum, median, 95th percentile and maximum values of the occupancy-weighted average B-factor per residue. The column labelled ‘Q < 0.9’ lists the number of (and percentage) of residues with an average occupancy less than 0.9.

Mol	Chain	Analysed	<RSRZ>	#RSRZ>2	OWAB(Å ²)	Q<0.9
1	A	397/419 (94%)	0.20	6 (1%) 73 75	22, 46, 87, 115	0
1	B	363/419 (86%)	0.34	13 (3%) 42 46	20, 51, 94, 119	0
1	C	392/419 (93%)	0.40	20 (5%) 28 29	31, 67, 100, 153	0
1	D	355/419 (84%)	0.32	16 (4%) 33 36	32, 63, 103, 137	0
All	All	1507/1676 (89%)	0.31	55 (3%) 42 46	20, 58, 99, 153	0

All (55) RSRZ outliers are listed below:

Mol	Chain	Res	Type	RSRZ
1	C	195	THR	4.0
1	D	409	PHE	3.9
1	A	137	ILE	3.3
1	C	241	ALA	3.3
1	C	115	ALA	3.1
1	C	138	ILE	3.0
1	A	184	LEU	3.0
1	D	196	PRO	3.0
1	B	180	LEU	2.9
1	D	99	ASN	2.8
1	C	390	PHE	2.8
1	D	171	SER	2.8
1	D	255	TYR	2.8
1	B	201	TRP	2.7
1	B	271	THR	2.7
1	D	380	LEU	2.7
1	B	226	LEU	2.6
1	B	408	GLN	2.6
1	D	170	GLY	2.6
1	D	256	ALA	2.5
1	C	113	PRO	2.5

Continued on next page...

Continued from previous page...

Mol	Chain	Res	Type	RSRZ
1	C	380	LEU	2.5
1	C	174	PHE	2.5
1	C	153	LEU	2.5
1	C	244	LEU	2.5
1	B	315	GLY	2.5
1	B	320	PHE	2.4
1	B	222	VAL	2.4
1	D	214	PRO	2.3
1	C	371	LEU	2.3
1	A	150	TRP	2.3
1	B	119	GLN	2.3
1	D	174	PHE	2.3
1	D	159	PRO	2.3
1	A	322	VAL	2.3
1	C	293	ALA	2.3
1	B	296	LEU	2.3
1	C	89	ILE	2.3
1	C	191	ILE	2.2
1	C	149	PHE	2.2
1	C	227	SER	2.2
1	D	321	ASP	2.1
1	B	171	SER	2.1
1	B	298	PRO	2.1
1	B	324	PRO	2.1
1	A	235	LEU	2.1
1	C	277	THR	2.1
1	C	242	ILE	2.1
1	D	89	ILE	2.1
1	A	219	LEU	2.1
1	D	337	VAL	2.0
1	C	389	TYR	2.0
1	D	389	TYR	2.0
1	D	390	PHE	2.0
1	C	372	ASP	2.0

6.2 Non-standard residues in protein, DNA, RNA chains

There are no non-standard protein/DNA/RNA residues in this entry.

6.3 Carbohydrates [i](#)

There are no monosaccharides in this entry.

6.4 Ligands [i](#)




In the following table, the Atoms column lists the number of modelled atoms in the group and the number defined in the chemical component dictionary. The B-factors column lists the minimum, median, 95th percentile and maximum values of B factors of atoms in the group. The column labelled 'Q< 0.9' lists the number of atoms with occupancy less than 0.9.

Mol	Type	Chain	Res	Atoms	RSCC	RSR	B-factors(Å ²)	Q<0.9
3	GST	C	501	19/19	0.84	0.35	40,74,101,104	19
2	TRP	A	501	15/15	0.90	0.23	60,60,60,60	15
2	TRP	C	502	15/15	0.91	0.31	49,56,59,60	15

The following is a graphical depiction of the model fit to experimental electron density of all instances of the Ligand of Interest. In addition, ligands with molecular weight > 250 and outliers as shown on the geometry validation Tables will also be included. Each fit is shown from different orientation to approximate a three-dimensional view.




Electron density around GST C 501:


$2mF_o-DF_c$ (at 0.7 rmsd) in gray
 mF_o-DF_c (at 3 rmsd) in purple (negative)
and green (positive)



Electron density around TRP A 501:

$2mF_o-DF_c$ (at 0.7 rmsd) in gray
 mF_o-DF_c (at 3 rmsd) in purple (negative)
and green (positive)





6.5 Other polymers [i](#)

There are no such residues in this entry.