



## Full wwPDB EM Validation Report ⓘ

Jan 23, 2024 – 08:11 PM JST

PDB ID : 8H96  
EMDB ID : EMD-34556  
Title : Structure of mouse SCMC core complex  
Authors : Chi, P.; Ou, G.; Li, J.; Han, Z.; Deng, D.  
Deposited on : 2022-10-24  
Resolution : 2.78 Å (reported)

This is a Full wwPDB EM Validation Report for a publicly released PDB entry.

We welcome your comments at [validation@mail.wwpdb.org](mailto:validation@mail.wwpdb.org)

A user guide is available at

<https://www.wwpdb.org/validation/2017/EMValidationReportHelp>

with specific help available everywhere you see the ⓘ symbol.

The types of validation reports are described at

<http://www.wwpdb.org/validation/2017/FAQs#types>.

---

The following versions of software and data (see [references ⓘ](#)) were used in the production of this report:

EMDB validation analysis : **FAILED**  
MolProbity : 4.02b-467  
Percentile statistics : 20191225.v01 (using entries in the PDB archive December 25th 2019)  
MapQ : **FAILED**  
Ideal geometry (proteins) : Engh & Huber (2001)  
Ideal geometry (DNA, RNA) : Parkinson et al. (1996)  
Validation Pipeline (wwPDB-VP) : 2.36


# 1 Overall quality at a glance

The following experimental techniques were used to determine the structure:

*ELECTRON MICROSCOPY*

The reported resolution of this entry is 2.78 Å.

Percentile scores (ranging between 0-100) for global validation metrics of the entry are shown in the following graphic. The table shows the number of entries on which the scores are based.



Metric	Whole archive (#Entries)	EM structures (#Entries)
Clashscore	158937	4297
Ramachandran outliers	154571	4023
Sidechain outliers	154315	3826

The table below summarises the geometric issues observed across the polymeric chains and their fit to the map. The red, orange, yellow and green segments of the bar indicate the fraction of residues that contain outliers for  $\geq 3$ , 2, 1 and 0 types of geometric quality criteria respectively. A grey segment represents the fraction of residues that are not modelled. The numeric value for each fraction is indicated below the corresponding segment, with a dot representing fractions  $\leq 5\%$

Mol	Chain	Length	Quality of chain
1	A	1059	
2	B	581	
3	C	164	

## 2 Entry composition

There are 3 unique types of molecules in this entry. The entry contains 11098 atoms, of which 0 are hydrogens and 0 are deuteriums.

In the tables below, the AltConf column contains the number of residues with at least one atom in alternate conformation and the Trace column contains the number of residues modelled with at most 2 atoms.

- Molecule 1 is a protein called NACHT, LRR and PYD domains-containing protein 5.

Mol	Chain	Residues	Atoms					AltConf	Trace
			Total	C	N	O	S		
1	A	949	7481	4760	1267	1388	66	0	0

- Molecule 2 is a protein called Transducin-like enhancer protein 6.

Mol	Chain	Residues	Atoms					AltConf	Trace
			Total	C	N	O	S		
2	B	367	2898	1837	508	533	20	0	0


- Molecule 3 is a protein called Oocyte-expressed protein homolog.

Mol	Chain	Residues	Atoms					AltConf	Trace
			Total	C	N	O	S		
3	C	89	719	460	123	131	5	0	0


### 3 Residue-property plots [i](#)

These plots are drawn for all protein, RNA, DNA and oligosaccharide chains in the entry. The first graphic for a chain summarises the proportions of the various outlier classes displayed in the second graphic. The second graphic shows the sequence view annotated by issues in geometry. Residues are color-coded according to the number of geometric quality criteria for which they contain at least one outlier: green = 0, yellow = 1, orange = 2 and red = 3 or more. Stretches of 2 or more consecutive residues without any outlier are shown as a green connector. Residues present in the sample, but not in the model, are shown in grey.

- Molecule 1: NACHT, LRR and PYD domains-containing protein 5




- Molecule 2: Transducin-like enhancer protein 6





• Molecule 3: Oocyte-expressed protein homolog



## 4 Experimental information

Property	Value	Source
EM reconstruction method	SINGLE PARTICLE	Depositor
Imposed symmetry	POINT, Not provided	
Number of particles used	276720	Depositor
Resolution determination method	FSC 0.143 CUT-OFF	Depositor
CTF correction method	NONE	Depositor
Microscope	FEI TITAN KRIOS	Depositor
Voltage (kV)	300	Depositor
Electron dose ( $e^-/\text{\AA}^2$ )	50	Depositor
Minimum defocus (nm)	1100	Depositor
Maximum defocus (nm)	1700	Depositor
Magnification	Not provided	
Image detector	GATAN K3 (6k x 4k)	Depositor

## 5 Model quality [i](#)

### 5.1 Standard geometry [i](#)

The Z score for a bond length (or angle) is the number of standard deviations the observed value is removed from the expected value. A bond length (or angle) with  $|Z| > 5$  is considered an outlier worth inspection. RMSZ is the root-mean-square of all Z scores of the bond lengths (or angles).

Mol	Chain	Bond lengths		Bond angles	
		RMSZ	# Z  >5	RMSZ	# Z  >5
1	A	0.27	1/7613 (0.0%)	0.49	4/10294 (0.0%)
2	B	0.28	0/2964	0.54	0/4023
3	C	0.24	0/736	0.50	1/1003 (0.1%)
All	All	0.27	1/11313 (0.0%)	0.51	5/15320 (0.0%)

Chiral center outliers are detected by calculating the chiral volume of a chiral center and verifying if the center is modelled as a planar moiety or with the opposite hand. A planarity outlier is detected by checking planarity of atoms in a peptide group, atoms in a mainchain group or atoms of a sidechain that are expected to be planar.

Mol	Chain	#Chirality outliers	#Planarity outliers
1	A	0	1

All (1) bond length outliers are listed below:

Mol	Chain	Res	Type	Atoms	Z	Observed(Å)	Ideal(Å)
1	A	231	HIS	C-N	8.01	1.52	1.34

All (5) bond angle outliers are listed below:

Mol	Chain	Res	Type	Atoms	Z	Observed(°)	Ideal(°)
1	A	222	LEU	N-CA-CB	-10.64	89.11	110.40
1	A	221	GLY	N-CA-C	7.20	131.09	113.10
3	C	61	ASP	CB-CG-OD2	5.21	122.99	118.30
1	A	649	ASP	CB-CG-OD1	5.19	122.97	118.30
1	A	261	GLN	CA-CB-CG	5.05	124.52	113.40

There are no chirality outliers.

All (1) planarity outliers are listed below:

Mol	Chain	Res	Type	Group
1	A	843	ARG	Sidechain

## 5.2 Too-close contacts [i](#)

In the following table, the Non-H and H(model) columns list the number of non-hydrogen atoms and hydrogen atoms in the chain respectively. The H(added) column lists the number of hydrogen atoms added and optimized by MolProbity. The Clashes column lists the number of clashes within the asymmetric unit, whereas Symm-Clashes lists symmetry-related clashes.

Mol	Chain	Non-H	H(model)	H(added)	Clashes	Symm-Clashes
1	A	7481	0	7571	84	0
2	B	2898	0	2875	22	0
3	C	719	0	713	5	0
All	All	11098	0	11159	108	0

The all-atom clashscore is defined as the number of clashes found per 1000 atoms (including hydrogen atoms). The all-atom clashscore for this structure is 5.

All (108) close contacts within the same asymmetric unit are listed below, sorted by their clash magnitude.

Atom-1	Atom-2	Interatomic distance (Å)	Clash overlap (Å)
1:A:306:ASN:HA	1:A:310:ARG:HB3	1.63	0.77
1:A:346:LEU:HD23	1:A:350:CYS:HB2	1.67	0.76
1:A:244:GLN:HG3	1:A:245:PRO:HD2	1.70	0.73
1:A:657:MET:HG2	1:A:684:GLY:HA3	1.74	0.70
1:A:207:LYS:HG3	1:A:211:GLN:HG3	1.74	0.70
1:A:1006:GLN:HG3	1:A:1033:VAL:HG22	1.75	0.68
2:B:387:GLU:OE2	2:B:387:GLU:N	2.22	0.67
1:A:906:CYS:O	1:A:934:ASN:ND2	2.28	0.66
1:A:346:LEU:HA	1:A:349:ARG:HH21	1.60	0.66
2:B:344:VAL:HG12	2:B:364:ASN:HB3	1.78	0.65
1:A:125:LEU:HD13	1:A:158:ILE:HD11	1.80	0.64
1:A:372:LYS:HB2	1:A:425:HIS:HE1	1.62	0.64
1:A:879:VAL:HG23	1:A:883:ALA:HB3	1.79	0.63
1:A:402:ARG:NH2	1:A:409:ASP:OD2	2.33	0.62
1:A:179:VAL:CG2	1:A:221:GLY:O	2.48	0.61
1:A:372:LYS:HE3	1:A:423:LEU:HA	1.82	0.60
3:C:32:ARG:NH1	3:C:36:PHE:O	2.34	0.60
1:A:161:GLY:HA3	1:A:167:LEU:HG	1.85	0.58
1:A:855:ALA:HA	1:A:858:PHE:HD2	1.68	0.58
1:A:875:THR:HG23	1:A:904:VAL:HB	1.85	0.57
1:A:143:LEU:HD23	1:A:286:ILE:HB	1.86	0.57
1:A:147:PRO:HG3	1:A:269:ARG:HD3	1.87	0.57
1:A:611:CYS:HB2	1:A:612:PRO:HD3	1.86	0.57
1:A:123:LYS:HD3	1:A:124:LEU:N	2.20	0.55

*Continued on next page...*



*Continued from previous page...*

Atom-1	Atom-2	Interatomic distance (Å)	Clash overlap (Å)
1:A:1058:LYS:NZ	2:B:267:GLN:O	2.39	0.55
1:A:640:ARG:HH21	1:A:670:ARG:HH11	1.52	0.55
1:A:304:ILE:HD12	1:A:310:ARG:HB2	1.89	0.55
2:B:171:MET:O	2:B:175:GLN:HG2	2.07	0.54
1:A:112:SER:HB2	1:A:115:LEU:HB2	1.89	0.54
1:A:180:ARG:HH12	1:A:432:VAL:HG11	1.73	0.53
3:C:76:LEU:HB3	3:C:101:MET:HE3	1.89	0.53
1:A:140:THR:HG21	1:A:280:VAL:HG21	1.90	0.53
1:A:733:ASP:OD2	1:A:733:ASP:N	2.35	0.52
2:B:448:ASP:OD2	2:B:452:ARG:NH2	2.36	0.52
1:A:622:LYS:HE3	1:A:627:GLU:HB3	1.91	0.52
1:A:366:PHE:HE2	1:A:503:ILE:HG23	1.74	0.52
1:A:204:LEU:HA	1:A:207:LYS:HB3	1.92	0.52
2:B:154:GLU:HG2	2:B:155:PRO:HD3	1.91	0.51
2:B:298:VAL:HG21	2:B:348:THR:HA	1.91	0.51
2:B:501:ASP:N	2:B:501:ASP:OD1	2.43	0.50
1:A:244:GLN:HG2	1:A:248:ILE:HG21	1.93	0.50
1:A:415:LEU:HD22	1:A:420:ILE:HD11	1.94	0.49
1:A:217:PHE:HB2	1:A:264:LEU:HD23	1.94	0.49
1:A:617:GLN:HE21	1:A:620:GLN:HB3	1.77	0.49
1:A:538:SER:OG	1:A:541:ASP:OD2	2.28	0.49
1:A:904:VAL:O	1:A:933:ASN:N	2.44	0.49
1:A:575:LYS:HB3	1:A:628:TRP:CE3	2.47	0.49
2:B:368:VAL:HG22	2:B:384:LEU:HB2	1.95	0.49
1:A:396:GLU:OE1	1:A:413:TYR:OH	2.26	0.48
1:A:536:GLY:O	2:B:252:LYS:NZ	2.45	0.48
1:A:321:HIS:H	1:A:321:HIS:CD2	2.32	0.48
1:A:814:HIS:HB3	1:A:1056:TRP:CH2	2.48	0.48
1:A:820:ASN:O	1:A:849:CYS:HA	2.14	0.48
1:A:329:ALA:HB3	1:A:332:VAL:HG23	1.97	0.47
3:C:51:ALA:N	3:C:85:ASN:O	2.32	0.47
2:B:439:ASP:N	2:B:439:ASP:OD1	2.46	0.47
1:A:367:HIS:O	1:A:370:THR:OG1	2.28	0.47
2:B:170:PHE:O	2:B:174:ARG:HG2	2.15	0.47
1:A:699:LYS:HA	1:A:727:VAL:HA	1.97	0.47
1:A:224:ASP:N	1:A:224:ASP:OD1	2.40	0.47
1:A:851:ILE:HG23	1:A:855:ALA:HB3	1.96	0.47
2:B:154:GLU:OE1	2:B:154:GLU:N	2.40	0.47
1:A:233:ASP:OD1	1:A:233:ASP:N	2.48	0.46
1:A:847:ASN:O	1:A:875:THR:O	2.34	0.46
1:A:137:GLN:HE22	1:A:263:PHE:HE2	1.62	0.45

*Continued on next page...*

*Continued from previous page...*

Atom-1	Atom-2	Interatomic distance (Å)	Clash overlap (Å)
1:A:240:TRP:CD1	1:A:241:LYS:HG3	2.52	0.45
1:A:945:CYS:HA	1:A:948:LEU:HB3	1.98	0.45
2:B:418:THR:HB	2:B:420:GLU:HG2	1.98	0.45
1:A:298:GLN:O	1:A:302:GLU:HG3	2.16	0.45
1:A:879:VAL:HG13	1:A:906:CYS:HB3	1.98	0.45
3:C:30:ARG:NH2	3:C:69:GLU:OE2	2.50	0.45
1:A:692:LEU:HD23	1:A:692:LEU:HA	1.81	0.45
2:B:154:GLU:HG2	2:B:155:PRO:CD	2.47	0.45
1:A:575:LYS:HB3	1:A:628:TRP:CZ3	2.52	0.44
1:A:151:LYS:HE3	1:A:151:LYS:HB2	1.70	0.44
2:B:343:LYS:HA	2:B:343:LYS:HD3	1.77	0.44
1:A:814:HIS:NE2	1:A:843:ARG:HD2	2.33	0.43
1:A:822:LEU:HD11	1:A:826:GLY:HA3	1.99	0.43
1:A:1016:GLY:O	1:A:1017:LEU:HD12	2.18	0.43
2:B:448:ASP:OD1	2:B:448:ASP:N	2.52	0.43
1:A:348:LYS:HA	1:A:348:LYS:HD3	1.76	0.43
2:B:154:GLU:H	2:B:154:GLU:CD	2.22	0.43
1:A:431:GLN:HE21	1:A:438:GLN:HB3	1.83	0.43
2:B:292:HIS:CE1	2:B:317:LYS:HG3	2.54	0.43
1:A:315:HIS:HA	1:A:318:ILE:HG12	2.00	0.42
1:A:547:TYR:OH	1:A:577:ASP:OD1	2.33	0.42
1:A:187:LYS:HG2	1:A:245:PRO:HD3	2.00	0.42
1:A:172:SER:HB2	1:A:211:GLN:OE1	2.19	0.42
2:B:301:VAL:CG2	2:B:558:ASP:HB3	2.49	0.42
1:A:626:MET:HG3	1:A:655:ARG:NH1	2.34	0.42
1:A:647:LEU:HD12	1:A:676:PHE:CE1	2.55	0.42
1:A:847:ASN:HD22	2:B:269:SER:HB3	1.84	0.42
1:A:939:LYS:HE2	1:A:939:LYS:HB2	1.93	0.42
1:A:416:LYS:HE2	1:A:416:LYS:HB2	1.90	0.42
1:A:904:VAL:HG13	1:A:932:GLY:HA3	2.01	0.42
1:A:575:LYS:HG2	1:A:625:LEU:HD13	2.00	0.42
2:B:155:PRO:HB3	2:B:157:PHE:CZ	2.55	0.42
1:A:300:VAL:O	1:A:304:ILE:HG23	2.21	0.41
1:A:680:GLU:N	1:A:680:GLU:OE1	2.54	0.41
1:A:647:LEU:HD23	1:A:647:LEU:HA	1.85	0.41
3:C:56:ARG:HD3	3:C:112:HIS:HD2	1.86	0.41
1:A:908:LEU:HB2	1:A:934:ASN:HB3	2.03	0.41
1:A:667:GLN:H	1:A:667:GLN:HG2	1.70	0.40
1:A:223:ASP:OD2	1:A:272:GLY:HA3	2.22	0.40
1:A:200:ASP:OD1	1:A:200:ASP:N	2.36	0.40
1:A:605:ASP:OD1	1:A:605:ASP:N	2.52	0.40

*Continued on next page...*

Continued from previous page...

Atom-1	Atom-2	Interatomic distance (Å)	Clash overlap (Å)
1:A:877:ASN:HA	1:A:878:PRO:HD3	1.91	0.40
1:A:192:GLN:HB3	1:A:196:LYS:NZ	2.36	0.40

There are no symmetry-related clashes.

## 5.3 Torsion angles [i](#)

### 5.3.1 Protein backbone [i](#)

In the following table, the Percentiles column shows the percent Ramachandran outliers of the chain as a percentile score with respect to all PDB entries followed by that with respect to all EM entries.

The Analysed column shows the number of residues for which the backbone conformation was analysed, and the total number of residues.

Mol	Chain	Analysed	Favoured	Allowed	Outliers	Percentiles	
1	A	945/1059 (89%)	896 (95%)	49 (5%)	0	100	100
2	B	363/581 (62%)	339 (93%)	24 (7%)	0	100	100
3	C	87/164 (53%)	86 (99%)	1 (1%)	0	100	100
All	All	1395/1804 (77%)	1321 (95%)	74 (5%)	0	100	100

There are no Ramachandran outliers to report.

### 5.3.2 Protein sidechains [i](#)

In the following table, the Percentiles column shows the percent sidechain outliers of the chain as a percentile score with respect to all PDB entries followed by that with respect to all EM entries.

The Analysed column shows the number of residues for which the sidechain conformation was analysed, and the total number of residues.

Mol	Chain	Analysed	Rotameric	Outliers	Percentiles	
1	A	849/960 (88%)	833 (98%)	16 (2%)	57	83
2	B	323/516 (63%)	313 (97%)	10 (3%)	40	71
3	C	78/143 (54%)	77 (99%)	1 (1%)	69	89
All	All	1250/1619 (77%)	1223 (98%)	27 (2%)	54	80

All (27) residues with a non-rotameric sidechain are listed below:

Mol	Chain	Res	Type
1	A	123	LYS
1	A	173	PHE
1	A	214	ARG
1	A	226	ASP
1	A	291	LEU
1	A	301	LEU
1	A	310	ARG
1	A	425	HIS
1	A	640	ARG
1	A	699	LYS
1	A	854	ASP
1	A	879	VAL
1	A	924	LYS
1	A	974	SER
1	A	992	ASP
1	A	1039	HIS
2	B	146	ASP
2	B	152	ASP
2	B	169	LEU
2	B	301	VAL
2	B	348	THR
2	B	401	MET
2	B	466	LEU
2	B	558	ASP
2	B	562	ASN
2	B	576	VAL
3	C	76	LEU

Sometimes sidechains can be flipped to improve hydrogen bonding and reduce clashes. All (10) such sidechains are listed below:

Mol	Chain	Res	Type
1	A	231	HIS
1	A	303	ASN
1	A	321	HIS
1	A	425	HIS
1	A	533	GLN
1	A	535	ASN
1	A	763	ASN
1	A	934	ASN
2	B	419	GLN
3	C	112	HIS

### 5.3.3 RNA [i](#)

There are no RNA molecules in this entry.

### 5.4 Non-standard residues in protein, DNA, RNA chains [i](#)

There are no non-standard protein/DNA/RNA residues in this entry.

### 5.5 Carbohydrates [i](#)

There are no monosaccharides in this entry.

### 5.6 Ligand geometry [i](#)

There are no ligands in this entry.

### 5.7 Other polymers [i](#)

There are no such residues in this entry.

### 5.8 Polymer linkage issues [i](#)

There are no chain breaks in this entry.