



Full wwPDB EM Validation Report ⓘ

Oct 28, 2024 – 12:09 PM JST

PDB ID : 8ID8
EMDB ID : EMD-35359
Title : Cryo-EM structure of the TUG891 bound GPR120-Gi complex
Authors : Mao, C.; Xiao, P.; Tao, X.; Qin, J.; He, Q.; Zhang, C.; Yu, X.; Zhang, Y.; Sun, J.
Deposited on : 2023-02-12
Resolution : 3.00 Å(reported)

This is a Full wwPDB EM Validation Report for a publicly released PDB entry.

We welcome your comments at validation@mail.wwpdb.org

A user guide is available at

<https://www.wwpdb.org/validation/2017/EMValidationReportHelp>

with specific help available everywhere you see the ⓘ symbol.

The types of validation reports are described at

<http://www.wwpdb.org/validation/2017/FAQs#types>.

The following versions of software and data (see [references ⓘ](#)) were used in the production of this report:

EMDB validation analysis : **FAILED**
Mogul : 1.8.5 (274361), CSD as541be (2020)
MolProbity : 4.02b-467
buster-report : 1.1.7 (2018)
Percentile statistics : 20231227.v01 (using entries in the PDB archive December 27th 2023)
MapQ : **FAILED**
Ideal geometry (proteins) : Engh & Huber (2001)
Ideal geometry (DNA, RNA) : Parkinson et al. (1996)
Validation Pipeline (wwPDB-VP) : 2.39


1 Overall quality at a glance

The following experimental techniques were used to determine the structure:

ELECTRON MICROSCOPY

The reported resolution of this entry is 3.00 Å.

Percentile scores (ranging between 0-100) for global validation metrics of the entry are shown in the following graphic. The table shows the number of entries on which the scores are based.



Metric	Whole archive (#Entries)	EM structures (#Entries)
Clashscore	210492	15764
Ramachandran outliers	207382	16835
Sidechain outliers	206894	16415

The table below summarises the geometric issues observed across the polymeric chains and their fit to the map. The red, orange, yellow and green segments of the bar indicate the fraction of residues that contain outliers for ≥ 3 , 2, 1 and 0 types of geometric quality criteria respectively. A grey segment represents the fraction of residues that are not modelled. The numeric value for each fraction is indicated below the corresponding segment, with a dot representing fractions $\leq 5\%$

Mol	Chain	Length	Quality of chain
1	A	354	
2	B	339	
3	R	361	
4	S	285	
5	Y	71	

2 Entry composition [i](#)

There are 6 unique types of molecules in this entry. The entry contains 8635 atoms, of which 0 are hydrogens and 0 are deuteriums.

In the tables below, the AltConf column contains the number of residues with at least one atom in alternate conformation and the Trace column contains the number of residues modelled with at most 2 atoms.

- Molecule 1 is a protein called Guanine nucleotide-binding protein G(i) subunit alpha-1.

Mol	Chain	Residues	Atoms					AltConf	Trace
			Total	C	N	O	S		
1	A	225	1752	1117	294	327	14	0	0

- Molecule 2 is a protein called Guanine nucleotide-binding protein G(I)/G(S)/G(T) subunit beta-1.

Mol	Chain	Residues	Atoms					AltConf	Trace
			Total	C	N	O	S		
2	B	337	2554	1579	458	496	21	0	0

- Molecule 3 is a protein called Free fatty acid receptor 4.

Mol	Chain	Residues	Atoms					AltConf	Trace
			Total	C	N	O	S		
3	R	291	2170	1444	359	355	12	0	0


- Molecule 4 is a protein called scFv16.

Mol	Chain	Residues	Atoms					AltConf	Trace
			Total	C	N	O	S		
4	S	228	1715	1094	283	328	10	0	0

- Molecule 5 is a protein called Guanine nucleotide-binding protein G(I)/G(S)/G(O) subunit gamma-2.

Mol	Chain	Residues	Atoms					AltConf	Trace
			Total	C	N	O	S		
5	Y	56	417	261	74	79	3	0	0

- Molecule 6 is 3-{4-[(4-fluoro-4'-methyl[1,1'-biphenyl]-2-yl)methoxy]phenyl}propanoic acid (three-letter code: YN9) (formula: C₂₃H₂₁FO₃) (labeled as "Ligand of Interest" by depositor).



Mol	Chain	Residues	Atoms				AltConf
			Total	C	F	O	
6	R	1	27	23	1	3	0

TRP
PHE
PRO
GLU
LYS
GLY
ALA
ILE
LEU
THR
ASP
THR
SER
VAL
LYS
ARG
ASN
ASP
LEU
SER
ILE
ILE
SER
GLY

- Molecule 4: scFv16

Chain S:  66% 14% 20%

MET
LEU
VAL
ASN
GLN
SER
HIS
GLN
GLY
PHE
ASN
LYS
GLU
HIS
THR
SER
LYS
MET
VAL
SER
VAL
ALA
ILE
VAL
LEU
TYR
VAL
LEU
LEU
LEU
ALA
ALA
ALA
HIS
GLY
SER
ALA
PHE
ALA
ALA
72

L86
D90
C96
V97
Y102
Y103
G104
S105
F108
G112
T115
S120
ALA
GLY
GLY
GLY
GLY
SER
GLY
GLY
GLY
GLY
GLY
SER
GLY
GLY
GLY
SER
ALA
ALA
D138
I139
V140
Q143
A144
T145
S155
S162
S163
K164
L175
L179
R192
P201
D202
R203

F213
I217
Y228
H233
L238
G243
T244
K245
L246
LEU

- Molecule 5: Guanine nucleotide-binding protein G(I)/G(S)/G(O) subunit gamma-2

Chain Y:  72% 7% 21%

MET
ALA
SER
ASN
ASN
THR
A7
K46
T52
M59
P60
F61
R62
GLU
LYS
LYS
PHE
PHE
CYS
ALA
ALA
ILE
LEU

4 Experimental information

Property	Value	Source
EM reconstruction method	SINGLE PARTICLE	Depositor
Imposed symmetry	POINT, Not provided	
Number of particles used	237698	Depositor
Resolution determination method	FSC 0.143 CUT-OFF	Depositor
CTF correction method	PHASE FLIPPING AND AMPLITUDE CORRECTION	Depositor
Microscope	FEI TITAN KRIOS	Depositor
Voltage (kV)	300	Depositor
Electron dose ($e^-/\text{\AA}^2$)	62	Depositor
Minimum defocus (nm)	500	Depositor
Maximum defocus (nm)	2500	Depositor
Magnification	Not provided	
Image detector	GATAN K2 SUMMIT (4k x 4k)	Depositor

5 Model quality [i](#)

5.1 Standard geometry [i](#)

Bond lengths and bond angles in the following residue types are not validated in this section: YN9

The Z score for a bond length (or angle) is the number of standard deviations the observed value is removed from the expected value. A bond length (or angle) with $|Z| > 5$ is considered an outlier worth inspection. RMSZ is the root-mean-square of all Z scores of the bond lengths (or angles).

Mol	Chain	Bond lengths		Bond angles	
		RMSZ	# Z >5	RMSZ	# Z >5
1	A	0.26	0/1781	0.47	0/2394
2	B	0.27	0/2600	0.55	0/3527
3	R	0.26	0/2214	0.50	0/3029
4	S	0.29	0/1759	0.50	0/2391
5	Y	0.24	0/423	0.46	0/574
All	All	0.27	0/8777	0.51	0/11915

There are no bond length outliers.

There are no bond angle outliers.

There are no chirality outliers.

There are no planarity outliers.

5.2 Too-close contacts [i](#)

In the following table, the Non-H and H(model) columns list the number of non-hydrogen atoms and hydrogen atoms in the chain respectively. The H(added) column lists the number of hydrogen atoms added and optimized by MolProbity. The Clashes column lists the number of clashes within the asymmetric unit, whereas Symm-Clashes lists symmetry-related clashes.

Mol	Chain	Non-H	H(model)	H(added)	Clashes	Symm-Clashes
1	A	1752	0	1721	17	0
2	B	2554	0	2441	46	0
3	R	2170	0	2195	59	0
4	S	1715	0	1635	25	0
5	Y	417	0	415	4	0
6	R	27	0	0	0	0
All	All	8635	0	8407	145	0

The all-atom clashscore is defined as the number of clashes found per 1000 atoms (including

hydrogen atoms). The all-atom clashscore for this structure is 9.

All (145) close contacts within the same asymmetric unit are listed below, sorted by their clash magnitude.

Atom-1	Atom-2	Interatomic distance (Å)	Clash overlap (Å)
3:R:177:PHE:HE1	3:R:196:LEU:CD1	1.57	1.16
3:R:177:PHE:HE1	3:R:196:LEU:HD11	1.13	1.14
3:R:177:PHE:CE1	3:R:196:LEU:HD11	1.92	1.04
3:R:177:PHE:CE1	3:R:196:LEU:CD1	2.45	0.98
4:S:145:THR:O	4:S:244:THR:HG22	1.63	0.98
1:A:341:ASP:OD1	3:R:238:ARG:NH1	2.00	0.95
3:R:111:CYS:O	3:R:177:PHE:CD2	2.25	0.90
3:R:111:CYS:O	3:R:177:PHE:HD2	1.56	0.88
3:R:40:ALA:O	3:R:44:THR:HG23	1.79	0.80
3:R:89:ILE:O	3:R:92:ILE:HG22	1.84	0.77
3:R:177:PHE:HE1	3:R:196:LEU:HD12	1.49	0.75
3:R:115:PHE:HB2	3:R:177:PHE:HE2	1.52	0.74
3:R:38:VAL:O	3:R:42:VAL:HG12	1.87	0.74
3:R:115:PHE:HB2	3:R:177:PHE:CE2	2.23	0.74
3:R:173:LEU:HD12	3:R:196:LEU:HD21	1.70	0.70
2:B:271:CYS:HB2	2:B:290:ASP:HB2	1.75	0.68
2:B:235:PHE:HB2	2:B:240:ALA:HB3	1.76	0.67
3:R:173:LEU:CD1	3:R:196:LEU:HD21	2.23	0.67
1:A:255:ASN:HD21	1:A:312:LYS:HG3	1.59	0.67
3:R:212:VAL:HG23	3:R:281:ILE:HD12	1.76	0.67
3:R:106:LEU:HD21	3:R:110:ALA:HB3	1.77	0.65
2:B:245:SER:OG	2:B:247:ASP:OD1	2.10	0.65
3:R:104:TRP:NE1	3:R:111:CYS:SG	2.70	0.65
4:S:201:PRO:HG3	4:S:203:ARG:HH21	1.63	0.64
4:S:19:LYS:HE2	4:S:80:PHE:HB3	1.79	0.64
2:B:320:VAL:HG22	2:B:327:VAL:HG22	1.81	0.62
1:A:241:ASN:ND2	1:A:286:CYS:SG	2.64	0.61
4:S:67:ARG:NH2	4:S:90:ASP:OD2	2.33	0.61
2:B:254:ASP:HB2	2:B:261:LEU:HD11	1.82	0.61
4:S:39:GLN:HB2	4:S:45:LEU:HD23	1.83	0.60
2:B:60:ALA:HB3	2:B:73:ALA:HB3	1.84	0.59
3:R:58:ASN:ND2	3:R:85:ASP:HB2	2.17	0.59
3:R:68:ARG:HG2	3:R:68:ARG:O	2.04	0.58
2:B:220:GLN:NE2	2:B:258:ASP:OD1	2.32	0.57
3:R:32:LYS:O	3:R:32:LYS:HG2	2.04	0.57
4:S:155:SER:HA	4:S:217:ILE:O	2.03	0.57
2:B:105:TYR:HE1	2:B:109:GLY:HA2	1.69	0.57
3:R:60:CYS:O	3:R:64:LEU:HG	2.04	0.57

Continued on next page...

Continued from previous page...

Atom-1	Atom-2	Interatomic distance (Å)	Clash overlap (Å)
3:R:141:VAL:HG22	3:R:233:ILE:HG13	1.87	0.57
2:B:34:THR:HG21	2:B:300:LEU:HG	1.87	0.56
3:R:182:GLN:N	3:R:191:ILE:O	2.32	0.56
3:R:179:VAL:HG22	3:R:194:CYS:SG	2.47	0.55
2:B:22:ARG:NH2	2:B:221:THR:O	2.39	0.55
3:R:58:ASN:ND2	3:R:82:PHE:O	2.39	0.55
2:B:51:LEU:HB2	2:B:336:LEU:HB2	1.89	0.55
4:S:228:TYR:O	4:S:243:GLY:HA2	2.08	0.54
1:A:262:THR:O	1:A:317:LYS:NZ	2.41	0.53
4:S:143:GLN:OE1	4:S:243:GLY:HA2	2.08	0.53
1:A:34:VAL:HG11	1:A:339:VAL:HG21	1.90	0.53
3:R:177:PHE:CE1	3:R:196:LEU:HD12	2.31	0.53
1:A:27:GLY:HA3	2:B:55:LEU:HD13	1.92	0.52
3:R:205:ILE:HG22	3:R:288:LEU:HD11	1.91	0.52
4:S:143:GLN:OE1	4:S:243:GLY:N	2.42	0.52
2:B:251:ARG:NH1	2:B:260:GLU:OE2	2.28	0.52
2:B:51:LEU:HD23	2:B:87:THR:HG23	1.91	0.51
3:R:51:PHE:CD1	3:R:89:ILE:CG2	2.93	0.51
3:R:39:LEU:HA	3:R:42:VAL:CG1	2.41	0.51
3:R:54:SER:HB2	3:R:315:ALA:HB2	1.93	0.51
1:A:349:LYS:HA	1:A:354:PHE:HB3	1.93	0.50
1:A:325:CYS:SG	1:A:326:ALA:N	2.84	0.50
2:B:115:GLY:HA3	2:B:146:LEU:HD23	1.92	0.50
2:B:191:SER:HB2	2:B:232:ILE:HG23	1.93	0.50
2:B:129:ARG:HG2	2:B:129:ARG:HH11	1.77	0.49
2:B:6:GLN:HG2	2:B:9:GLN:HE21	1.76	0.49
2:B:68:ARG:HD3	4:S:103:TYR:CZ	2.47	0.49
3:R:51:PHE:CD1	3:R:89:ILE:HG23	2.47	0.49
2:B:90:VAL:HG13	4:S:102:TYR:HB2	1.95	0.49
3:R:137:MET:HB2	3:R:226:SER:HB2	1.94	0.49
4:S:83:MET:HB3	4:S:86:LEU:HD21	1.94	0.48
2:B:110:ASN:HD22	2:B:127:LYS:HD2	1.78	0.48
3:R:98:VAL:HG21	3:R:104:TRP:CZ3	2.48	0.48
1:A:26:ASP:OD2	2:B:78:LYS:NZ	2.44	0.48
2:B:152:LEU:HD23	2:B:192:LEU:HD21	1.96	0.48
2:B:180:PHE:CE2	2:B:216:GLY:HA2	2.48	0.48
3:R:165:TYR:OH	3:R:215:ASN:OD1	2.16	0.48
2:B:68:ARG:O	2:B:84:SER:HB3	2.14	0.47
3:R:279:PRO:HA	3:R:282:ILE:HG12	1.96	0.47
4:S:105:SER:O	4:S:192:ARG:NH2	2.42	0.47
1:A:184:ILE:HD12	1:A:215:PHE:HZ	1.81	0.46

Continued on next page...

Continued from previous page...

Atom-1	Atom-2	Interatomic distance (Å)	Clash overlap (Å)
1:A:255:ASN:ND2	1:A:312:LYS:HG3	2.28	0.46
2:B:70:LEU:O	2:B:81:ILE:HA	2.15	0.46
3:R:51:PHE:HD1	3:R:89:ILE:HG23	1.80	0.45
4:S:143:GLN:OE1	4:S:243:GLY:CA	2.64	0.45
5:Y:59:ASN:OD1	5:Y:61:PHE:N	2.49	0.45
3:R:104:TRP:NE1	3:R:194:CYS:SG	2.89	0.45
3:R:268:LEU:HA	3:R:271:VAL:HG12	1.98	0.45
4:S:179:LEU:HD12	4:S:228:TYR:CE2	2.52	0.45
2:B:241:PHE:HB2	2:B:253:PHE:HB2	1.98	0.45
2:B:331:SER:HB3	2:B:333:ASP:OD1	2.15	0.45
1:A:297:GLU:H	1:A:297:GLU:CD	2.20	0.45
4:S:52:SER:HB2	4:S:57:THR:HB	1.98	0.45
3:R:252:GLN:HA	3:R:255:VAL:HG22	1.99	0.45
2:B:44:GLN:N	2:B:44:GLN:OE1	2.50	0.44
3:R:47:LEU:HB3	3:R:96:LEU:HD12	1.98	0.44
2:B:54:HIS:NE2	2:B:72:SER:OG	2.44	0.44
4:S:37:VAL:HG22	4:S:47:TRP:HA	1.99	0.44
3:R:60:CYS:HA	3:R:63:VAL:HG12	1.99	0.44
3:R:229:LYS:O	3:R:233:ILE:HG12	2.17	0.44
1:A:52:GLN:NE2	1:A:326:ALA:O	2.51	0.44
4:S:175:LEU:HD22	4:S:213:PHE:CG	2.53	0.44
5:Y:52:THR:O	5:Y:52:THR:OG1	2.36	0.44
1:A:33:GLU:HG3	1:A:195:HIS:HB2	2.00	0.43
2:B:241:PHE:O	2:B:252:LEU:HD12	2.18	0.43
4:S:233:HIS:HA	4:S:238:LEU:HD22	2.00	0.43
3:R:38:VAL:HG13	3:R:39:LEU:HD12	1.99	0.43
3:R:224:VAL:HA	3:R:270:MET:CE	2.48	0.43
3:R:137:MET:HG3	3:R:226:SER:HA	2.01	0.43
2:B:34:THR:HG22	2:B:34:THR:O	2.19	0.43
2:B:269:ILE:HG21	2:B:289:TYR:CE2	2.54	0.43
3:R:271:VAL:O	3:R:275:ILE:HG12	2.19	0.42
2:B:56:ALA:O	2:B:334:SER:OG	2.30	0.42
4:S:139:ILE:HD11	4:S:164:LYS:HE3	2.00	0.42
4:S:140:VAL:HG12	4:S:163:SER:HB3	2.01	0.42
5:Y:46:LYS:HA	5:Y:46:LYS:HD3	1.85	0.42
2:B:276:VAL:HG13	2:B:285:LEU:HD11	2.02	0.42
1:A:341:ASP:HB2	3:R:241:LEU:HD11	2.02	0.42
3:R:81:LEU:HD21	3:R:317:ASN:HB3	2.02	0.42
1:A:278:ILE:HD11	1:A:283:LEU:HB2	2.02	0.41
3:R:51:PHE:CE1	3:R:89:ILE:HG22	2.55	0.41
3:R:303:PHE:O	3:R:304:PHE:HB3	2.20	0.41

Continued on next page...

Continued from previous page...

Atom-1	Atom-2	Interatomic distance (Å)	Clash overlap (Å)
2:B:225:HIS:CE1	2:B:251:ARG:HD2	2.55	0.41
3:R:205:ILE:HG22	3:R:288:LEU:HD21	2.01	0.41
3:R:283:THR:O	3:R:287:ILE:HG12	2.20	0.41
5:Y:62:ARG:HA	5:Y:62:ARG:HD2	1.91	0.41
2:B:180:PHE:HE2	2:B:216:GLY:HA2	1.86	0.41
2:B:230:ASN:ND2	2:B:246:ASP:OD1	2.50	0.41
2:B:22:ARG:NE	2:B:258:ASP:OD2	2.51	0.41
3:R:68:ARG:O	3:R:68:ARG:CG	2.68	0.41
4:S:96:CYS:O	4:S:112:GLY:N	2.53	0.41
4:S:162:SER:OG	4:S:164:LYS:O	2.31	0.41
1:A:33:GLU:OE2	1:A:197:LYS:HG3	2.20	0.41
2:B:290:ASP:HA	2:B:314:ARG:HG3	2.02	0.41
2:B:310:GLY:O	2:B:337:LYS:HE3	2.19	0.41
4:S:97:VAL:HG11	4:S:108:PHE:CD2	2.56	0.41
2:B:129:ARG:HG2	2:B:129:ARG:NH1	2.35	0.41
3:R:155:ARG:O	3:R:159:LEU:HG	2.21	0.41
3:R:175:VAL:HG23	3:R:176:PHE:CD1	2.56	0.41
3:R:103:ALA:HA	3:R:191:ILE:HG23	2.02	0.40
2:B:6:GLN:O	2:B:9:GLN:HG3	2.21	0.40
2:B:79:LEU:HB3	2:B:93:ILE:HB	2.04	0.40
2:B:150:ARG:HA	2:B:150:ARG:HD3	1.92	0.40
4:S:20:LEU:HD22	4:S:115:THR:HG21	2.04	0.40
2:B:180:PHE:HB3	2:B:211:TRP:CE3	2.57	0.40
3:R:154:ALA:HA	3:R:157:VAL:HG22	2.03	0.40
3:R:234:THR:O	3:R:238:ARG:HG2	2.22	0.40

There are no symmetry-related clashes.

5.3 Torsion angles [i](#)

5.3.1 Protein backbone [i](#)

In the following table, the Percentiles column shows the percent Ramachandran outliers of the chain as a percentile score with respect to all PDB entries followed by that with respect to all EM entries.

The Analysed column shows the number of residues for which the backbone conformation was analysed, and the total number of residues.

Mol	Chain	Analysed	Favoured	Allowed	Outliers	Percentiles
1	A	221/354 (62%)	216 (98%)	5 (2%)	0	100 100

Continued on next page...

Continued from previous page...

Mol	Chain	Analysed	Favoured	Allowed	Outliers	Percentiles	
2	B	333/339 (98%)	321 (96%)	12 (4%)	0	100	100
3	R	283/361 (78%)	273 (96%)	10 (4%)	0	100	100
4	S	224/285 (79%)	214 (96%)	10 (4%)	0	100	100
5	Y	54/71 (76%)	54 (100%)	0	0	100	100
All	All	1115/1410 (79%)	1078 (97%)	37 (3%)	0	100	100

There are no Ramachandran outliers to report.

5.3.2 Protein sidechains [i](#)

In the following table, the Percentiles column shows the percent sidechain outliers of the chain as a percentile score with respect to all PDB entries followed by that with respect to all EM entries.

The Analysed column shows the number of residues for which the sidechain conformation was analysed, and the total number of residues.

Mol	Chain	Analysed	Rotameric	Outliers	Percentiles	
1	A	185/305 (61%)	185 (100%)	0	100	100
2	B	271/282 (96%)	271 (100%)	0	100	100
3	R	221/314 (70%)	219 (99%)	2 (1%)	75	89
4	S	184/228 (81%)	184 (100%)	0	100	100
5	Y	42/58 (72%)	42 (100%)	0	100	100
All	All	903/1187 (76%)	901 (100%)	2 (0%)	91	97

All (2) residues with a non-rotameric sidechain are listed below:

Mol	Chain	Res	Type
3	R	80	ASN
3	R	173	LEU

Sometimes sidechains can be flipped to improve hydrogen bonding and reduce clashes. There are no such sidechains identified.

5.3.3 RNA [i](#)

There are no RNA molecules in this entry.

5.4 Non-standard residues in protein, DNA, RNA chains [i](#)

There are no non-standard protein/DNA/RNA residues in this entry.

5.5 Carbohydrates [i](#)

There are no oligosaccharides in this entry.

5.6 Ligand geometry [i](#)

1 ligand is modelled in this entry.

In the following table, the Counts columns list the number of bonds (or angles) for which Mogul statistics could be retrieved, the number of bonds (or angles) that are observed in the model and the number of bonds (or angles) that are defined in the Chemical Component Dictionary. The Link column lists molecule types, if any, to which the group is linked. The Z score for a bond length (or angle) is the number of standard deviations the observed value is removed from the expected value. A bond length (or angle) with $|Z| > 2$ is considered an outlier worth inspection. RMSZ is the root-mean-square of all Z scores of the bond lengths (or angles).

Mol	Type	Chain	Res	Link	Bond lengths			Bond angles		
					Counts	RMSZ	# Z > 2	Counts	RMSZ	# Z > 2
6	YN9	R	401	-	29,29,29	2.75	15 (51%)	39,39,39	1.16	4 (10%)

In the following table, the Chirals column lists the number of chiral outliers, the number of chiral centers analysed, the number of these observed in the model and the number defined in the Chemical Component Dictionary. Similar counts are reported in the Torsion and Rings columns. '-' means no outliers of that kind were identified.

Mol	Type	Chain	Res	Link	Chirals	Torsions	Rings
6	YN9	R	401	-	-	4/14/14/14	0/3/3/3

All (15) bond length outliers are listed below:

Mol	Chain	Res	Type	Atoms	Z	Observed(Å)	Ideal(Å)
6	R	401	YN9	C1-C2	6.01	1.49	1.40
6	R	401	YN9	C1-C3	5.80	1.60	1.49
6	R	401	YN9	C20-C10	4.13	1.46	1.38
6	R	401	YN9	C7-C18	3.96	1.46	1.38
6	R	401	YN9	C15-C13	3.83	1.45	1.38
6	R	401	YN9	C4-C2	3.72	1.61	1.50
6	R	401	YN9	C12-C23	3.47	1.58	1.50
6	R	401	YN9	C11-C3	3.22	1.46	1.39

Continued on next page...

Continued from previous page...

Mol	Chain	Res	Type	Atoms	Z	Observed(Å)	Ideal(Å)
6	R	401	YN9	C16-C9	3.11	1.44	1.38
6	R	401	YN9	C8-C19	3.10	1.42	1.37
6	R	401	YN9	C14-C5	3.07	1.45	1.38
6	R	401	YN9	O1-C9	2.60	1.43	1.37
6	R	401	YN9	F1-C19	2.34	1.42	1.36
6	R	401	YN9	C6-C5	2.32	1.58	1.51
6	R	401	YN9	C21-C17	2.01	1.44	1.38

All (4) bond angle outliers are listed below:

Mol	Chain	Res	Type	Atoms	Z	Observed(°)	Ideal(°)
6	R	401	YN9	C7-C1-C2	-2.97	116.09	118.96
6	R	401	YN9	O1-C4-C2	2.74	117.49	109.38
6	R	401	YN9	C7-C18-C19	-2.06	116.24	118.36
6	R	401	YN9	C18-C7-C1	2.02	123.79	120.33

There are no chirality outliers.


All (4) torsion outliers are listed below:

Mol	Chain	Res	Type	Atoms
6	R	401	YN9	C16-C9-O1-C4
6	R	401	YN9	C15-C9-O1-C4
6	R	401	YN9	C14-C5-C6-C12
6	R	401	YN9	C13-C5-C6-C12

There are no ring outliers.

No monomer is involved in short contacts.

The following is a two-dimensional graphical depiction of Mogul quality analysis of bond lengths, bond angles, torsion angles, and ring geometry for all instances of the Ligand of Interest. In addition, ligands with molecular weight > 250 and outliers as shown on the validation Tables will also be included. For torsion angles, if less than 5% of the Mogul distribution of torsion angles is within 10 degrees of the torsion angle in question, then that torsion angle is considered an outlier. Any bond that is central to one or more torsion angles identified as an outlier by Mogul will be highlighted in the graph. For rings, the root-mean-square deviation (RMSD) between the ring in question and similar rings identified by Mogul is calculated over all ring torsion angles. If the average RMSD is greater than 60 degrees and the minimal RMSD between the ring in question and any Mogul-identified rings is also greater than 60 degrees, then that ring is considered an outlier. The outliers are highlighted in purple. The color gray indicates Mogul did not find sufficient equivalents in the CSD to analyse the geometry.



5.7 Other polymers [\(i\)](#)

There are no such residues in this entry.

5.8 Polymer linkage issues [\(i\)](#)

There are no chain breaks in this entry.