



# Full wwPDB X-ray Structure Validation Report ⓘ

Feb 19, 2024 – 06:19 PM JST

PDB ID : 8IHE  
Title : Rv1122(gnd2) in Mycobacterium tuberculosis  
Authors : Chen, Y.J.; Su, D.  
Deposited on : 2023-02-22  
Resolution : 2.74 Å(reported)

This is a Full wwPDB X-ray Structure Validation Report for a publicly released PDB entry.

We welcome your comments at [validation@mail.wwpdb.org](mailto:validation@mail.wwpdb.org)

A user guide is available at

<https://www.wwpdb.org/validation/2017/XrayValidationReportHelp>

with specific help available everywhere you see the ⓘ symbol.

The types of validation reports are described at

<http://www.wwpdb.org/validation/2017/FAQs#types>.

---

The following versions of software and data (see [references ⓘ](#)) were used in the production of this report:

MolProbity : 4.02b-467  
Xtriage (Phenix) : 1.13  
EDS : 2.36  
Percentile statistics : 20191225.v01 (using entries in the PDB archive December 25th 2019)  
Refmac : 5.8.0158  
CCP4 : 7.0.044 (Gargrove)  
Ideal geometry (proteins) : Engh & Huber (2001)  
Ideal geometry (DNA, RNA) : Parkinson et al. (1996)  
Validation Pipeline (wwPDB-VP) : 2.36


# 1 Overall quality at a glance

The following experimental techniques were used to determine the structure:

*X-RAY DIFFRACTION*

The reported resolution of this entry is 2.74 Å.

Percentile scores (ranging between 0-100) for global validation metrics of the entry are shown in the following graphic. The table shows the number of entries on which the scores are based.



Metric	Whole archive (#Entries)	Similar resolution (#Entries, resolution range(Å))
$R_{free}$	130704	1271 (2.76-2.72)
Clashscore	141614	1322 (2.76-2.72)
Ramachandran outliers	138981	1297 (2.76-2.72)
Sidechain outliers	138945	1298 (2.76-2.72)
RSRZ outliers	127900	1243 (2.76-2.72)

The table below summarises the geometric issues observed across the polymeric chains and their fit to the electron density. The red, orange, yellow and green segments of the lower bar indicate the fraction of residues that contain outliers for  $\geq 3$ , 2, 1 and 0 types of geometric quality criteria respectively. A grey segment represents the fraction of residues that are not modelled. The numeric value for each fraction is indicated below the corresponding segment, with a dot representing fractions  $\leq 5\%$ . The upper red bar (where present) indicates the fraction of residues that have poor fit to the electron density. The numeric value is given above the bar.

Mol	Chain	Length	Quality of chain
1	A	340	
1	B	340	
1	C	340	
1	D	340	

## 2 Entry composition

There is only 1 type of molecule in this entry. The entry contains 9862 atoms, of which 0 are hydrogens and 0 are deuteriums.

In the tables below, the ZeroOcc column contains the number of atoms modelled with zero occupancy, the AltConf column contains the number of residues with at least one atom in alternate conformation and the Trace column contains the number of residues modelled with at most 2 atoms.


- Molecule 1 is a protein called Probable 6-phosphogluconate dehydrogenase,decarboxylating Gnd2.

Mol	Chain	Residues	Atoms					ZeroOcc	AltConf	Trace
			Total	C	N	O	S			
1	A	333	Total 2500	C 1558	N 451	O 475	S 16	0	0	0
1	B	323	Total 2431	C 1518	N 437	O 460	S 16	0	0	0
1	C	331	Total 2486	C 1551	N 448	O 471	S 16	0	0	0
1	D	325	Total 2445	C 1527	N 439	O 463	S 16	0	0	0


### 3 Residue-property plots i

These plots are drawn for all protein, RNA, DNA and oligosaccharide chains in the entry. The first graphic for a chain summarises the proportions of the various outlier classes displayed in the second graphic. The second graphic shows the sequence view annotated by issues in geometry and electron density. Residues are color-coded according to the number of geometric quality criteria for which they contain at least one outlier: green = 0, yellow = 1, orange = 2 and red = 3 or more. A red dot above a residue indicates a poor fit to the electron density ( $RSRZ > 2$ ). Stretches of 2 or more consecutive residues without any outlier are shown as a green connector. Residues present in the sample, but not in the model, are shown in grey.

- Molecule 1: Probable 6-phosphogluconate dehydrogenase,decarboxylating Gnd2



- Molecule 1: Probable 6-phosphogluconate dehydrogenase,decarboxylating Gnd2



- Molecule 1: Probable 6-phosphogluconate dehydrogenase,decarboxylating Gnd2





## 4 Data and refinement statistics

Property	Value	Source
Space group	P 21 21 21	Depositor
Cell constants a, b, c, $\alpha$ , $\beta$ , $\gamma$	95.99Å 107.25Å 137.02Å 90.00° 90.00° 90.00°	Depositor
Resolution (Å)	26.83 – 2.74 26.81 – 2.74	Depositor EDS
% Data completeness (in resolution range)	99.2 (26.83-2.74) 99.3 (26.81-2.74)	Depositor EDS
$R_{merge}$	0.17	Depositor
$R_{sym}$	(Not available)	Depositor
$\langle I/\sigma(I) \rangle$ <sup>1</sup>	1.95 (at 2.76Å)	Xtrriage
Refinement program	REFMAC 5.8.0123	Depositor
R, $R_{free}$	0.216 , 0.307 0.220 , 0.306	Depositor DCC
$R_{free}$ test set	1842 reflections (4.91%)	wwPDB-VP
Wilson B-factor (Å <sup>2</sup> )	60.3	Xtrriage
Anisotropy	0.031	Xtrriage
Bulk solvent $k_{sol}$ (e/Å <sup>3</sup> ), $B_{sol}$ (Å <sup>2</sup> )	0.32 , 53.1	EDS
L-test for twinning <sup>2</sup>	$\langle  L  \rangle = 0.49$ , $\langle L^2 \rangle = 0.32$	Xtrriage
Estimated twinning fraction	No twinning to report.	Xtrriage
$F_o, F_c$ correlation	0.94	EDS
Total number of atoms	9862	wwPDB-VP
Average B, all atoms (Å <sup>2</sup> )	79.0	wwPDB-VP

Xtrriage's analysis on translational NCS is as follows: *The largest off-origin peak in the Patterson function is 5.32% of the height of the origin peak. No significant pseudotranslation is detected.*

<sup>1</sup>Intensities estimated from amplitudes.

<sup>2</sup>Theoretical values of  $\langle |L| \rangle$ ,  $\langle L^2 \rangle$  for acentric reflections are 0.5, 0.333 respectively for untwinned datasets, and 0.375, 0.2 for perfectly twinned datasets.

## 5 Model quality [i](#)

### 5.1 Standard geometry [i](#)

The Z score for a bond length (or angle) is the number of standard deviations the observed value is removed from the expected value. A bond length (or angle) with  $|Z| > 5$  is considered an outlier worth inspection. RMSZ is the root-mean-square of all Z scores of the bond lengths (or angles).

Mol	Chain	Bond lengths		Bond angles	
		RMSZ	# Z  >5	RMSZ	# Z  >5
1	A	0.80	0/2550	0.90	1/3454 (0.0%)
1	B	0.77	0/2479	0.92	1/3359 (0.0%)
1	C	0.79	0/2535	0.93	1/3434 (0.0%)
1	D	0.78	0/2493	0.91	0/3379
All	All	0.78	0/10057	0.92	3/13626 (0.0%)

Chiral center outliers are detected by calculating the chiral volume of a chiral center and verifying if the center is modelled as a planar moiety or with the opposite hand. A planarity outlier is detected by checking planarity of atoms in a peptide group, atoms in a mainchain group or atoms of a sidechain that are expected to be planar.

Mol	Chain	#Chirality outliers	#Planarity outliers
1	A	0	1

There are no bond length outliers.

All (3) bond angle outliers are listed below:

Mol	Chain	Res	Type	Atoms	Z	Observed( $^{\circ}$ )	Ideal( $^{\circ}$ )
1	C	279	ARG	NE-CZ-NH2	-6.16	117.22	120.30
1	A	328	ARG	NE-CZ-NH1	5.74	123.17	120.30
1	B	279	ARG	CB-CA-C	5.12	120.64	110.40

There are no chirality outliers.

All (1) planarity outliers are listed below:

Mol	Chain	Res	Type	Group
1	A	167	ASP	Peptide

## 5.2 Too-close contacts

In the following table, the Non-H and H(model) columns list the number of non-hydrogen atoms and hydrogen atoms in the chain respectively. The H(added) column lists the number of hydrogen atoms added and optimized by MolProbity. The Clashes column lists the number of clashes within the asymmetric unit, whereas Symm-Clashes lists symmetry-related clashes.

Mol	Chain	Non-H	H(model)	H(added)	Clashes	Symm-Clashes
1	A	2500	0	2448	58	0
1	B	2431	0	2386	54	0
1	C	2486	0	2439	60	0
1	D	2445	0	2402	74	0
All	All	9862	0	9675	204	0

The all-atom clashscore is defined as the number of clashes found per 1000 atoms (including hydrogen atoms). The all-atom clashscore for this structure is 10.

All (204) close contacts within the same asymmetric unit are listed below, sorted by their clash magnitude.

Atom-1	Atom-2	Interatomic distance (Å)	Clash overlap (Å)
1:D:169:GLU:OE2	1:D:169:GLU:HA	1.69	0.91
1:A:305:THR:HG21	1:B:301:PRO:HB2	1.52	0.91
1:D:102:ASP:OD2	1:D:187:HIS:ND1	2.06	0.89
1:C:3:LEU:HD22	1:C:19:LEU:HD13	1.60	0.83
1:D:130:ARG:O	1:D:155:PRO:HB3	1.79	0.82
1:B:134:LEU:HD11	1:B:153:VAL:HG23	1.62	0.81
1:B:134:LEU:HD11	1:B:153:VAL:CG2	2.11	0.80
1:A:302:VAL:HG22	1:B:305:THR:HG22	1.64	0.80
1:B:43:ASP:O	1:B:45:THR:OG1	2.00	0.80
1:A:305:THR:CG2	1:B:301:PRO:HB2	2.13	0.79
1:B:234:GLU:HA	1:B:237:GLN:HE21	1.49	0.78
1:D:134:LEU:HD11	1:D:153:VAL:HG23	1.68	0.76
1:C:302:VAL:HG13	1:D:302:VAL:HG13	1.69	0.75
1:A:188:PHE:O	1:A:191:MET:HB3	1.88	0.74
1:C:148:PRO:O	1:C:152:THR:OG1	2.05	0.74
1:C:301:PRO:O	1:C:305:THR:HB	1.90	0.71
1:C:134:LEU:HD11	1:C:153:VAL:HG22	1.72	0.70
1:A:134:LEU:HD11	1:A:153:VAL:CG2	2.21	0.70
1:D:81:LEU:HA	1:D:84:THR:HG22	1.74	0.69
1:D:30:ASP:OD1	1:D:31:HIS:N	2.26	0.68
1:D:301:PRO:O	1:D:305:THR:HB	1.94	0.68
1:A:119:CYS:SG	1:A:134:LEU:HD22	2.34	0.67
1:A:278:GLY:HA2	1:D:321:ASN:HB3	1.76	0.67

*Continued on next page...*



*Continued from previous page...*

Atom-1	Atom-2	Interatomic distance (Å)	Clash overlap (Å)
1:C:122:SER:OG	1:C:123:GLY:N	2.29	0.66
1:C:300:ALA:HA	1:D:206:GLU:OE2	1.96	0.65
1:C:160:ALA:HB3	1:D:251:ARG:HE	1.62	0.65
1:B:301:PRO:O	1:B:305:THR:HB	1.96	0.64
1:D:132:TYR:O	1:D:134:LEU:HG	1.98	0.64
1:C:57:ARG:O	1:C:57:ARG:HG3	1.98	0.63
1:D:163:THR:O	1:D:165:GLY:N	2.31	0.63
1:B:3:LEU:CD2	1:B:19:LEU:HD13	2.30	0.62
1:C:318:ASP:OD2	1:C:322:LYS:HE3	2.00	0.61
1:A:299:PRO:HG3	1:C:317:ASP:HB3	1.83	0.61
1:D:51:LEU:HB3	1:D:84:THR:HG21	1.83	0.60
1:B:18:ARG:HD3	1:B:153:VAL:HA	1.82	0.60
1:C:24:HIS:CD2	1:C:152:THR:HG21	2.36	0.60
1:B:3:LEU:HG	1:B:4:GLY:O	2.01	0.60
1:C:8:LEU:HD12	1:C:30:ASP:HB2	1.82	0.60
1:A:251:ARG:NH1	1:B:160:ALA:O	2.34	0.60
1:C:247:GLU:O	1:C:250:ARG:HB2	2.02	0.60
1:A:247:GLU:OE1	1:A:251:ARG:NH2	2.35	0.59
1:D:184:GLY:O	1:D:186:GLY:N	2.36	0.59
1:A:3:LEU:CD2	1:A:19:LEU:HD13	2.32	0.59
1:A:134:LEU:HD11	1:A:153:VAL:HG22	1.85	0.58
1:B:178:LEU:HD23	1:B:180:CYS:SG	2.43	0.58
1:C:192:VAL:O	1:C:196:ILE:HG13	2.04	0.58
1:B:282:ASP:OD1	1:B:314:ARG:NH2	2.37	0.58
1:A:13:ALA:O	1:A:16:VAL:HB	2.04	0.57
1:C:283:SER:HB2	1:C:285:GLU:OE2	2.04	0.57
1:C:58:LEU:HB3	1:C:62:ARG:HG2	1.87	0.57
1:A:282:ASP:OD1	1:A:314:ARG:NH2	2.35	0.56
1:D:120:GLY:O	1:D:134:LEU:HA	2.05	0.56
1:D:93:ASP:OD1	1:D:93:ASP:C	2.43	0.56
1:B:329:LYS:O	1:B:330:GLN:HG2	2.06	0.55
1:B:184:GLY:O	1:B:186:GLY:N	2.40	0.55
1:A:65:TRP:CE3	1:A:92:ILE:HG21	2.42	0.55
1:D:74:THR:O	1:D:78:ILE:HG12	2.07	0.55
1:D:173:SER:HB3	1:D:178:LEU:HD13	1.89	0.55
1:C:304:THR:O	1:C:308:GLN:HG2	2.06	0.55
1:A:3:LEU:HD12	1:A:63:VAL:HG12	1.89	0.54
1:A:30:ASP:O	1:A:31:HIS:C	2.46	0.54
1:A:301:PRO:HD2	1:B:206:GLU:OE1	2.08	0.54
1:C:139:ASP:HB3	1:C:142:ALA:HB3	1.89	0.54
1:C:81:LEU:HD22	1:C:85:LEU:HD11	1.90	0.54

*Continued on next page...*

*Continued from previous page...*

Atom-1	Atom-2	Interatomic distance (Å)	Clash overlap (Å)
1:D:13:ALA:O	1:D:16:VAL:N	2.41	0.54
1:D:103:LEU:HD23	1:D:183:CYS:SG	2.48	0.54
1:A:75:THR:HG23	1:A:105:HIS:NE2	2.23	0.53
1:A:254:VAL:HA	1:B:258:TRP:CE3	2.44	0.53
1:D:146:ALA:O	1:D:149:ILE:N	2.40	0.53
1:B:109:LEU:HB3	1:B:114:ILE:HB	1.90	0.52
1:D:55:SER:O	1:D:62:ARG:NE	2.36	0.52
1:A:305:THR:HG21	1:B:301:PRO:CB	2.34	0.51
1:C:134:LEU:HD11	1:C:153:VAL:CG2	2.40	0.51
1:A:43:ASP:OD1	1:A:44:ARG:HG3	2.10	0.51
1:D:2:GLN:HA	1:D:25:ASP:O	2.09	0.51
1:C:282:ASP:OD2	1:C:314:ARG:NH2	2.38	0.51
1:B:297:GLY:O	1:D:316:LEU:HD13	2.11	0.51
1:D:157:VAL:N	1:D:175:GLN:HA	2.26	0.51
1:C:57:ARG:O	1:C:57:ARG:CG	2.58	0.51
1:D:91:VAL:O	1:D:116:LEU:HD12	2.11	0.51
1:B:51:LEU:O	1:B:54:LEU:HB3	2.11	0.50
1:C:127:GLY:O	1:C:131:GLY:CA	2.59	0.50
1:A:172:PRO:O	1:A:173:SER:C	2.50	0.50
1:B:77:VAL:O	1:B:81:LEU:HD12	2.12	0.50
1:C:119:CYS:SG	1:C:134:LEU:HD22	2.51	0.50
1:C:206:GLU:CD	1:D:300:ALA:HA	2.32	0.50
1:D:106:GLU:O	1:D:110:PHE:HB2	2.11	0.50
1:A:3:LEU:HD23	1:A:19:LEU:HD13	1.95	0.49
1:C:302:VAL:CG1	1:D:302:VAL:HG13	2.40	0.49
1:A:322:LYS:HE2	1:D:276:PHE:O	2.12	0.49
1:C:190:LYS:O	1:C:193:HIS:HB3	2.13	0.49
1:B:132:TYR:O	1:B:134:LEU:HG	2.13	0.49
1:A:302:VAL:HG13	1:B:302:VAL:HG13	1.93	0.49
1:C:293:ALA:HB2	1:D:210:ILE:CD1	2.42	0.49
1:C:296:GLU:OE2	1:D:210:ILE:O	2.30	0.49
1:B:3:LEU:HD22	1:B:19:LEU:HD13	1.95	0.49
1:B:91:VAL:O	1:B:116:LEU:HD12	2.13	0.48
1:D:16:VAL:HG13	1:D:26:CYS:SG	2.53	0.48
1:D:97:THR:HG22	1:D:101:ASP:HB2	1.94	0.48
1:B:94:GLY:HA2	1:B:119:CYS:O	2.13	0.48
1:A:102:ASP:OD2	1:A:187:HIS:ND1	2.45	0.48
1:C:257:SER:HA	1:D:257:SER:HA	1.96	0.47
1:C:293:ALA:HB2	1:D:210:ILE:HD13	1.96	0.47
1:D:98:TYR:O	1:D:100:ARG:N	2.47	0.47
1:A:305:THR:HG22	1:B:302:VAL:CG2	2.43	0.47

*Continued on next page...*

*Continued from previous page...*

Atom-1	Atom-2	Interatomic distance (Å)	Clash overlap (Å)
1:D:182:PRO:O	1:D:185:SER:HB3	2.15	0.47
1:B:216:VAL:HG13	1:B:230:LEU:HD22	1.97	0.47
1:C:3:LEU:CD2	1:C:19:LEU:HD13	2.40	0.47
1:C:301:PRO:HB2	1:D:305:THR:HG23	1.95	0.47
1:D:198:TYR:CE2	1:D:286:GLY:HA3	2.50	0.47
1:D:272:ASP:O	1:D:273:LEU:C	2.53	0.47
1:B:138:GLY:H	1:B:182:PRO:C	2.18	0.46
1:B:198:TYR:CE2	1:B:286:GLY:HA3	2.50	0.46
1:B:234:GLU:HA	1:B:237:GLN:NE2	2.24	0.46
1:D:65:TRP:CD2	1:D:92:ILE:HG21	2.50	0.46
1:B:304:THR:O	1:B:308:GLN:CG	2.63	0.46
1:B:184:GLY:O	1:B:187:HIS:N	2.49	0.46
1:A:122:SER:OG	1:A:123:GLY:N	2.49	0.46
1:C:302:VAL:HG22	1:D:305:THR:HG22	1.97	0.46
1:A:216:VAL:HG13	1:A:230:LEU:HD22	1.96	0.46
1:B:304:THR:O	1:B:308:GLN:HG3	2.15	0.46
1:A:244:GLU:HA	1:A:244:GLU:OE2	2.15	0.45
1:D:60:ALA:HB2	1:D:62:ARG:NH1	2.32	0.45
1:B:11:MET:O	1:B:14:ASN:N	2.49	0.45
1:C:127:GLY:O	1:C:131:GLY:HA2	2.16	0.45
1:A:254:VAL:HA	1:B:258:TRP:HE3	1.81	0.45
1:C:30:ASP:OD1	1:C:31:HIS:N	2.49	0.45
1:A:291:ILE:HG23	1:C:291:ILE:HG12	1.98	0.45
1:D:282:ASP:OD1	1:D:314:ARG:NH2	2.50	0.45
1:A:45:THR:O	1:A:46:THR:OG1	2.32	0.44
1:A:32:ASP:O	1:A:36:VAL:HG23	2.17	0.44
1:A:73:ILE:O	1:A:76:ALA:HB3	2.18	0.44
1:A:194:ASN:O	1:A:197:GLU:HB3	2.17	0.44
1:B:65:TRP:HE1	1:B:94:GLY:HA3	1.81	0.44
1:D:3:LEU:HG	1:D:4:GLY:N	2.33	0.44
1:C:109:LEU:HD12	1:C:116:LEU:HB2	1.98	0.44
1:A:247:GLU:O	1:A:250:ARG:HG3	2.18	0.44
1:A:329:LYS:O	1:A:333:GLY:N	2.50	0.44
1:A:15:ILE:HD12	1:A:67:MET:CE	2.48	0.44
1:B:305:THR:HA	1:B:308:GLN:HG3	2.00	0.44
1:A:118:ASP:O	1:A:136:ILE:HA	2.18	0.44
1:D:3:LEU:HD22	1:D:19:LEU:HD13	2.00	0.44
1:D:250:ARG:NE	1:D:261:ASP:OD1	2.44	0.43
1:D:78:ILE:HG21	1:D:105:HIS:HB3	2.00	0.43
1:A:242:ILE:N	1:A:243:PRO:CD	2.81	0.43
1:A:275:GLU:OE1	1:A:276:PHE:CE2	2.72	0.43

*Continued on next page...*

*Continued from previous page...*

Atom-1	Atom-2	Interatomic distance (Å)	Clash overlap (Å)
1:A:304:THR:O	1:A:308:GLN:HG3	2.18	0.43
1:C:51:LEU:O	1:C:84:THR:HG23	2.18	0.43
1:D:169:GLU:OE2	1:D:169:GLU:CA	2.54	0.43
1:A:315:ASP:O	1:A:318:ASP:HB2	2.18	0.43
1:D:265:ILE:O	1:D:268:ARG:N	2.38	0.43
1:C:254:VAL:HG12	1:D:259:LEU:HD21	2.01	0.43
1:D:188:PHE:O	1:D:191:MET:HB2	2.19	0.43
1:B:29:TYR:CE2	1:B:51:LEU:CD1	3.02	0.43
1:C:258:TRP:O	1:C:262:LEU:HG	2.19	0.43
1:D:260:LEU:O	1:D:264:ALA:N	2.51	0.43
1:A:250:ARG:NH2	1:B:161:PRO:O	2.52	0.43
1:A:208:LEU:HD22	1:A:242:ILE:CG2	2.49	0.42
1:C:31:HIS:O	1:C:33:PRO:HD3	2.19	0.42
1:A:5:MET:SD	1:A:65:TRP:HB3	2.60	0.42
1:C:174:GLU:O	1:D:251:ARG:NH1	2.40	0.42
1:D:98:TYR:O	1:D:101:ASP:N	2.52	0.42
1:D:198:TYR:CE1	1:D:310:ARG:NH1	2.87	0.42
1:C:285:GLU:HA	1:C:288:TRP:CE3	2.55	0.42
1:B:34:ASP:OD1	1:B:34:ASP:N	2.49	0.42
1:C:253:SER:O	1:D:130:ARG:NH2	2.52	0.42
1:A:48:VAL:HG23	1:A:49:ALA:N	2.34	0.42
1:C:251:ARG:NH1	1:D:160:ALA:O	2.53	0.42
1:C:300:ALA:HA	1:D:206:GLU:CD	2.40	0.42
1:A:305:THR:HG22	1:B:302:VAL:HG23	2.02	0.41
1:B:287:ARG:HD3	1:D:294:ILE:O	2.19	0.41
1:C:136:ILE:HD12	1:C:136:ILE:N	2.35	0.41
1:B:30:ASP:O	1:B:31:HIS:C	2.58	0.41
1:B:78:ILE:HG23	1:B:109:LEU:HD11	2.02	0.41
1:C:254:VAL:HA	1:D:258:TRP:CE3	2.55	0.41
1:D:67:MET:SD	1:D:94:GLY:O	2.79	0.41
1:D:317:ASP:OD1	1:D:317:ASP:N	2.51	0.41
1:B:278:GLY:CA	1:C:321:ASN:HB3	2.49	0.41
1:A:12:GLY:O	1:A:16:VAL:HG23	2.20	0.41
1:C:191:MET:SD	1:C:288:TRP:HB3	2.60	0.41
1:A:29:TYR:CD1	1:A:30:ASP:N	2.89	0.41
1:A:258:TRP:O	1:A:261:ASP:HB2	2.21	0.41
1:C:254:VAL:HA	1:D:258:TRP:HE3	1.86	0.41
1:D:34:ASP:N	1:D:34:ASP:OD1	2.53	0.41
1:D:135:MET:HB3	1:D:180:CYS:SG	2.61	0.41
1:A:262:LEU:HD22	1:D:330:GLN:HB3	2.02	0.41
1:B:29:TYR:HE2	1:B:51:LEU:CD1	2.34	0.41

*Continued on next page...*

Continued from previous page...

Atom-1	Atom-2	Interatomic distance (Å)	Clash overlap (Å)
1:B:190:LYS:O	1:B:193:HIS:HB3	2.21	0.41
1:C:206:GLU:OE1	1:D:301:PRO:HD2	2.20	0.41
1:D:263:THR:O	1:D:267:LEU:HD12	2.20	0.41
1:A:305:THR:CG2	1:B:301:PRO:CB	2.92	0.41
1:B:32:ASP:O	1:B:36:VAL:HG23	2.21	0.41
1:C:77:VAL:HG12	1:C:81:LEU:HD12	2.02	0.41
1:C:149:ILE:O	1:C:153:VAL:HG13	2.21	0.41
1:D:284:GLY:HA2	1:D:287:ARG:HG3	2.03	0.41
1:C:28:VAL:HG21	1:C:39:MET:HB2	2.03	0.40
1:C:194:ASN:HD22	1:C:285:GLU:CB	2.34	0.40
1:A:302:VAL:CG2	1:B:305:THR:HG22	2.42	0.40
1:A:243:PRO:HG2	1:A:271:PRO:HB3	2.04	0.40
1:C:127:GLY:O	1:C:131:GLY:N	2.54	0.40
1:A:206:GLU:CD	1:B:300:ALA:HA	2.41	0.40
1:C:242:ILE:N	1:C:243:PRO:CD	2.83	0.40
1:D:77:VAL:HG12	1:D:81:LEU:HD12	2.03	0.40
1:D:320:ALA:O	1:D:323:ALA:HB3	2.22	0.40

There are no symmetry-related clashes.

## 5.3 Torsion angles [i](#)

### 5.3.1 Protein backbone [i](#)

In the following table, the Percentiles column shows the percent Ramachandran outliers of the chain as a percentile score with respect to all X-ray entries followed by that with respect to entries of similar resolution.

The Analysed column shows the number of residues for which the backbone conformation was analysed, and the total number of residues.

Mol	Chain	Analysed	Favoured	Allowed	Outliers	Percentiles
1	A	329/340 (97%)	291 (88%)	29 (9%)	9 (3%)	<b>5</b> <b>8</b>
1	B	319/340 (94%)	273 (86%)	45 (14%)	1 (0%)	41 61
1	C	327/340 (96%)	294 (90%)	32 (10%)	1 (0%)	41 61
1	D	321/340 (94%)	267 (83%)	40 (12%)	14 (4%)	<b>2</b> <b>3</b>
All	All	1296/1360 (95%)	1125 (87%)	146 (11%)	25 (2%)	<b>8</b> <b>14</b>

All (25) Ramachandran outliers are listed below:

Mol	Chain	Res	Type
1	B	185	SER
1	C	84	THR
1	D	185	SER
1	A	31	HIS
1	A	46	THR
1	A	49	ALA
1	A	273	LEU
1	D	43	ASP
1	D	99	TYR
1	D	164	PRO
1	A	29	TYR
1	D	269	GLU
1	A	166	ARG
1	D	23	GLY
1	D	176	GLY
1	D	182	PRO
1	D	172	PRO
1	A	16	VAL
1	A	333	GLY
1	D	265	ILE
1	A	48	VAL
1	D	125	VAL
1	D	12	GLY
1	D	195	GLY
1	D	161	PRO

### 5.3.2 Protein sidechains [i](#)

In the following table, the Percentiles column shows the percent sidechain outliers of the chain as a percentile score with respect to all X-ray entries followed by that with respect to entries of similar resolution.

The Analysed column shows the number of residues for which the sidechain conformation was analysed, and the total number of residues.

Mol	Chain	Analysed	Rotameric	Outliers	Percentiles	
1	A	254/259 (98%)	240 (94%)	14 (6%)	21	37
1	B	248/259 (96%)	227 (92%)	21 (8%)	10	20
1	C	253/259 (98%)	234 (92%)	19 (8%)	13	24
1	D	250/259 (96%)	222 (89%)	28 (11%)	6	10
All	All	1005/1036 (97%)	923 (92%)	82 (8%)	11	21

All (82) residues with a non-rotameric sidechain are listed below:

Mol	Chain	Res	Type
1	A	34	ASP
1	A	36	VAL
1	A	45	THR
1	A	50	SER
1	A	51	LEU
1	A	55	SER
1	A	59	SER
1	A	106	GLU
1	A	216	VAL
1	A	227	THR
1	A	251	ARG
1	A	283	SER
1	A	318	ASP
1	A	328	ARG
1	B	32	ASP
1	B	34	ASP
1	B	36	VAL
1	B	45	THR
1	B	52	ARG
1	B	89	ASP
1	B	110	PHE
1	B	119	CYS
1	B	157	VAL
1	B	185	SER
1	B	204	LEU
1	B	212	ARG
1	B	216	VAL
1	B	243	PRO
1	B	251	ARG
1	B	253	SER
1	B	285	GLU
1	B	305	THR
1	B	325	SER
1	B	328	ARG
1	B	329	LYS
1	C	10	ARG
1	C	25	ASP
1	C	37	LYS
1	C	45	THR
1	C	51	LEU
1	C	58	LEU
1	C	80	GLU

*Continued on next page...*

*Continued from previous page...*

<b>Mol</b>	<b>Chain</b>	<b>Res</b>	<b>Type</b>
1	C	108	LEU
1	C	110	PHE
1	C	114	ILE
1	C	141	ASP
1	C	152	THR
1	C	153	VAL
1	C	219	ARG
1	C	220	VAL
1	C	237	GLN
1	C	251	ARG
1	C	282	ASP
1	C	305	THR
1	D	1	MET
1	D	26	CYS
1	D	34	ASP
1	D	59	SER
1	D	84	THR
1	D	86	GLU
1	D	107	LYS
1	D	108	LEU
1	D	110	PHE
1	D	112	LYS
1	D	114	ILE
1	D	118	ASP
1	D	121	THR
1	D	129	GLU
1	D	134	LEU
1	D	135	MET
1	D	152	THR
1	D	169	GLU
1	D	185	SER
1	D	204	LEU
1	D	227	THR
1	D	248	VAL
1	D	251	ARG
1	D	279	ARG
1	D	282	ASP
1	D	283	SER
1	D	305	THR
1	D	325	SER

Sometimes sidechains can be flipped to improve hydrogen bonding and reduce clashes. All (5) such sidechains are listed below:



Mol	Chain	Res	Type
1	A	232	ASN
1	A	237	GLN
1	B	237	GLN
1	C	308	GLN
1	D	72	ASN

### 5.3.3 RNA [i](#)

There are no RNA molecules in this entry.

### 5.4 Non-standard residues in protein, DNA, RNA chains [i](#)

There are no non-standard protein/DNA/RNA residues in this entry.

### 5.5 Carbohydrates [i](#)

There are no monosaccharides in this entry.

### 5.6 Ligand geometry [i](#)

There are no ligands in this entry.

### 5.7 Other polymers [i](#)

There are no such residues in this entry.

### 5.8 Polymer linkage issues [i](#)

There are no chain breaks in this entry.

## 6 Fit of model and data

### 6.1 Protein, DNA and RNA chains

In the following table, the column labelled ‘#RSRZ > 2’ contains the number (and percentage) of RSRZ outliers, followed by percent RSRZ outliers for the chain as percentile scores relative to all X-ray entries and entries of similar resolution. The OWAB column contains the minimum, median, 95<sup>th</sup> percentile and maximum values of the occupancy-weighted average B-factor per residue. The column labelled ‘Q < 0.9’ lists the number of (and percentage) of residues with an average occupancy less than 0.9.

Mol	Chain	Analysed	<RSRZ>	#RSRZ>2	OWAB(Å <sup>2</sup> )	Q<0.9
1	A	333/340 (97%)	0.34	34 (10%) <b>6</b> <b>6</b>	30, 67, 129, 165	0
1	B	323/340 (95%)	0.35	33 (10%) <b>6</b> <b>6</b>	28, 68, 138, 174	0
1	C	331/340 (97%)	0.41	40 (12%) <b>4</b> <b>4</b>	29, 74, 121, 165	0
1	D	325/340 (95%)	0.99	64 (19%) <b>1</b> <b>1</b>	32, 81, 172, 243	0
All	All	1312/1360 (96%)	0.52	171 (13%) <b>3</b> <b>3</b>	28, 72, 143, 243	0

All (171) RSRZ outliers are listed below:

Mol	Chain	Res	Type	RSRZ
1	D	110	PHE	14.5
1	D	61	PRO	13.7
1	D	35	ALA	8.8
1	D	39	MET	7.9
1	D	36	VAL	7.7
1	D	113	GLY	7.5
1	D	229	PRO	7.4
1	D	37	LYS	7.4
1	D	23	GLY	7.1
1	D	228	ALA	5.8
1	D	38	ALA	5.8
1	D	2	GLN	5.7
1	A	39	MET	5.6
1	A	340	ASN	5.3
1	A	113	GLY	5.2
1	C	218	THR	5.2
1	C	233	PRO	5.0
1	B	34	ASP	4.8
1	D	220	VAL	4.8
1	D	167	ASP	4.7
1	D	227	THR	4.7

*Continued on next page...*

*Continued from previous page...*

<b>Mol</b>	<b>Chain</b>	<b>Res</b>	<b>Type</b>	<b>RSRZ</b>
1	D	119	CYS	4.7
1	A	125	VAL	4.7
1	C	170	VAL	4.6
1	A	339	ALA	4.6
1	B	111	LYS	4.6
1	D	4	GLY	4.5
1	D	27	VAL	4.5
1	D	87	ALA	4.5
1	D	62	ARG	4.4
1	B	39	MET	4.4
1	B	37	LYS	4.4
1	D	65	TRP	4.4
1	C	124	GLY	4.3
1	D	29	TYR	4.3
1	A	126	TRP	4.3
1	D	57	ARG	4.2
1	A	338	PRO	4.2
1	D	218	THR	4.1
1	A	167	ASP	4.1
1	C	130	ARG	4.1
1	C	111	LYS	4.1
1	B	219	ARG	3.9
1	D	52	ARG	3.9
1	C	129	GLU	3.9
1	D	40	ALA	3.8
1	D	219	ARG	3.8
1	C	219	ARG	3.8
1	C	92	ILE	3.7
1	C	31	HIS	3.7
1	A	43	ASP	3.6
1	B	331	PHE	3.6
1	C	334	HIS	3.5
1	D	22	GLY	3.4
1	B	229	PRO	3.4
1	B	65	TRP	3.4
1	D	5	MET	3.4
1	A	128	ARG	3.4
1	B	83	ASN	3.4
1	C	128	ARG	3.4
1	D	112	LYS	3.3
1	C	52	ARG	3.3
1	D	51	LEU	3.3

*Continued on next page...*

*Continued from previous page...*

<b>Mol</b>	<b>Chain</b>	<b>Res</b>	<b>Type</b>	<b>RSRZ</b>
1	D	28	VAL	3.3
1	A	10	ARG	3.3
1	B	56	GLN	3.3
1	C	125	VAL	3.2
1	D	92	ILE	3.2
1	A	34	ASP	3.2
1	A	112	LYS	3.2
1	D	60	ALA	3.2
1	B	94	GLY	3.2
1	D	33	PRO	3.1
1	B	38	ALA	3.1
1	C	40	ALA	3.1
1	B	24	HIS	3.1
1	A	169	GLU	3.1
1	C	167	ASP	3.1
1	B	31	HIS	3.0
1	B	35	ALA	3.0
1	D	64	VAL	3.0
1	B	60	ALA	3.0
1	B	82	ALA	3.0
1	B	112	LYS	3.0
1	D	231	PRO	3.0
1	C	227	THR	2.9
1	D	25	ASP	2.9
1	D	86	GLU	2.9
1	D	135	MET	2.9
1	A	37	LYS	2.9
1	A	35	ALA	2.9
1	C	117	LEU	2.9
1	D	24	HIS	2.8
1	A	64	VAL	2.8
1	A	86	GLU	2.8
1	C	118	ASP	2.8
1	D	54	LEU	2.8
1	A	127	GLY	2.8
1	C	127	GLY	2.8
1	D	55	SER	2.8
1	D	43	ASP	2.8
1	B	59	SER	2.7
1	D	93	ASP	2.7
1	B	92	ILE	2.7
1	B	171	ALA	2.7

*Continued on next page...*

*Continued from previous page...*

<b>Mol</b>	<b>Chain</b>	<b>Res</b>	<b>Type</b>	<b>RSRZ</b>
1	D	108	LEU	2.7
1	A	129	GLU	2.6
1	C	34	ASP	2.6
1	D	31	HIS	2.6
1	B	237	GLN	2.6
1	C	61	PRO	2.6
1	C	171	ALA	2.6
1	A	52	ARG	2.6
1	C	36	VAL	2.5
1	B	62	ARG	2.5
1	C	283	SER	2.5
1	B	86	GLU	2.5
1	C	37	LYS	2.5
1	C	140	GLY	2.5
1	A	111	LYS	2.5
1	B	218	THR	2.5
1	A	4	GLY	2.5
1	C	91	VAL	2.5
1	D	129	GLU	2.5
1	D	130	ARG	2.4
1	A	119	CYS	2.4
1	C	39	MET	2.4
1	B	52	ARG	2.4
1	C	169	GLU	2.4
1	D	111	LYS	2.4
1	A	130	ARG	2.4
1	B	40	ALA	2.4
1	C	60	ALA	2.4
1	B	119	CYS	2.4
1	D	230	LEU	2.3
1	D	59	SER	2.3
1	C	108	LEU	2.3
1	B	228	ALA	2.3
1	A	33	PRO	2.3
1	C	136	ILE	2.3
1	A	21	LYS	2.3
1	C	94	GLY	2.3
1	D	88	GLY	2.3
1	B	167	ASP	2.3
1	D	125	VAL	2.3
1	D	50	SER	2.2
1	D	44	ARG	2.2

*Continued on next page...*

*Continued from previous page...*

Mol	Chain	Res	Type	RSRZ
1	C	107	LYS	2.2
1	D	66	VAL	2.2
1	A	229	PRO	2.2
1	C	119	CYS	2.2
1	A	93	ASP	2.2
1	C	93	ASP	2.2
1	C	137	GLY	2.2
1	A	140	GLY	2.2
1	A	219	ARG	2.2
1	D	148	PRO	2.1
1	A	233	PRO	2.1
1	C	175	GLN	2.1
1	A	217	GLY	2.1
1	D	118	ASP	2.1
1	B	47	GLY	2.1
1	D	115	HIS	2.1
1	B	4	GLY	2.1
1	C	217	GLY	2.1
1	D	90	ILE	2.1
1	D	91	VAL	2.1
1	B	63	VAL	2.0
1	D	155	PRO	2.0
1	A	49	ALA	2.0
1	D	137	GLY	2.0

## 6.2 Non-standard residues in protein, DNA, RNA chains [i](#)

There are no non-standard protein/DNA/RNA residues in this entry.

## 6.3 Carbohydrates [i](#)

There are no monosaccharides in this entry.

## 6.4 Ligands [i](#)

There are no ligands in this entry.

## 6.5 Other polymers [i](#)

There are no such residues in this entry.