



# Full wwPDB X-ray Structure Validation Report i

Sep 4, 2024 – 01:53 pm BST

PDB ID : 8QF0  
Title : Atomic structure of wormGDH  
Authors : Mourao, A.; Geerlof, A.; Sattler, M.  
Deposited on : 2023-09-01  
Resolution : 1.86 Å(reported)

This is a Full wwPDB X-ray Structure Validation Report for a publicly released PDB entry.

We welcome your comments at [validation@mail.wwpdb.org](mailto:validation@mail.wwpdb.org)  
A user guide is available at  
<https://www.wwpdb.org/validation/2017/XrayValidationReportHelp>  
with specific help available everywhere you see the i symbol.

The types of validation reports are described at  
<http://www.wwpdb.org/validation/2017/FAQs#types>.

The following versions of software and data (see [references](#) ①) were used in the production of this report:

MolProbity	:	4.02b-467
Xtriage (Phenix)	:	1.13
EDS	:	3.0
Percentile statistics	:	20231227.v01 (using entries in the PDB archive December 27th 2023)
CCP4	:	9.0.002 (Gargrove)
Density-Fitness	:	1.0.11
Ideal geometry (proteins)	:	Engh & Huber (2001)
Ideal geometry (DNA, RNA)	:	Parkinson et al. (1996)
Validation Pipeline (wwPDB-VP)	:	2.38.2


# 1 Overall quality at a glance

The following experimental techniques were used to determine the structure:

## X-RAY DIFFRACTION


The reported resolution of this entry is 1.86 Å.

Percentile scores (ranging between 0-100) for global validation metrics of the entry are shown in the following graphic. The table shows the number of entries on which the scores are based.



Metric	Whole archive (#Entries)	Similar resolution (#Entries, resolution range(Å))
$R_{free}$	164625	3097 (1.86-1.86)
Clashscore	180529	3359 (1.86-1.86)
Ramachandran outliers	177936	3335 (1.86-1.86)
Sidechain outliers	177891	3335 (1.86-1.86)
RSRZ outliers	164620	3097 (1.86-1.86)

The table below summarises the geometric issues observed across the polymeric chains and their fit to the electron density. The red, orange, yellow and green segments of the lower bar indicate the fraction of residues that contain outliers for  $\geq 3$ , 2, 1 and 0 types of geometric quality criteria respectively. A grey segment represents the fraction of residues that are not modelled. The numeric value for each fraction is indicated below the corresponding segment, with a dot representing fractions  $\leq 5\%$ . The upper red bar (where present) indicates the fraction of residues that have poor fit to the electron density. The numeric value is given above the bar.



## 2 Entry composition [\(i\)](#)

There are 2 unique types of molecules in this entry. The entry contains 8772 atoms, of which 0 are hydrogens and 0 are deuteriums.

In the tables below, the ZeroOcc column contains the number of atoms modelled with zero occupancy, the AltConf column contains the number of residues with at least one atom in alternate conformation and the Trace column contains the number of residues modelled with at most 2 atoms.

- Molecule 1 is a protein called Glutamate dehydrogenase.

Mol	Chain	Residues	Atoms					ZeroOcc	AltConf	Trace
1	A	510	Total	C	N	O	S	0	1	0
			3941	2506	678	735	22			


- Molecule 2 is water.

Mol	Chain	Residues	Atoms		ZeroOcc	AltConf
2	A	489	Total	O	0	0
			489	489		
2	B	416	Total	O	0	0
			416	416		



### 3 Residue-property plots

These plots are drawn for all protein, RNA, DNA and oligosaccharide chains in the entry. The first graphic for a chain summarises the proportions of the various outlier classes displayed in the second graphic. The second graphic shows the sequence view annotated by issues in geometry and electron density. Residues are color-coded according to the number of geometric quality criteria for which they contain at least one outlier: green = 0, yellow = 1, orange = 2 and red = 3 or more. A red dot above a residue indicates a poor fit to the electron density ( $RSRZ > 2$ ). Stretches of 2 or more consecutive residues without any outlier are shown as a green connector. Residues present in the sample, but not in the model, are shown in grey.

- Molecule 1: Glutamate dehydrogenase



- Molecule 1: Glutamate dehydrogenase



## 4 Data and refinement statistics i

Property	Value	Source
Space group	P 3 2 1	Depositor
Cell constants a, b, c, $\alpha$ , $\beta$ , $\gamma$	149.46 Å    149.46 Å    144.93 Å 90.00°    90.00°    120.00°	Depositor
Resolution (Å)	144.93 – 1.86 144.93 – 1.86	Depositor EDS
% Data completeness (in resolution range)	99.3 (144.93-1.86) 99.3 (144.93-1.86)	Depositor EDS
$R_{merge}$	(Not available)	Depositor
$R_{sym}$	(Not available)	Depositor
$\langle I/\sigma(I) \rangle^{\text{1}}$	113.79 (at 1.86 Å)	Xtriage
Refinement program	PHENIX 1.20.1_4487	Depositor
$R$ , $R_{free}$	0.176 , 0.200 0.177 , 0.200	Depositor DCC
$R_{free}$ test set	7719 reflections (4.97%)	wwPDB-VP
Wilson B-factor (Å <sup>2</sup> )	22.3	Xtriage
Anisotropy	0.015	Xtriage
Bulk solvent $k_{sol}$ (e/Å <sup>3</sup> ), $B_{sol}$ (Å <sup>2</sup> )	0.38 , 46.3	EDS
L-test for twinning <sup>2</sup>	$\langle  L  \rangle = 0.42$ , $\langle L^2 \rangle = 0.24$	Xtriage
Estimated twinning fraction	0.176 for -h,-k,l	Xtriage
$F_o, F_c$ correlation	0.96	EDS
Total number of atoms	8772	wwPDB-VP
Average B, all atoms (Å <sup>2</sup> )	26.0	wwPDB-VP

Xtriage's analysis on translational NCS is as follows: *The largest off-origin peak in the Patterson function is 3.04% of the height of the origin peak. No significant pseudotranslation is detected.*

<sup>1</sup>Intensities estimated from amplitudes.

<sup>2</sup>Theoretical values of  $\langle |L| \rangle$ ,  $\langle L^2 \rangle$  for acentric reflections are 0.5, 0.333 respectively for untwinned datasets, and 0.375, 0.2 for perfectly twinned datasets.

## 5 Model quality [\(i\)](#)

### 5.1 Standard geometry [\(i\)](#)

The Z score for a bond length (or angle) is the number of standard deviations the observed value is removed from the expected value. A bond length (or angle) with  $|Z| > 5$  is considered an outlier worth inspection. RMSZ is the root-mean-square of all Z scores of the bond lengths (or angles).

Mol	Chain	Bond lengths		Bond angles	
		RMSZ	# $ Z  > 5$	RMSZ	# $ Z  > 5$
1	A	0.43	0/4030	0.66	1/5450 (0.0%)
1	B	0.43	0/4011	0.64	1/5421 (0.0%)
All	All	0.43	0/8041	0.65	2/10871 (0.0%)

Chiral center outliers are detected by calculating the chiral volume of a chiral center and verifying if the center is modelled as a planar moiety or with the opposite hand. A planarity outlier is detected by checking planarity of atoms in a peptide group, atoms in a mainchain group or atoms of a sidechain that are expected to be planar.

Mol	Chain	#Chirality outliers	#Planarity outliers
1	A	0	1
1	B	0	1
All	All	0	2

There are no bond length outliers.

All (2) bond angle outliers are listed below:

Mol	Chain	Res	Type	Atoms	Z	Observed( $^{\circ}$ )	Ideal( $^{\circ}$ )
1	A	348	PRO	CA-N-CD	-6.71	102.11	111.50
1	B	348	PRO	CA-N-CD	-5.20	104.22	111.50

There are no chirality outliers.

All (2) planarity outliers are listed below:

Mol	Chain	Res	Type	Group
1	A	347	GLU	Peptide
1	B	347	GLU	Peptide

## 5.2 Too-close contacts [\(i\)](#)

In the following table, the Non-H and H(model) columns list the number of non-hydrogen atoms and hydrogen atoms in the chain respectively. The H(added) column lists the number of hydrogen atoms added and optimized by MolProbity. The Clashes column lists the number of clashes within the asymmetric unit, whereas Symm-Clashes lists symmetry-related clashes.

Mol	Chain	Non-H	H(model)	H(added)	Clashes	Symm-Clashes
1	A	3941	0	3927	81	0
1	B	3926	0	3912	72	0
2	A	489	0	0	36	6
2	B	416	0	0	17	4
All	All	8772	0	7839	149	7

The all-atom clashscore is defined as the number of clashes found per 1000 atoms (including hydrogen atoms). The all-atom clashscore for this structure is 9.

All (149) close contacts within the same asymmetric unit are listed below, sorted by their clash magnitude.

Atom-1	Atom-2	Interatomic distance (Å)	Clash overlap (Å)
1:A:456:LEU:O	2:A:601:HOH:O	1.78	1.00
1:B:111:VAL:O	2:B:601:HOH:O	1.81	0.99
1:A:186:ILE:O	2:A:602:HOH:O	1.79	0.98
1:B:204:ASP:O	2:B:602:HOH:O	1.88	0.92
1:A:488:GLY:O	2:A:603:HOH:O	1.93	0.84
1:A:71:SER:O	2:A:604:HOH:O	1.94	0.84
1:A:72:MET:O	2:A:605:HOH:O	1.97	0.82
1:A:520:ASN:O	2:A:606:HOH:O	1.98	0.80
1:A:521:SER:HA	2:A:606:HOH:O	1.80	0.79
1:B:87:ALA:O	2:B:604:HOH:O	2.01	0.78
1:A:244:ILE:O	2:A:608:HOH:O	2.05	0.75
1:A:453:GLN:OE1	2:A:609:HOH:O	2.05	0.74
1:B:92:ASN:OD1	2:B:605:HOH:O	2.06	0.73
1:A:162:LYS:NZ	1:A:204:ASP:OD2	2.21	0.71
1:A:373:ASN:O	2:A:610:HOH:O	2.08	0.70
1:B:237:LYS:HZ1	1:B:427:ASN:HD21	1.38	0.69
1:A:29:VAL:HG22	1:A:32:ASP:HB2	1.75	0.69
1:B:453:GLN:OE1	1:B:467:ARG:NH2	2.25	0.69
1:A:460:ILE:N	2:A:601:HOH:O	2.25	0.69
1:A:260:GLU:O	2:A:611:HOH:O	2.11	0.68
1:A:223:ILE:HG13	2:A:602:HOH:O	1.94	0.67
1:B:207:THR:N	2:B:602:HOH:O	2.20	0.67
1:A:190:LYS:HG3	2:A:602:HOH:O	1.94	0.66

*Continued on next page...*

*Continued from previous page...*

Atom-1	Atom-2	Interatomic distance (Å)	Clash overlap (Å)
1:B:130:ARG:HD3	1:B:162:LYS:NZ	2.10	0.66
1:A:183:ARG:HD3	1:B:537:THR:HA	1.76	0.66
1:B:149:TYR:OH	2:B:603:HOH:O	2.01	0.66
1:B:296:MET:HG3	1:B:306:VAL:HG21	1.78	0.65
1:B:443:ASP:OD2	2:B:606:HOH:O	2.13	0.65
1:A:77:LYS:NZ	2:A:623:HOH:O	2.30	0.64
1:A:69:SER:OG	1:A:72:MET:HG3	1.98	0.64
1:B:534:PHE:CD1	1:B:535:THR:N	2.66	0.63
1:A:30:ILE:H	1:A:30:ILE:HD12	1.64	0.62
1:B:365:CYS:SG	2:B:987:HOH:O	2.56	0.62
1:A:285:ILE:HD12	1:A:296:MET:HB2	1.82	0.61
1:A:316:ILE:HG12	1:A:337:ILE:HD12	1.82	0.61
1:B:257:LYS:HD2	1:B:490:GLU:HG2	1.81	0.61
1:B:130:ARG:HD3	1:B:162:LYS:HZ3	1.67	0.60
1:B:237:LYS:NZ	1:B:427:ASN:HD21	2.00	0.59
1:B:318:ASN:ND2	1:B:342:GLY:O	2.33	0.59
1:B:467:ARG:NH1	2:B:616:HOH:O	2.36	0.59
1:B:189:ALA:HB1	1:B:223:ILE:HD11	1.84	0.59
1:A:190:LYS:N	2:A:602:HOH:O	2.35	0.58
1:B:506:LYS:HD3	1:B:507:TYR:CE2	2.38	0.58
1:A:381:ILE:HD13	2:A:999:HOH:O	2.05	0.57
1:A:305:LYS:HA	1:A:305:LYS:HE2	1.85	0.56
1:A:43:SER:O	1:A:47:MET:HG3	2.05	0.55
1:B:396:LYS:O	1:B:400:GLU:HG3	2.07	0.55
1:B:534:PHE:CG	1:B:535:THR:N	2.73	0.54
1:B:46:LYS:O	2:B:607:HOH:O	2.18	0.54
1:B:90:PRO:O	2:B:604:HOH:O	2.18	0.53
1:B:527:ASN:O	1:B:531:THR:HG23	2.08	0.53
1:A:396:LYS:O	1:A:400:GLU:HG3	2.07	0.53
1:B:207:THR:O	2:B:602:HOH:O	2.19	0.53
1:B:99:PHE:O	2:B:601:HOH:O	2.19	0.52
1:A:150:LYS:HG2	1:A:410:MET:HA	1.92	0.52
1:B:162:LYS:HE2	1:B:204:ASP:OD2	2.08	0.52
1:A:259:LEU:HD21	1:A:383:ALA:HB2	1.91	0.52
1:A:465:PRO:HA	2:A:609:HOH:O	2.11	0.51
1:B:257:LYS:O	1:B:261:VAL:HG23	2.08	0.51
1:B:322:ILE:HG21	1:B:327:LEU:HD22	1.91	0.51
1:A:130:ARG:NH1	2:A:619:HOH:O	2.29	0.51
1:A:314:CYS:SG	1:A:338:LYS:HG3	2.50	0.51
1:A:377:ILE:HG12	2:A:610:HOH:O	2.12	0.50
1:A:460:ILE:HG23	2:A:601:HOH:O	2.10	0.50

*Continued on next page...*

*Continued from previous page...*

Atom-1	Atom-2	Interatomic distance (Å)	Clash overlap (Å)
1:B:136:CYS:SG	2:B:716:HOH:O	2.58	0.50
1:A:232:ALA:HA	1:A:427:ASN:HD22	1.76	0.50
1:B:206:GLY:N	2:B:602:HOH:O	2.45	0.49
1:A:491:TYR:HD1	2:A:603:HOH:O	1.94	0.49
1:B:371:LYS:HG3	1:B:393:ALA:HB1	1.95	0.49
1:B:43:SER:HB3	1:B:46:LYS:HB2	1.94	0.49
1:B:498:GLU:O	1:B:502:ARG:HG3	2.13	0.49
1:A:456:LEU:O	1:A:460:ILE:HG12	2.12	0.49
1:B:47:MET:HE3	1:B:392:PRO:HD3	1.95	0.49
1:B:314:CYS:HB3	1:B:338:LYS:HG2	1.93	0.49
1:A:31:ASP:C	1:A:33:LEU:H	2.16	0.48
1:A:534:PHE:CE1	1:A:537:THR:HB	2.47	0.48
1:A:315:ALA:HB1	1:A:352:LEU:HD22	1.95	0.48
1:A:247:ARG:NH2	2:A:612:HOH:O	2.18	0.48
1:A:467:ARG:NH2	2:A:609:HOH:O	2.46	0.48
1:B:44:PHE:O	1:B:47:MET:HG2	2.13	0.48
1:A:257:LYS:O	1:A:261:VAL:HG23	2.14	0.48
1:A:206:GLY:N	2:A:617:HOH:O	2.46	0.48
1:A:435:ARG:HB2	2:A:618:HOH:O	2.14	0.48
1:B:139:GLU:HA	1:B:139:GLU:OE1	2.15	0.47
1:A:127:GLY:O	1:A:201:PRO:HA	2.14	0.47
1:B:31:ASP:HA	1:B:34:LYS:HD2	1.96	0.47
1:A:264:LYS:HD3	2:A:611:HOH:O	2.14	0.47
1:A:118:HIS:CG	1:A:145:ALA:HA	2.50	0.47
1:A:492:THR:N	2:A:603:HOH:O	2.48	0.47
1:B:275:THR:HG22	2:B:893:HOH:O	2.13	0.46
1:A:534:PHE:O	1:A:534:PHE:CG	2.68	0.46
1:B:408:PRO:HG3	1:B:514:ARG:HA	1.95	0.46
1:A:296:MET:HG3	1:A:306:VAL:HG21	1.97	0.46
1:B:535:THR:O	1:B:537:THR:N	2.48	0.46
1:B:150:LYS:HG2	1:B:410:MET:HA	1.99	0.45
1:A:93:LYS:HG2	1:B:97:ILE:HG22	1.99	0.45
1:A:222:THR:OG1	1:A:223:ILE:N	2.50	0.45
1:A:285:ILE:CD1	1:A:296:MET:HB2	2.45	0.45
1:B:530:ARG:NH1	1:B:530:ARG:HG2	2.31	0.45
1:A:408:PRO:HG3	1:A:514:ARG:HA	1.97	0.45
1:B:136:CYS:SG	1:B:139:GLU:HB2	2.56	0.45
1:B:236:GLY:HA2	1:B:247:ARG:HD3	1.98	0.45
1:A:78:LYS:HE3	1:A:78:LYS:HB3	1.57	0.45
1:A:127:GLY:HA3	1:A:161:ALA:O	2.17	0.45
1:B:275:THR:HG23	1:B:281:LYS:NZ	2.32	0.45

*Continued on next page...*

*Continued from previous page...*

Atom-1	Atom-2	Interatomic distance (Å)	Clash overlap (Å)
1:B:52:PHE:CE2	1:B:522:ILE:HG12	2.52	0.44
1:A:31:ASP:HA	1:A:34:LYS:HD2	1.98	0.44
1:A:296:MET:HG2	1:A:324:PRO:HG3	1.98	0.44
1:A:319:PRO:O	2:A:613:HOH:O	2.21	0.44
1:B:275:THR:HG23	1:B:281:LYS:HZ1	1.82	0.44
1:B:330:TRP:CG	1:B:340:PHE:HD1	2.36	0.44
1:B:222:THR:OG1	1:B:223:ILE:N	2.50	0.44
1:A:183:ARG:HD3	1:B:537:THR:CB	2.48	0.44
1:A:459:ALA:HB3	2:A:601:HOH:O	2.18	0.44
1:A:99:PHE:CD2	1:A:183:ARG:HG2	2.53	0.44
1:B:69:SER:HB3	1:B:72:MET:HG3	1.99	0.43
1:B:170:LYS:HA	1:B:170:LYS:HD2	1.64	0.43
1:A:305:LYS:NZ	1:A:321:GLY:HA3	2.34	0.43
1:B:127:GLY:O	1:B:201:PRO:HA	2.18	0.43
1:B:175:TYR:O	1:B:179:LYS:HG3	2.19	0.43
1:A:209:GLU:O	1:A:238:PRO:HD3	2.18	0.43
1:A:467:ARG:CZ	2:A:609:HOH:O	2.66	0.43
1:B:410:MET:H	1:B:410:MET:HG3	1.55	0.43
1:B:534:PHE:O	1:B:536:PHE:N	2.45	0.43
1:A:284:ILE:HG13	1:A:357:CYS:HB3	2.01	0.43
1:B:249:SER:HB2	1:B:298:TYR:HE2	1.84	0.43
1:A:325:LYS:HA	1:A:325:LYS:HD2	1.54	0.42
1:A:524:LYS:CD	2:A:606:HOH:O	2.67	0.42
1:A:231:SER:O	1:A:237:LYS:CE	2.68	0.42
1:A:511:LEU:HD12	2:A:819:HOH:O	2.19	0.42
1:A:524:LYS:HD2	2:A:606:HOH:O	2.20	0.42
1:A:534:PHE:HE1	1:A:537:THR:HB	1.85	0.42
1:B:47:MET:HE1	1:B:391:THR:HA	2.02	0.42
1:A:369:ILE:HG22	1:A:394:ALA:HB1	2.01	0.41
1:A:102:ARG:O	1:A:179:LYS:HE3	2.20	0.41
1:A:301:ARG:O	1:A:302:ALA:HB3	2.21	0.41
1:A:247:ARG:HG3	2:A:806:HOH:O	2.21	0.41
1:B:125:THR:HB	1:B:161:ALA:HB2	2.01	0.41
1:A:47:MET:HE3	1:A:47:MET:HB3	1.83	0.41
1:B:296:MET:HG2	1:B:324:PRO:HB3	2.02	0.41
1:B:316:ILE:HB	1:B:343:ALA:HB1	2.02	0.41
1:A:256:TRP:CH2	1:A:257:LYS:HE2	2.55	0.41
1:B:130:ARG:HD3	1:B:162:LYS:HZ1	1.84	0.41
1:B:322:ILE:HG23	1:B:340:PHE:CE2	2.55	0.41
1:A:453:GLN:CD	2:A:609:HOH:O	2.53	0.40
1:B:302:ALA:O	2:B:608:HOH:O	2.22	0.40

*Continued on next page...*

*Continued from previous page...*

Atom-1	Atom-2	Interatomic distance (Å)	Clash overlap (Å)
1:B:434:GLY:HA3	1:B:438:PHE:CE2	2.56	0.40
1:A:183:ARG:HD3	1:B:537:THR:CA	2.46	0.40
1:B:386:ALA:O	1:B:389:PRO:HD3	2.21	0.40

All (7) symmetry-related close contacts are listed below. The label for Atom-2 includes the symmetry operator and encoded unit-cell translations to be applied.

Atom-1	Atom-2	Interatomic distance (Å)	Clash overlap (Å)
2:A:604:HOH:O	2:B:661:HOH:O[4_566]	1.92	0.28
2:A:762:HOH:O	2:A:891:HOH:O[2_565]	2.01	0.19
2:A:603:HOH:O	2:A:739:HOH:O[2_565]	2.06	0.14
2:A:605:HOH:O	2:B:750:HOH:O[4_566]	2.09	0.11
2:A:605:HOH:O	2:B:956:HOH:O[4_566]	2.10	0.10
2:A:967:HOH:O	2:A:1046:HOH:O[2_565]	2.18	0.02
2:B:707:HOH:O	2:B:740:HOH:O[3_455]	2.19	0.01

### 5.3 Torsion angles [\(i\)](#)

#### 5.3.1 Protein backbone [\(i\)](#)

In the following table, the Percentiles column shows the percent Ramachandran outliers of the chain as a percentile score with respect to all X-ray entries followed by that with respect to entries of similar resolution.

The Analysed column shows the number of residues for which the backbone conformation was analysed, and the total number of residues.

Mol	Chain	Analysed	Favoured	Allowed	Outliers	Percentiles
1	A	509/510 (100%)	496 (97%)	11 (2%)	2 (0%)	30 18
1	B	506/510 (99%)	485 (96%)	18 (4%)	3 (1%)	22 10
All	All	1015/1020 (100%)	981 (97%)	29 (3%)	5 (0%)	25 13

All (5) Ramachandran outliers are listed below:

Mol	Chain	Res	Type
1	A	348	PRO
1	B	348	PRO
1	B	534	PHE
1	B	536	PHE

*Continued on next page...*

*Continued from previous page...*

Mol	Chain	Res	Type
1	A	32	ASP

### 5.3.2 Protein sidechains [\(i\)](#)

In the following table, the Percentiles column shows the percent sidechain outliers of the chain as a percentile score with respect to all X-ray entries followed by that with respect to entries of similar resolution.

The Analysed column shows the number of residues for which the sidechain conformation was analysed, and the total number of residues.

Mol	Chain	Analysed	Rotameric	Outliers	Percentiles
1	A	411/414 (99%)	406 (99%)	5 (1%)	67 59
1	B	410/414 (99%)	398 (97%)	12 (3%)	37 22
All	All	821/828 (99%)	804 (98%)	17 (2%)	48 34

All (17) residues with a non-rotameric sidechain are listed below:

Mol	Chain	Res	Type
1	A	44	PHE
1	A	45	PHE
1	A	317	HIS
1	A	348	PRO
1	A	410	MET
1	B	44	PHE
1	B	45	PHE
1	B	136	CYS
1	B	223	ILE
1	B	290	ASN
1	B	314	CYS
1	B	325	LYS
1	B	331	ARG
1	B	348	PRO
1	B	410	MET
1	B	534	PHE
1	B	535	THR

Sometimes sidechains can be flipped to improve hydrogen bonding and reduce clashes. All (4) such sidechains are listed below:

Mol	Chain	Res	Type
1	A	427	ASN
1	B	294	HIS
1	B	333	GLN
1	B	427	ASN

### 5.3.3 RNA [\(i\)](#)

There are no RNA molecules in this entry.

### 5.4 Non-standard residues in protein, DNA, RNA chains [\(i\)](#)

There are no non-standard protein/DNA/RNA residues in this entry.

### 5.5 Carbohydrates [\(i\)](#)

There are no oligosaccharides in this entry.

### 5.6 Ligand geometry [\(i\)](#)

There are no ligands in this entry.

### 5.7 Other polymers [\(i\)](#)

There are no such residues in this entry.

### 5.8 Polymer linkage issues [\(i\)](#)

There are no chain breaks in this entry.

## 6 Fit of model and data i

### 6.1 Protein, DNA and RNA chains i

In the following table, the column labelled ‘#RSRZ> 2’ contains the number (and percentage) of RSRZ outliers, followed by percent RSRZ outliers for the chain as percentile scores relative to all X-ray entries and entries of similar resolution. The OWAB column contains the minimum, median, 95<sup>th</sup> percentile and maximum values of the occupancy-weighted average B-factor per residue. The column labelled ‘Q< 0.9’ lists the number of (and percentage) of residues with an average occupancy less than 0.9.

Mol	Chain	Analysed	<RSRZ>	#RSRZ>2	OWAB(Å <sup>2</sup> )	Q<0.9
1	A	510/510 (100%)	-1.12	5 (0%) <span style="background-color: #e0e0ff; border: 1px solid #8080ff; padding: 2px;">79</span> <span style="background-color: #e0e0ff; border: 1px solid #8080ff; padding: 2px;">82</span>	11, 24, 39, 54	1 (0%)
1	B	508/510 (99%)	-1.05	3 (0%) <span style="background-color: #e0e0ff; border: 1px solid #8080ff; padding: 2px;">85</span> <span style="background-color: #e0e0ff; border: 1px solid #8080ff; padding: 2px;">88</span>	11, 25, 47, 55	0
All	All	1018/1020 (99%)	-1.08	8 (0%) <span style="background-color: #e0e0ff; border: 1px solid #8080ff; padding: 2px;">82</span> <span style="background-color: #e0e0ff; border: 1px solid #8080ff; padding: 2px;">85</span>	11, 24, 44, 55	1 (0%)

All (8) RSRZ outliers are listed below:

Mol	Chain	Res	Type	RSRZ
1	B	30	ILE	5.2
1	A	535	THR	4.1
1	B	536	PHE	3.7
1	B	537	THR	2.7
1	A	536	PHE	2.6
1	A	28	GLN	2.5
1	A	29	VAL	2.3
1	A	537	THR	2.1

### 6.2 Non-standard residues in protein, DNA, RNA chains i

There are no non-standard protein/DNA/RNA residues in this entry.

### 6.3 Carbohydrates i

There are no monosaccharides in this entry.

### 6.4 Ligands i

There are no ligands in this entry.

## 6.5 Other polymers [\(i\)](#)

There are no such residues in this entry.