



Full wwPDB X-ray Structure Validation Report ⓘ

Jan 1, 2025 – 01:29 AM EST

PDB ID : 8VXK
Title : Crystal Structure of the Apo Bacillus subtilis GabR C-terminal Effector-binding and Oligomerization Domain
Authors : Kaley, N.E.; Liu, D.
Deposited on : 2024-02-05
Resolution : 1.85 Å(reported)

This is a Full wwPDB X-ray Structure Validation Report for a publicly released PDB entry.

We welcome your comments at validation@mail.wwpdb.org

A user guide is available at

<https://www.wwpdb.org/validation/2017/XrayValidationReportHelp>

with specific help available everywhere you see the ⓘ symbol.

The types of validation reports are described at

<http://www.wwpdb.org/validation/2017/FAQs#types>.

The following versions of software and data (see [references ⓘ](#)) were used in the production of this report:

MolProbity : 4.02b-467
Mogul : 2022.3.0, CSD as543be (2022)
Xtriage (Phenix) : 1.21
EDS : 3.0
Percentile statistics : 20231227.v01 (using entries in the PDB archive December 27th 2023)
CCP4 : 9.0.004 (Gargrove)
Density-Fitness : 1.0.11
Ideal geometry (proteins) : Engh & Huber (2001)
Ideal geometry (DNA, RNA) : Parkinson et al. (1996)
Validation Pipeline (wwPDB-VP) : 2.40


1 Overall quality at a glance

The following experimental techniques were used to determine the structure:

X-RAY DIFFRACTION

The reported resolution of this entry is 1.85 Å.

Percentile scores (ranging between 0-100) for global validation metrics of the entry are shown in the following graphic. The table shows the number of entries on which the scores are based.



Metric	Whole archive (#Entries)	Similar resolution (#Entries, resolution range(Å))
R_{free}	164625	3097 (1.86-1.86)
Clashscore	180529	3359 (1.86-1.86)
Ramachandran outliers	177936	3335 (1.86-1.86)
Sidechain outliers	177891	3335 (1.86-1.86)
RSRZ outliers	164620	3097 (1.86-1.86)

The table below summarises the geometric issues observed across the polymeric chains and their fit to the electron density. The red, orange, yellow and green segments of the lower bar indicate the fraction of residues that contain outliers for ≥ 3 , 2, 1 and 0 types of geometric quality criteria respectively. A grey segment represents the fraction of residues that are not modelled. The numeric value for each fraction is indicated below the corresponding segment, with a dot representing fractions $\leq 5\%$. The upper red bar (where present) indicates the fraction of residues that have poor fit to the electron density. The numeric value is given above the bar.

Mol	Chain	Length	Quality of chain
1	A	383	 68% 25% • 6%
1	B	383	 68% 25% • 6%

2 Entry composition i

There are 3 unique types of molecules in this entry. The entry contains 5886 atoms, of which 0 are hydrogens and 0 are deuteriums.

In the tables below, the ZeroOcc column contains the number of atoms modelled with zero occupancy, the AltConf column contains the number of residues with at least one atom in alternate conformation and the Trace column contains the number of residues modelled with at most 2 atoms.

- Molecule 1 is a protein called HTH-type transcriptional regulatory protein GabR.

Mol	Chain	Residues	Atoms					ZeroOcc	AltConf	Trace
			Total	C	N	O	S			
1	A	360	2889	1836	500	536	17	0	1	0
1	B	360	2886	1834	500	536	16	0	0	0

There are 14 discrepancies between the modelled and reference sequences:

Chain	Residue	Modelled	Actual	Comment	Reference
A	103	MET	-	initiating methionine	UNP P94426
A	480	HIS	-	expression tag	UNP P94426
A	481	HIS	-	expression tag	UNP P94426
A	482	HIS	-	expression tag	UNP P94426
A	483	HIS	-	expression tag	UNP P94426
A	484	HIS	-	expression tag	UNP P94426
A	485	HIS	-	expression tag	UNP P94426
B	103	MET	-	initiating methionine	UNP P94426
B	480	HIS	-	expression tag	UNP P94426
B	481	HIS	-	expression tag	UNP P94426
B	482	HIS	-	expression tag	UNP P94426
B	483	HIS	-	expression tag	UNP P94426
B	484	HIS	-	expression tag	UNP P94426
B	485	HIS	-	expression tag	UNP P94426

- Molecule 2 is PHOSPHATE ION (three-letter code: PO4) (formula: O₄P).



Mol	Chain	Residues	Atoms			ZeroOcc	AltConf
2	A	1	Total	O	P	0	0
			5	4	1		


- Molecule 3 is water.

Mol	Chain	Residues	Atoms		ZeroOcc	AltConf
3	A	49	Total	O	0	0
			49	49		
3	B	57	Total	O	0	0
			57	57		


3 Residue-property plots

These plots are drawn for all protein, RNA, DNA and oligosaccharide chains in the entry. The first graphic for a chain summarises the proportions of the various outlier classes displayed in the second graphic. The second graphic shows the sequence view annotated by issues in geometry and electron density. Residues are color-coded according to the number of geometric quality criteria for which they contain at least one outlier: green = 0, yellow = 1, orange = 2 and red = 3 or more. A red dot above a residue indicates a poor fit to the electron density ($RSRZ > 2$). Stretches of 2 or more consecutive residues without any outlier are shown as a green connector. Residues present in the sample, but not in the model, are shown in grey.

- Molecule 1: HTH-type transcriptional regulatory protein GabR



- Molecule 1: HTH-type transcriptional regulatory protein GabR



4 Data and refinement statistics

Property	Value	Source
Space group	P 41	Depositor
Cell constants a, b, c, α , β , γ	118.78Å 118.78Å 75.33Å 90.00° 90.00° 90.00°	Depositor
Resolution (Å)	19.81 – 1.85 19.81 – 1.85	Depositor EDS
% Data completeness (in resolution range)	94.8 (19.81-1.85) 94.6 (19.81-1.85)	Depositor EDS
R_{merge}	(Not available)	Depositor
R_{sym}	(Not available)	Depositor
$\langle I/\sigma(I) \rangle$ ¹	1.74 (at 1.85Å)	Xtrriage
Refinement program	PHENIX (1.20.1_4487: ???)	Depositor
R, R_{free}	0.196 , 0.227 0.196 , 0.227	Depositor DCC
R_{free} test set	4116 reflections (4.88%)	wwPDB-VP
Wilson B-factor (Å ²)	32.6	Xtrriage
Anisotropy	0.152	Xtrriage
Bulk solvent k_{sol} (e/Å ³), B_{sol} (Å ²)	0.40 , 34.5	EDS
L-test for twinning ²	$\langle L \rangle = 0.38$, $\langle L^2 \rangle = 0.21$	Xtrriage
Estimated twinning fraction	0.459 for h,-k,-l	Xtrriage
F_o, F_c correlation	0.97	EDS
Total number of atoms	5886	wwPDB-VP
Average B, all atoms (Å ²)	33.0	wwPDB-VP

Xtrriage's analysis on translational NCS is as follows: *The largest off-origin peak in the Patterson function is 3.25% of the height of the origin peak. No significant pseudotranslation is detected.*

¹Intensities estimated from amplitudes.

²Theoretical values of $\langle |L| \rangle$, $\langle L^2 \rangle$ for acentric reflections are 0.5, 0.333 respectively for untwinned datasets, and 0.375, 0.2 for perfectly twinned datasets.

5 Model quality [i](#)

5.1 Standard geometry [i](#)

Bond lengths and bond angles in the following residue types are not validated in this section: PO4

The Z score for a bond length (or angle) is the number of standard deviations the observed value is removed from the expected value. A bond length (or angle) with $|Z| > 5$ is considered an outlier worth inspection. RMSZ is the root-mean-square of all Z scores of the bond lengths (or angles).

Mol	Chain	Bond lengths		Bond angles	
		RMSZ	# $ Z > 5$	RMSZ	# $ Z > 5$
1	A	0.54	1/2950 (0.0%)	0.68	0/3977
1	B	0.54	0/2944	0.72	4/3969 (0.1%)
All	All	0.54	1/5894 (0.0%)	0.70	4/7946 (0.1%)

All (1) bond length outliers are listed below:

Mol	Chain	Res	Type	Atoms	Z	Observed(Å)	Ideal(Å)
1	A	324	VAL	C-N	-7.39	1.17	1.34

All (4) bond angle outliers are listed below:

Mol	Chain	Res	Type	Atoms	Z	Observed(°)	Ideal(°)
1	B	171	ARG	CB-CG-CD	-7.24	92.77	111.60
1	B	171	ARG	CG-CD-NE	5.75	123.88	111.80
1	B	171	ARG	CA-CB-CG	5.71	125.95	113.40
1	B	178	GLY	N-CA-C	5.52	126.89	113.10

There are no chirality outliers.

There are no planarity outliers.

5.2 Too-close contacts [i](#)

In the following table, the Non-H and H(model) columns list the number of non-hydrogen atoms and hydrogen atoms in the chain respectively. The H(added) column lists the number of hydrogen atoms added and optimized by MolProbity. The Clashes column lists the number of clashes within the asymmetric unit, whereas Symm-Clashes lists symmetry-related clashes.

Mol	Chain	Non-H	H(model)	H(added)	Clashes	Symm-Clashes
1	A	2889	0	2891	68	0

Continued on next page...

Continued from previous page...

Mol	Chain	Non-H	H(model)	H(added)	Clashes	Symm-Clashes
1	B	2886	0	2887	82	0
2	A	5	0	0	1	0
3	A	49	0	0	0	0
3	B	57	0	0	5	0
All	All	5886	0	5778	145	0

The all-atom clashscore is defined as the number of clashes found per 1000 atoms (including hydrogen atoms). The all-atom clashscore for this structure is 13.

All (145) close contacts within the same asymmetric unit are listed below, sorted by their clash magnitude.

Atom-1	Atom-2	Interatomic distance (Å)	Clash overlap (Å)
1:B:118:ASP:OD1	1:B:121:HIS:N	2.14	0.79
1:A:206:ARG:NH1	1:A:433:LEU:O	2.16	0.79
1:B:206:ARG:NH1	1:B:433:LEU:O	2.19	0.75
1:B:256:MET:HG2	1:B:261:ARG:HG3	1.70	0.74
1:A:182:GLN:HG3	1:B:340:LEU:HD12	1.74	0.70
1:A:442:ARG:HG2	1:A:443:PRO:HD2	1.75	0.68
1:A:392:VAL:HG22	1:A:403:THR:HG22	1.75	0.68
1:A:119:THR:O	1:B:139:TYR:OH	2.07	0.68
1:B:116:SER:HB3	1:B:451:ARG:HB3	1.77	0.67
1:A:233:GLU:OE1	1:A:236:ARG:NH2	2.28	0.67
1:A:116:SER:HB3	1:A:451:ARG:HD3	1.77	0.66
1:A:421:LEU:HD21	1:A:466:LYS:HD3	1.77	0.66
1:B:128:PHE:O	1:B:132:GLN:HG2	1.96	0.65
1:B:421:LEU:HD21	1:B:466:LYS:HD3	1.78	0.65
1:A:190:GLU:OE1	1:A:336:ARG:NH2	2.29	0.64
1:B:287:TYR:HA	1:B:368:LYS:NZ	2.14	0.63
1:B:218:GLN:NE2	3:B:504:HOH:O	2.30	0.62
1:B:256:MET:O	1:B:261:ARG:NH1	2.32	0.61
1:B:220:LYS:NZ	1:B:237:GLN:O	2.33	0.61
1:B:284:GLU:HG2	1:B:313:SER:HB3	1.83	0.60
1:B:409:ARG:HB3	1:B:413:ASP:HB2	1.83	0.60
1:B:266:ASN:O	1:B:270:GLU:HG3	2.01	0.60
1:B:178:GLY:HA3	1:B:321:SER:O	2.03	0.59
1:A:181:THR:HG23	1:A:307:MET:HE2	1.84	0.59
1:B:442:ARG:HG2	1:B:443:PRO:CD	2.32	0.59
1:A:258:VAL:O	1:A:262:ILE:HG12	2.04	0.58
1:A:422:GLN:O	1:A:463:ARG:NH1	2.36	0.58
1:A:201:GLU:HB3	1:A:224:LEU:HD21	1.85	0.58
1:A:111:SER:HA	1:A:424:GLU:HB3	1.86	0.58

Continued on next page...

Continued from previous page...

Atom-1	Atom-2	Interatomic distance (Å)	Clash overlap (Å)
1:A:208:MET:SD	1:A:243:VAL:HG11	2.44	0.57
1:B:196:ALA:O	3:B:501:HOH:O	2.17	0.57
1:A:261:ARG:HG2	1:A:295:LEU:HD11	1.85	0.57
1:B:466:LYS:HG3	1:B:470:GLY:HA2	1.84	0.57
1:B:156:ALA:HA	1:B:172:PRO:HG3	1.87	0.56
1:A:152:TYR:OH	1:A:173:GLU:OE2	2.16	0.56
1:B:422:GLN:O	1:B:463:ARG:NH1	2.38	0.56
1:A:118:ASP:HB2	1:A:451:ARG:HA	1.89	0.55
1:B:379:ILE:HD11	1:B:395:ALA:HB1	1.88	0.55
1:A:336:ARG:HD3	1:A:339:ASP:OD2	2.06	0.54
1:A:287:TYR:HA	1:A:368:LYS:HE2	1.88	0.54
1:B:313:SER:O	1:B:314:LEU:HD23	2.08	0.54
1:B:194:LYS:O	1:B:217:LYS:NZ	2.41	0.54
1:A:380:THR:O	1:A:383:GLU:HG3	2.08	0.53
1:B:421:LEU:HD11	1:B:466:LYS:HG2	1.90	0.53
1:B:365:LYS:HE3	1:B:366:LYS:HZ2	1.73	0.53
1:B:194:LYS:NZ	3:B:508:HOH:O	2.41	0.53
1:A:123:PRO:HB2	1:A:126:SER:HB2	1.92	0.52
1:B:311:SER:OG	1:B:319:ARG:NH2	2.43	0.52
1:A:233:GLU:CD	1:A:236:ARG:HH21	2.13	0.52
1:B:214:ASN:HB2	3:B:517:HOH:O	2.08	0.52
1:A:112:PHE:HD2	1:A:423:LEU:HD21	1.74	0.52
1:A:201:GLU:HG2	1:A:229:MET:HB2	1.90	0.52
1:A:112:PHE:CD2	1:A:423:LEU:HD21	2.45	0.51
1:A:336:ARG:NH1	1:A:339:ASP:OD1	2.43	0.51
1:B:221:THR:HG22	1:B:433:LEU:HD12	1.92	0.51
1:B:451:ARG:HG2	1:B:451:ARG:O	2.10	0.51
1:B:412:GLN:O	1:B:416:SER:HB2	2.12	0.51
1:A:407:THR:HG22	1:A:443:PRO:HG3	1.93	0.50
1:A:326:PRO:HD2	1:A:329:LEU:HD12	1.92	0.50
1:B:287:TYR:CD1	1:B:368:LYS:HD2	2.47	0.50
1:B:418:ALA:HB2	1:B:467:ALA:HB1	1.93	0.50
1:B:464:LEU:O	1:B:468:VAL:HG23	2.12	0.50
1:A:110:ILE:CD1	1:A:459:GLU:HG3	2.42	0.49
1:A:464:LEU:O	1:A:468:VAL:HG23	2.12	0.49
1:A:112:PHE:N	1:A:424:GLU:O	2.45	0.49
1:A:227:LYS:O	1:A:257:PRO:HD2	2.13	0.48
1:B:451:ARG:HG3	1:B:451:ARG:HH11	1.77	0.48
1:B:451:ARG:HG3	1:B:451:ARG:NH1	2.28	0.48
1:A:409:ARG:HB3	1:A:414:ILE:HG13	1.95	0.48
1:B:206:ARG:HH12	1:B:209:TYR:HD2	1.60	0.48

Continued on next page...

Continued from previous page...

Atom-1	Atom-2	Interatomic distance (Å)	Clash overlap (Å)
1:A:110:ILE:HD11	1:A:459:GLU:HG3	1.95	0.48
1:B:287:TYR:HA	1:B:368:LYS:HZ1	1.78	0.48
1:A:205:TYR:OH	1:A:207:ARG:HD2	2.14	0.48
1:B:285:PHE:HB3	1:B:287:TYR:CE1	2.49	0.48
1:B:365:LYS:HB3	1:B:366:LYS:HZ2	1.78	0.47
1:A:116:SER:CB	1:A:451:ARG:HH11	2.27	0.47
1:A:145:MET:HG3	1:B:316:PRO:HB2	1.96	0.47
1:A:229:MET:O	1:A:260:ARG:NH1	2.46	0.47
1:B:307:MET:HB3	1:B:307:MET:HE2	1.65	0.47
1:B:368:LYS:NZ	3:B:510:HOH:O	2.46	0.47
1:A:246:PRO:HG2	1:A:295:LEU:HD13	1.98	0.46
1:A:454:GLU:O	1:A:457:ILE:HG13	2.16	0.46
1:B:366:LYS:HA	1:B:366:LYS:HD3	1.80	0.46
1:A:125:LYS:O	1:A:129:ARG:HG3	2.16	0.46
1:A:247:SER:OG	1:A:280:ASP:OD1	2.30	0.46
1:A:220:LYS:HD3	1:A:237:GLN:HB3	1.99	0.45
1:B:395:ALA:HA	1:B:401:PHE:HB3	1.97	0.45
1:A:267:TRP:O	1:A:270:GLU:HG2	2.17	0.45
1:A:453:LYS:HE2	1:A:453:LYS:HB3	1.61	0.45
1:A:221:THR:HG21	1:A:434:LYS:HB3	1.99	0.45
1:B:281:TYR:O	1:B:312:LYS:HG3	2.17	0.45
1:B:400:HIS:ND1	1:B:446:ILE:HD11	2.32	0.45
1:B:116:SER:HB3	1:B:451:ARG:CB	2.45	0.45
1:B:407:THR:OG1	1:B:409:ARG:HB2	2.16	0.45
1:A:177:ILE:O	1:A:341:GLN:NE2	2.44	0.44
1:B:287:TYR:HA	1:B:368:LYS:HZ3	1.82	0.44
1:B:365:LYS:HE3	1:B:366:LYS:NZ	2.32	0.44
1:B:286:THR:HA	1:B:397:ALA:HB1	2.00	0.44
1:B:307:MET:HG2	1:B:323:MET:HB2	1.98	0.44
1:B:326:PRO:HD2	1:B:329:LEU:HD12	2.00	0.44
1:A:174:GLN:HA	1:A:330:LEU:HD22	1.99	0.44
1:B:315:LEU:HB2	1:B:318:LEU:HG	1.99	0.44
1:B:409:ARG:HG2	1:B:413:ASP:HB3	2.00	0.44
1:A:119:THR:HB	1:B:139:TYR:CZ	2.53	0.44
1:B:154:VAL:HG21	1:B:348:GLN:HB3	1.99	0.43
1:B:284:GLU:HB3	1:B:364:ILE:HD12	2.00	0.43
1:B:442:ARG:HG2	1:B:443:PRO:HD2	1.99	0.43
1:A:287:TYR:HA	1:A:368:LYS:CE	2.49	0.43
1:B:222:ILE:HG21	1:B:234:ILE:HG13	1.99	0.43
1:A:315:LEU:HD13	1:B:142:LEU:HB3	2.01	0.43
1:A:363:HIS:O	1:A:367:MET:HG2	2.19	0.43

Continued on next page...

Continued from previous page...

Atom-1	Atom-2	Interatomic distance (Å)	Clash overlap (Å)
1:B:400:HIS:HA	1:B:447:ILE:O	2.19	0.43
1:A:181:THR:OG1	2:A:501:PO4:O2	2.24	0.43
1:A:312:LYS:HD2	1:A:312:LYS:HA	1.77	0.42
1:B:440:THR:OG1	1:B:441:GLY:N	2.52	0.42
1:B:251:PRO:HB2	1:B:446:ILE:HD13	2.01	0.42
1:A:307:MET:HE2	1:A:307:MET:HB3	1.82	0.42
1:B:118:ASP:OD1	1:B:120:ASP:N	2.52	0.42
1:A:154:VAL:HG22	1:A:352:GLN:HB2	2.00	0.42
1:A:380:THR:HA	1:A:383:GLU:HG2	2.02	0.42
1:A:465:PHE:CE1	1:A:469:TYR:HD2	2.38	0.42
1:B:392:VAL:HG22	1:B:403:THR:HG22	2.02	0.42
1:B:441:GLY:O	1:B:442:ARG:HB2	2.19	0.42
1:A:226:GLU:H	1:A:226:GLU:CD	2.21	0.41
1:B:200:MET:HE1	1:B:208:MET:HB3	2.01	0.41
1:B:110:ILE:O	1:B:423:LEU:HD12	2.19	0.41
1:B:287:TYR:HD1	1:B:368:LYS:HD2	1.84	0.41
1:A:178:GLY:HA2	1:A:184:LEU:HD11	2.03	0.41
1:B:250:PHE:HA	1:B:251:PRO:HA	1.94	0.41
1:B:292:ILE:HG22	1:B:293:PRO:O	2.20	0.41
1:A:116:SER:OG	1:A:451:ARG:NH1	2.53	0.41
1:B:380:THR:O	1:B:383:GLU:HG3	2.20	0.41
1:B:128:PHE:HD1	1:B:128:PHE:HA	1.77	0.41
1:A:111:SER:OG	1:A:113:SER:HB3	2.21	0.41
1:A:160:ARG:O	1:A:164:LEU:HD23	2.21	0.41
1:A:286:THR:O	1:A:286:THR:OG1	2.36	0.41
1:B:116:SER:CB	1:B:451:ARG:HB3	2.47	0.41
1:A:258:VAL:HA	1:A:261:ARG:HD3	2.03	0.41
1:B:299:ASP:OD2	1:B:302:GLN:HA	2.21	0.41
1:B:421:LEU:O	1:B:463:ARG:NH1	2.54	0.41
1:A:318:LEU:HD23	1:A:318:LEU:HA	1.83	0.40
1:B:286:THR:HA	1:B:397:ALA:CB	2.51	0.40
1:A:428:MET:HG3	1:A:444:ALA:HB1	2.04	0.40
1:B:206:ARG:NH1	1:B:206:ARG:HG3	2.37	0.40
1:B:451:ARG:O	1:B:451:ARG:CG	2.69	0.40

There are no symmetry-related clashes.

5.3 Torsion angles [i](#)

5.3.1 Protein backbone [i](#)

In the following table, the Percentiles column shows the percent Ramachandran outliers of the chain as a percentile score with respect to all X-ray entries followed by that with respect to entries of similar resolution.

The Analysed column shows the number of residues for which the backbone conformation was analysed, and the total number of residues.

Mol	Chain	Analysed	Favoured	Allowed	Outliers	Percentiles	
1	A	357/383 (93%)	339 (95%)	18 (5%)	0	100	100
1	B	356/383 (93%)	335 (94%)	21 (6%)	0	100	100
All	All	713/766 (93%)	674 (94%)	39 (6%)	0	100	100

There are no Ramachandran outliers to report.

5.3.2 Protein sidechains [i](#)

In the following table, the Percentiles column shows the percent sidechain outliers of the chain as a percentile score with respect to all X-ray entries followed by that with respect to entries of similar resolution.

The Analysed column shows the number of residues for which the sidechain conformation was analysed, and the total number of residues.

Mol	Chain	Analysed	Rotameric	Outliers	Percentiles	
1	A	313/338 (93%)	306 (98%)	7 (2%)	47	32
1	B	312/338 (92%)	301 (96%)	11 (4%)	31	16
All	All	625/676 (92%)	607 (97%)	18 (3%)	37	22

All (18) residues with a non-rotameric sidechain are listed below:

Mol	Chain	Res	Type
1	A	223	MET
1	A	280	ASP
1	A	282	ASP
1	A	320	ILE
1	A	375	ARG
1	A	442	ARG
1	A	454	GLU
1	B	118	ASP

Continued on next page...

Continued from previous page...

Mol	Chain	Res	Type
1	B	141	THR
1	B	207	ARG
1	B	223	MET
1	B	280	ASP
1	B	281	TYR
1	B	295	LEU
1	B	323	MET
1	B	346	LEU
1	B	396	ASN
1	B	416	SER

Sometimes sidechains can be flipped to improve hydrogen bonding and reduce clashes. All (2) such sidechains are listed below:

Mol	Chain	Res	Type
1	A	214	ASN
1	A	458	GLN

5.3.3 RNA [i](#)

There are no RNA molecules in this entry.

5.4 Non-standard residues in protein, DNA, RNA chains [i](#)

There are no non-standard protein/DNA/RNA residues in this entry.

5.5 Carbohydrates [i](#)

There are no oligosaccharides in this entry.

5.6 Ligand geometry [i](#)

1 ligand is modelled in this entry.

In the following table, the Counts columns list the number of bonds (or angles) for which Mogul statistics could be retrieved, the number of bonds (or angles) that are observed in the model and the number of bonds (or angles) that are defined in the Chemical Component Dictionary. The Link column lists molecule types, if any, to which the group is linked. The Z score for a bond length (or angle) is the number of standard deviations the observed value is removed from the expected value. A bond length (or angle) with $|Z| > 2$ is considered an outlier worth inspection. RMSZ is the root-mean-square of all Z scores of the bond lengths (or angles).

Mol	Type	Chain	Res	Link	Bond lengths			Bond angles		
					Counts	RMSZ	# Z > 2	Counts	RMSZ	# Z > 2
2	PO4	A	501	-	4,4,4	1.00	0	6,6,6	0.76	0

There are no bond length outliers.

There are no bond angle outliers.

There are no chirality outliers.

There are no torsion outliers.

There are no ring outliers.

1 monomer is involved in 1 short contact:

Mol	Chain	Res	Type	Clashes	Symm-Clashes
2	A	501	PO4	1	0

5.7 Other polymers [i](#)

There are no such residues in this entry.

5.8 Polymer linkage issues [i](#)

The following chains have linkage breaks:

Mol	Chain	Number of breaks
1	A	1

All chain breaks are listed below:

Model	Chain	Residue-1	Atom-1	Residue-2	Atom-2	Distance (Å)
1	A	324:VAL	C	325:LEU	N	1.17

6 Fit of model and data [i](#)

6.1 Protein, DNA and RNA chains [i](#)

In the following table, the column labelled ‘#RSRZ > 2’ contains the number (and percentage) of RSRZ outliers, followed by percent RSRZ outliers for the chain as percentile scores relative to all X-ray entries and entries of similar resolution. The OWAB column contains the minimum, median, 95th percentile and maximum values of the occupancy-weighted average B-factor per residue. The column labelled ‘Q < 0.9’ lists the number of (and percentage) of residues with an average occupancy less than 0.9.

Mol	Chain	Analysed	<RSRZ>	#RSRZ>2	OWAB(Å ²)	Q<0.9
1	A	360/383 (93%)	-1.39	1 (0%) 90 92	21, 30, 50, 132	1 (0%)
1	B	360/383 (93%)	-1.38	0 100 100	20, 31, 59, 143	0
All	All	720/766 (93%)	-1.39	1 (0%) 92 93	20, 31, 55, 143	1 (0%)

All (1) RSRZ outliers are listed below:

Mol	Chain	Res	Type	RSRZ
1	A	289	VAL	2.7

6.2 Non-standard residues in protein, DNA, RNA chains [i](#)

There are no non-standard protein/DNA/RNA residues in this entry.

6.3 Carbohydrates [i](#)

There are no monosaccharides in this entry.

6.4 Ligands [i](#)

In the following table, the Atoms column lists the number of modelled atoms in the group and the number defined in the chemical component dictionary. The B-factors column lists the minimum, median, 95th percentile and maximum values of B factors of atoms in the group. The column labelled ‘Q < 0.9’ lists the number of atoms with occupancy less than 0.9.

Mol	Type	Chain	Res	Atoms	RSCC	RSR	B-factors(Å ²)	Q<0.9
2	PO4	A	501	5/5	1.00	0.04	36,37,44,46	0

6.5 Other polymers [i](#)

There are no such residues in this entry.