



Full wwPDB X-ray Structure Validation Report ⓘ

Jan 27, 2025 – 12:32 PM JST

PDB ID : 8Y4M
Title : Metal Beta-Lactamase VIM-2 in Complex with MBL inhibitor B9
Authors : Li, G.-B.; Wang, S.-Y.
Deposited on : 2024-01-30
Resolution : 2.17 Å(reported)

This is a Full wwPDB X-ray Structure Validation Report for a publicly released PDB entry.

We welcome your comments at validation@mail.wwpdb.org

A user guide is available at

<https://www.wwpdb.org/validation/2017/XrayValidationReportHelp>

with specific help available everywhere you see the ⓘ symbol.

The types of validation reports are described at

<http://www.wwpdb.org/validation/2017/FAQs#types>.

The following versions of software and data (see [references ⓘ](#)) were used in the production of this report:

MolProbity : 4.02b-467
Mogul : 1.8.5 (274361), CSD as541be (2020)
Xtriage (Phenix) : 1.21
EDS : 3.0
buster-report : 1.1.7 (2018)
Percentile statistics : 20231227.v01 (using entries in the PDB archive December 27th 2023)
CCP4 : 9.0.004 (Gargrove)
Density-Fitness : 1.0.11
Ideal geometry (proteins) : Engh & Huber (2001)
Ideal geometry (DNA, RNA) : Parkinson et al. (1996)
Validation Pipeline (wwPDB-VP) : 2.40


1 Overall quality at a glance

The following experimental techniques were used to determine the structure:

X-RAY DIFFRACTION

The reported resolution of this entry is 2.17 Å.

Percentile scores (ranging between 0-100) for global validation metrics of the entry are shown in the following graphic. The table shows the number of entries on which the scores are based.



Metric	Whole archive (#Entries)	Similar resolution (#Entries, resolution range(Å))
R_{free}	164625	1881 (2.16-2.16)
Clashscore	180529	2047 (2.16-2.16)
Ramachandran outliers	177936	2027 (2.16-2.16)
Sidechain outliers	177891	2026 (2.16-2.16)
RSRZ outliers	164620	1882 (2.16-2.16)

The table below summarises the geometric issues observed across the polymeric chains and their fit to the electron density. The red, orange, yellow and green segments of the lower bar indicate the fraction of residues that contain outliers for ≥ 3 , 2, 1 and 0 types of geometric quality criteria respectively. A grey segment represents the fraction of residues that are not modelled. The numeric value for each fraction is indicated below the corresponding segment, with a dot representing fractions $\leq 5\%$. The upper red bar (where present) indicates the fraction of residues that have poor fit to the electron density. The numeric value is given above the bar.

Mol	Chain	Length	Quality of chain
1	A	231	
1	B	231	
1	C	231	

2 Entry composition

There are 4 unique types of molecules in this entry. The entry contains 5321 atoms, of which 0 are hydrogens and 0 are deuteriums.

In the tables below, the ZeroOcc column contains the number of atoms modelled with zero occupancy, the AltConf column contains the number of residues with at least one atom in alternate conformation and the Trace column contains the number of residues modelled with at most 2 atoms.

- Molecule 1 is a protein called Metal-Beta-Lactamase VIM-2.

Mol	Chain	Residues	Atoms					ZeroOcc	AltConf	Trace
			Total	C	N	O	S			
1	A	231	1733	1094	299	339	1	0	0	0
1	B	231	1733	1094	299	339	1	0	0	0
1	C	231	1733	1094	299	339	1	0	0	0

- Molecule 2 is ZINC ION (three-letter code: ZN) (formula: Zn).


Mol	Chain	Residues	Atoms		ZeroOcc	AltConf
2	A	2	Total	Zn	0	0
			2	2		
2	B	2	Total	Zn	0	0
			2	2		
2	C	2	Total	Zn	0	0
			2	2		

- Molecule 3 is 2-[[[(9 {R})-3-(4-methoxyphenoxy)-7,7-bis(oxidanyl)-8-oxa-7-boranuidabicyclo[4.3.0]nona-1(6),2,4-trien-9-yl]methyl]prop-2-enoic acid (three-letter code: A1LXH) (formula: C₁₈H₁₈BO₇) (labeled as "Ligand of Interest" by depositor).


3 Residue-property plots [i](#)

These plots are drawn for all protein, RNA, DNA and oligosaccharide chains in the entry. The first graphic for a chain summarises the proportions of the various outlier classes displayed in the second graphic. The second graphic shows the sequence view annotated by issues in geometry and electron density. Residues are color-coded according to the number of geometric quality criteria for which they contain at least one outlier: green = 0, yellow = 1, orange = 2 and red = 3 or more. A red dot above a residue indicates a poor fit to the electron density ($RSRZ > 2$). Stretches of 2 or more consecutive residues without any outlier are shown as a green connector. Residues present in the sample, but not in the model, are shown in grey.


• Molecule 1: Metal-Beta-Lactamase VIM-2



• Molecule 1: Metal-Beta-Lactamase VIM-2



• Molecule 1: Metal-Beta-Lactamase VIM-2



4 Data and refinement statistics i

Property	Value	Source
Space group	P 32 2 1	Depositor
Cell constants a, b, c, α , β , γ	74.57Å 74.57Å 213.07Å 90.00° 90.00° 120.00°	Depositor
Resolution (Å)	35.57 – 2.17 35.57 – 2.17	Depositor EDS
% Data completeness (in resolution range)	99.4 (35.57-2.17) 99.4 (35.57-2.17)	Depositor EDS
R_{merge}	0.07	Depositor
R_{sym}	(Not available)	Depositor
$\langle I/\sigma(I) \rangle$ ¹	2.35 (at 2.18Å)	Xtrriage
Refinement program	PHENIX 1.21-5207	Depositor
R, R_{free}	0.239 , 0.314 0.248 , 0.322	Depositor DCC
R_{free} test set	35363 reflections (5.37%)	wwPDB-VP
Wilson B-factor (Å ²)	44.9	Xtrriage
Anisotropy	0.647	Xtrriage
Bulk solvent k_{sol} (e/Å ³), B_{sol} (Å ²)	0.33 , 48.5	EDS
L-test for twinning ²	$\langle L \rangle = 0.50$, $\langle L^2 \rangle = 0.34$	Xtrriage
Estimated twinning fraction	0.026 for -h,-k,l	Xtrriage
F_o, F_c correlation	0.95	EDS
Total number of atoms	5321	wwPDB-VP
Average B, all atoms (Å ²)	64.0	wwPDB-VP

Xtrriage's analysis on translational NCS is as follows: *The largest off-origin peak in the Patterson function is 8.11% of the height of the origin peak. No significant pseudotranslation is detected.*

¹Intensities estimated from amplitudes.

²Theoretical values of $\langle |L| \rangle$, $\langle L^2 \rangle$ for acentric reflections are 0.5, 0.333 respectively for untwinned datasets, and 0.375, 0.2 for perfectly twinned datasets.

5 Model quality [i](#)

5.1 Standard geometry [i](#)

Bond lengths and bond angles in the following residue types are not validated in this section: A1LXH, ZN

The Z score for a bond length (or angle) is the number of standard deviations the observed value is removed from the expected value. A bond length (or angle) with $|Z| > 5$ is considered an outlier worth inspection. RMSZ is the root-mean-square of all Z scores of the bond lengths (or angles).

Mol	Chain	Bond lengths		Bond angles	
		RMSZ	# $ Z > 5$	RMSZ	# $ Z > 5$
1	A	0.88	4/1774 (0.2%)	0.87	2/2429 (0.1%)
1	B	0.63	0/1774	0.76	0/2429
1	C	0.57	0/1774	0.69	0/2429
All	All	0.70	4/5322 (0.1%)	0.78	2/7287 (0.0%)

All (4) bond length outliers are listed below:

Mol	Chain	Res	Type	Atoms	Z	Observed(Å)	Ideal(Å)
1	A	33	TYR	CE2-CZ	7.76	1.48	1.38
1	A	120	VAL	CB-CG2	5.67	1.64	1.52
1	A	140	ARG	CG-CD	5.30	1.65	1.51
1	A	134	TYR	CD1-CE1	5.29	1.47	1.39

All (2) bond angle outliers are listed below:

Mol	Chain	Res	Type	Atoms	Z	Observed(°)	Ideal(°)
1	A	166	ARG	NE-CZ-NH2	5.84	123.22	120.30
1	A	166	ARG	NE-CZ-NH1	-5.75	117.43	120.30

There are no chirality outliers.

There are no planarity outliers.

5.2 Too-close contacts [i](#)

In the following table, the Non-H and H(model) columns list the number of non-hydrogen atoms and hydrogen atoms in the chain respectively. The H(added) column lists the number of hydrogen atoms added and optimized by MolProbity. The Clashes column lists the number of clashes within the asymmetric unit, whereas Symm-Clashes lists symmetry-related clashes.

Mol	Chain	Non-H	H(model)	H(added)	Clashes	Symm-Clashes
1	A	1733	0	1682	30	1
1	B	1733	0	1682	48	0
1	C	1733	0	1682	21	1
2	A	2	0	0	0	0
2	B	2	0	0	0	0
2	C	2	0	0	0	0
3	A	26	0	0	1	0
3	B	26	0	0	7	0
3	C	26	0	0	2	0
4	A	27	0	0	6	0
4	B	6	0	0	4	0
4	C	5	0	0	2	0
All	All	5321	0	5046	102	1

The all-atom clashscore is defined as the number of clashes found per 1000 atoms (including hydrogen atoms). The all-atom clashscore for this structure is 10.

All (102) close contacts within the same asymmetric unit are listed below, sorted by their clash magnitude.

Atom-1	Atom-2	Interatomic distance (Å)	Clash overlap (Å)
1:A:152:THR:OG1	1:C:144:GLU:OE1	1.89	0.89
3:B:303:A1LXH:C21	4:B:402:HOH:O	2.26	0.84
1:A:98:GLU:OE2	1:A:102:GLN:NE2	2.15	0.79
1:A:220:PRO:O	4:A:401:HOH:O	2.03	0.77
1:A:150:ILE:O	4:A:402:HOH:O	2.04	0.74
1:A:214:ALA:O	4:A:403:HOH:O	2.04	0.74
1:B:144:GLU:O	4:B:401:HOH:O	2.09	0.70
1:B:77:GLY:N	4:B:403:HOH:O	2.24	0.69
1:B:254:ASN:O	1:B:257:LYS:N	2.26	0.69
1:C:78:ASP:OD2	4:C:401:HOH:O	2.10	0.69
1:B:161:SER:OG	1:B:225:ARG:NE	2.26	0.68
3:B:303:A1LXH:O20	4:B:402:HOH:O	2.11	0.68
1:B:38:GLU:O	1:B:45:ARG:NH2	2.29	0.66
1:B:218:GLU:OE1	1:B:225:ARG:NH1	2.28	0.66
1:B:127:ARG:NH1	1:B:152:THR:OG1	2.31	0.64
1:A:161:SER:OG	4:A:404:HOH:O	2.16	0.61
1:B:87:TRP:HE1	3:B:303:A1LXH:C17	2.14	0.60
1:A:228:GLN:O	1:A:231:PRO:HD3	2.03	0.59
1:A:82:LEU:O	1:A:110:ALA:HA	2.02	0.59
1:B:40:PRO:HG2	1:B:43:GLU:OE1	2.04	0.57
1:C:203:LEU:N	4:C:402:HOH:O	2.23	0.57
1:B:87:TRP:HE1	3:B:303:A1LXH:C18	2.18	0.57

Continued on next page...

Continued from previous page...

Atom-1	Atom-2	Interatomic distance (Å)	Clash overlap (Å)
1:A:218:GLU:O	1:A:221:THR:N	2.38	0.56
1:B:116:HIS:HB3	3:B:303:A1LXH:C25	2.36	0.56
1:B:251:HIS:O	1:B:255:VAL:HG23	2.06	0.55
1:A:257:LYS:O	1:A:260:THR:HG22	2.07	0.54
1:A:247:ASP:OD1	1:A:247:ASP:N	2.36	0.54
1:B:219:TRP:HB3	1:B:220:PRO:HD3	1.90	0.53
1:C:179:HIS:CD2	1:C:198:CYS:HB2	2.43	0.53
1:A:220:PRO:HB3	1:A:253:THR:HG23	1.91	0.52
1:A:221:THR:O	1:A:224:GLU:HB2	2.09	0.52
1:B:119:ARG:NH1	1:B:195:TYR:OH	2.43	0.52
1:B:40:PRO:HG2	1:B:43:GLU:CD	2.31	0.51
1:A:215:ASP:OD2	1:A:218:GLU:HB2	2.11	0.51
1:A:170:VAL:HG12	1:A:188:VAL:HG22	1.94	0.50
1:B:117:ASP:HB3	3:B:303:A1LXH:C18	2.42	0.50
1:C:114:HIS:O	1:C:119:ARG:HB2	2.12	0.49
1:C:118:ASP:OD1	1:C:118:ASP:N	2.40	0.48
1:A:230:TYR:N	1:A:231:PRO:CD	2.77	0.48
1:A:182:ASP:O	1:A:183:ASN:C	2.52	0.48
1:B:42:GLY:HA2	1:B:91:ASN:OD1	2.13	0.47
1:B:260:THR:O	1:B:260:THR:HG22	2.14	0.47
1:B:261:ASN:N	1:B:261:ASN:OD1	2.46	0.47
1:A:252:THR:O	1:A:256:VAL:HG23	2.15	0.47
1:B:194:LEU:HD23	1:B:236:VAL:HG22	1.97	0.47
1:B:202:GLU:O	1:B:251:HIS:CD2	2.68	0.47
1:B:56:HIS:CE1	1:B:71:GLY:HA3	2.49	0.47
1:B:126:LEU:HB3	1:B:131:VAL:HB	1.96	0.47
1:A:57:ILE:HA	1:A:69:SER:O	2.14	0.46
1:B:117:ASP:HB3	3:B:303:A1LXH:C17	2.45	0.46
1:B:73:ILE:HD11	1:B:99:ILE:HD11	1.98	0.46
1:B:218:GLU:O	1:B:219:TRP:C	2.54	0.46
1:A:194:LEU:O	1:A:236:VAL:HA	2.15	0.46
1:C:75:ARG:HA	1:C:80:LEU:HD23	1.98	0.46
1:A:56:HIS:CE1	1:A:82:LEU:HD11	2.51	0.45
1:C:164:ALA:HB1	1:C:171:GLU:OE2	2.16	0.45
1:B:175:PRO:O	1:B:225:ARG:HD2	2.17	0.45
1:C:92:THR:O	1:C:95:LEU:HB3	2.17	0.45
1:C:225:ARG:HH11	1:C:225:ARG:HB2	1.81	0.45
1:A:98:GLU:OE1	1:A:101:LYS:HE2	2.17	0.44
1:B:45:ARG:O	1:B:57:ILE:HD12	2.17	0.44
1:B:173:PHE:HB3	1:B:185:VAL:CG2	2.48	0.44
1:A:151:PRO:O	4:A:402:HOH:O	2.21	0.44

Continued on next page...

Continued from previous page...

Atom-1	Atom-2	Interatomic distance (Å)	Clash overlap (Å)
1:C:135:ALA:O	1:C:154:SER:HA	2.17	0.44
1:B:72:LEU:HD13	1:B:195:TYR:HB2	2.00	0.44
1:C:87:TRP:HA	1:C:118:ASP:HA	2.00	0.44
1:B:60:GLN:HB3	1:B:87:TRP:CD2	2.53	0.43
1:B:33:TYR:HD1	1:B:34:PRO:O	2.01	0.43
1:B:49:ILE:CD1	1:B:237:ILE:HD11	2.49	0.43
1:B:85:THR:HG23	1:B:119:ARG:O	2.19	0.43
1:A:170:VAL:HB	1:A:187:TYR:O	2.19	0.43
1:B:247:ASP:O	1:B:250:LYS:N	2.51	0.43
1:C:175:PRO:HG3	1:C:226:ILE:HD11	1.99	0.43
3:C:303:A1LXH:O03	3:C:303:A1LXH:C08	2.68	0.42
1:A:220:PRO:HB3	1:A:253:THR:CG2	2.49	0.42
1:C:41:VAL:HG12	1:C:42:GLY:N	2.34	0.42
1:A:203:LEU:HG	1:A:248:LEU:CD2	2.48	0.42
1:B:203:LEU:HD23	1:B:203:LEU:HA	1.93	0.42
1:C:41:VAL:CG1	1:C:42:GLY:N	2.83	0.42
1:B:99:ILE:O	1:B:103:ILE:N	2.47	0.42
1:C:56:HIS:NE2	1:C:71:GLY:HA3	2.34	0.42
1:C:187:TYR:HE1	1:C:233:ALA:HB2	1.84	0.42
1:B:49:ILE:HD13	1:B:237:ILE:HD11	2.02	0.42
1:A:151:PRO:C	4:A:402:HOH:O	2.57	0.42
1:B:187:TYR:CB	1:B:230:TYR:CE1	3.03	0.41
1:A:218:GLU:O	1:A:219:TRP:C	2.58	0.41
3:A:303:A1LXH:C24	3:A:303:A1LXH:C23	2.91	0.41
1:B:124:ASP:OD1	1:B:149:GLU:HG2	2.20	0.41
1:B:192:SER:HB2	1:B:234:GLN:HG2	2.01	0.41
1:B:75:ARG:HA	1:B:80:LEU:HD23	2.03	0.41
1:B:118:ASP:N	1:B:118:ASP:OD1	2.54	0.41
1:B:126:LEU:O	1:B:129:ALA:N	2.54	0.41
1:A:234:GLN:HA	1:A:234:GLN:OE1	2.21	0.41
1:B:89:ALA:HA	1:B:125:VAL:HG21	2.02	0.41
1:C:36:VAL:HG13	1:C:37:SER:N	2.36	0.41
1:C:116:HIS:HB3	3:C:303:A1LXH:C25	2.50	0.41
1:B:97:ALA:O	1:B:101:LYS:HB2	2.21	0.40
1:B:39:ILE:HA	1:B:40:PRO:HD2	1.99	0.40
1:B:178:ALA:HB1	1:B:219:TRP:CD1	2.56	0.40
1:A:42:GLY:HA2	1:A:91:ASN:OD1	2.21	0.40
1:C:115:PHE:CD1	1:C:142:LEU:HD12	2.56	0.40
1:C:236:VAL:HG12	1:C:248:LEU:HD12	2.04	0.40

All (1) symmetry-related close contacts are listed below. The label for Atom-2 includes the symmetry operator and encoded unit-cell translations to be applied.

Atom-1	Atom-2	Interatomic distance (Å)	Clash overlap (Å)
1:A:228:GLN:NE2	1:C:101:LYS:O[1_665]	2.00	0.20

5.3 Torsion angles [i](#)

5.3.1 Protein backbone [i](#)

In the following table, the Percentiles column shows the percent Ramachandran outliers of the chain as a percentile score with respect to all X-ray entries followed by that with respect to entries of similar resolution.

The Analysed column shows the number of residues for which the backbone conformation was analysed, and the total number of residues.

Mol	Chain	Analysed	Favoured	Allowed	Outliers	Percentiles	
1	A	229/231 (99%)	209 (91%)	20 (9%)	0	100	100
1	B	229/231 (99%)	200 (87%)	25 (11%)	4 (2%)	7	3
1	C	229/231 (99%)	209 (91%)	19 (8%)	1 (0%)	30	27
All	All	687/693 (99%)	618 (90%)	64 (9%)	5 (1%)	19	13

All (5) Ramachandran outliers are listed below:

Mol	Chain	Res	Type
1	B	178	ALA
1	B	261	ASN
1	B	127	ARG
1	B	228	GLN
1	C	261	ASN

5.3.2 Protein sidechains [i](#)

In the following table, the Percentiles column shows the percent sidechain outliers of the chain as a percentile score with respect to all X-ray entries followed by that with respect to entries of similar resolution.

The Analysed column shows the number of residues for which the sidechain conformation was analysed, and the total number of residues.

Mol	Chain	Analysed	Rotameric	Outliers	Percentiles	
1	A	182/182 (100%)	171 (94%)	11 (6%)	16	12
1	B	182/182 (100%)	166 (91%)	16 (9%)	8	4

Continued on next page...

Continued from previous page...

Mol	Chain	Analysed	Rotameric	Outliers	Percentiles
1	C	182/182 (100%)	166 (91%)	16 (9%)	8 4
All	All	546/546 (100%)	503 (92%)	43 (8%)	10 6

All (43) residues with a non-rotameric sidechain are listed below:

Mol	Chain	Res	Type
1	A	95	LEU
1	A	124	ASP
1	A	137	PRO
1	A	183	ASN
1	A	190	SER
1	A	204	SER
1	A	205	ARG
1	A	215	ASP
1	A	242	LEU
1	A	250	LYS
1	A	260	THR
1	B	35	THR
1	B	63	ASP
1	B	66	VAL
1	B	68	PRO
1	B	72	LEU
1	B	79	GLU
1	B	117	ASP
1	B	146	GLU
1	B	149	GLU
1	B	154	SER
1	B	166	ARG
1	B	183	ASN
1	B	204	SER
1	B	205	ARG
1	B	234	GLN
1	B	242	LEU
1	C	61	SER
1	C	75	ARG
1	C	79	GLU
1	C	123	VAL
1	C	160	SER
1	C	165	VAL
1	C	183	ASN
1	C	190	SER
1	C	203	LEU

Continued on next page...

Continued from previous page...

Mol	Chain	Res	Type
1	C	224	GLU
1	C	225	ARG
1	C	229	HIS
1	C	235	PHE
1	C	242	LEU
1	C	247	ASP
1	C	260	THR

Sometimes sidechains can be flipped to improve hydrogen bonding and reduce clashes. There are no such sidechains identified.

5.3.3 RNA [i](#)

There are no RNA molecules in this entry.

5.4 Non-standard residues in protein, DNA, RNA chains [i](#)

There are no non-standard protein/DNA/RNA residues in this entry.

5.5 Carbohydrates [i](#)

There are no oligosaccharides in this entry.

5.6 Ligand geometry [i](#)

Of 9 ligands modelled in this entry, 6 are monoatomic - leaving 3 for Mogul analysis.

In the following table, the Counts columns list the number of bonds (or angles) for which Mogul statistics could be retrieved, the number of bonds (or angles) that are observed in the model and the number of bonds (or angles) that are defined in the Chemical Component Dictionary. The Link column lists molecule types, if any, to which the group is linked. The Z score for a bond length (or angle) is the number of standard deviations the observed value is removed from the expected value. A bond length (or angle) with $|Z| > 2$ is considered an outlier worth inspection. RMSZ is the root-mean-square of all Z scores of the bond lengths (or angles).

Mol	Type	Chain	Res	Link	Bond lengths			Bond angles		
					Counts	RMSZ	$\# Z > 2$	Counts	RMSZ	$\# Z > 2$
3	A1LXH	C	303	2	27,28,28	3.82	7 (25%)	33,41,41	3.47	11 (33%)
3	A1LXH	A	303	2	27,28,28	3.36	9 (33%)	33,41,41	3.94	14 (42%)
3	A1LXH	B	303	2	27,28,28	3.46	9 (33%)	33,41,41	3.14	16 (48%)

In the following table, the Chirals column lists the number of chiral outliers, the number of chiral centers analysed, the number of these observed in the model and the number defined in the Chemical Component Dictionary. Similar counts are reported in the Torsion and Rings columns. '-' means no outliers of that kind were identified.

Mol	Type	Chain	Res	Link	Chirals	Torsions	Rings
3	A1LXH	C	303	2	-	10/14/29/29	0/3/3/3
3	A1LXH	A	303	2	-	6/14/29/29	0/3/3/3
3	A1LXH	B	303	2	-	6/14/29/29	0/3/3/3

All (25) bond length outliers are listed below:

Mol	Chain	Res	Type	Atoms	Z	Observed(Å)	Ideal(Å)
3	C	303	A1LXH	C12-C26	-12.33	1.31	1.39
3	A	303	A1LXH	C12-C26	-11.02	1.32	1.39
3	B	303	A1LXH	C12-C26	-10.07	1.32	1.39
3	C	303	A1LXH	C08-C07	8.76	1.55	1.49
3	A	303	A1LXH	B02-O03	8.19	1.70	1.47
3	B	303	A1LXH	C08-C07	7.70	1.54	1.49
3	C	303	A1LXH	B02-O01	7.65	1.69	1.47
3	B	303	A1LXH	B02-O01	7.62	1.69	1.47
3	C	303	A1LXH	B02-O03	6.96	1.67	1.47
3	B	303	A1LXH	B02-O03	6.49	1.65	1.47
3	A	303	A1LXH	B02-O01	5.97	1.64	1.47
3	C	303	A1LXH	C06-C07	4.65	1.56	1.50
3	A	303	A1LXH	C06-C07	4.49	1.56	1.50
3	B	303	A1LXH	C13-C12	3.49	1.45	1.39
3	A	303	A1LXH	C08-C07	3.44	1.51	1.49
3	B	303	A1LXH	C06-C07	3.31	1.54	1.50
3	A	303	A1LXH	C25-C26	-3.25	1.36	1.40
3	A	303	A1LXH	C13-C12	3.18	1.45	1.39
3	A	303	A1LXH	C25-C24	-2.95	1.33	1.38
3	B	303	A1LXH	C12-C05	2.94	1.54	1.50
3	C	303	A1LXH	C12-C05	2.58	1.53	1.50
3	C	303	A1LXH	C13-C12	2.43	1.43	1.39
3	B	303	A1LXH	O20-C19	2.26	1.42	1.37
3	A	303	A1LXH	B02-O04	-2.12	1.40	1.46
3	B	303	A1LXH	O15-C14	2.10	1.44	1.39

All (41) bond angle outliers are listed below:

Mol	Chain	Res	Type	Atoms	Z	Observed(°)	Ideal(°)
3	C	303	A1LXH	C13-C12-C26	-12.05	116.60	122.13
3	B	303	A1LXH	C13-C12-C26	-11.75	116.73	122.13

Continued on next page...

Continued from previous page...

Mol	Chain	Res	Type	Atoms	Z	Observed(°)	Ideal(°)
3	A	303	A1LXH	C25-C26-C12	10.88	125.33	118.00
3	A	303	A1LXH	C13-C12-C26	-10.09	117.50	122.13
3	A	303	A1LXH	O04-C05-C06	-7.86	94.75	111.40
3	A	303	A1LXH	C11-C07-C08	-7.84	113.63	120.61
3	C	303	A1LXH	C25-C26-C12	7.18	122.84	118.00
3	C	303	A1LXH	O04-C05-C06	-6.65	97.32	111.40
3	A	303	A1LXH	O03-B02-O04	6.41	125.23	110.09
3	C	303	A1LXH	C16-O15-C14	-6.10	104.54	118.80
3	A	303	A1LXH	C16-O15-C14	-5.66	105.57	118.80
3	C	303	A1LXH	C11-C07-C08	-5.60	115.62	120.61
3	C	303	A1LXH	O10-C08-C07	5.53	121.10	115.05
3	B	303	A1LXH	C11-C07-C08	-4.93	116.22	120.61
3	B	303	A1LXH	C25-C26-C12	4.92	121.31	118.00
3	B	303	A1LXH	O04-C05-C06	-4.81	101.20	111.40
3	B	303	A1LXH	O10-C08-C07	4.79	120.29	115.05
3	A	303	A1LXH	O10-C08-C07	3.76	119.16	115.05
3	A	303	A1LXH	C13-C12-C05	3.75	139.14	131.27
3	B	303	A1LXH	C13-C12-C05	3.41	138.41	131.27
3	C	303	A1LXH	B02-O04-C05	-3.36	103.21	109.58
3	C	303	A1LXH	C13-C12-C05	3.35	138.30	131.27
3	A	303	A1LXH	O15-C14-C24	-3.07	108.60	119.38
3	A	303	A1LXH	C24-C25-C26	-3.02	119.15	122.85
3	A	303	A1LXH	C05-C06-C07	-3.01	106.71	113.07
3	A	303	A1LXH	O15-C14-C13	2.99	128.49	119.10
3	B	303	A1LXH	O15-C14-C13	2.98	128.46	119.10
3	C	303	A1LXH	O03-B02-O04	2.85	116.81	110.09
3	A	303	A1LXH	C14-C13-C12	-2.82	115.39	120.03
3	B	303	A1LXH	C23-C16-C17	-2.79	115.89	120.18
3	B	303	A1LXH	C16-O15-C14	2.73	125.18	118.80
3	B	303	A1LXH	O10-C08-O09	-2.63	117.59	123.61
3	B	303	A1LXH	C17-C18-C19	2.57	122.87	119.73
3	C	303	A1LXH	O10-C08-O09	-2.54	117.80	123.61
3	A	303	A1LXH	B02-O04-C05	-2.48	104.88	109.58
3	B	303	A1LXH	B02-O04-C05	-2.37	105.08	109.58
3	B	303	A1LXH	C22-C19-C18	-2.36	116.54	120.18
3	C	303	A1LXH	C06-C07-C11	-2.28	116.81	122.68
3	B	303	A1LXH	C22-C23-C16	2.12	122.33	119.73
3	B	303	A1LXH	C06-C07-C11	-2.11	117.23	122.68
3	B	303	A1LXH	C24-C14-C13	-2.06	117.70	120.53

There are no chirality outliers.

All (22) torsion outliers are listed below:



Mol	Chain	Res	Type	Atoms
3	A	303	A1LXH	C12-C05-C06-C07
3	A	303	A1LXH	O04-C05-C06-C07
3	A	303	A1LXH	C05-C06-C07-C11
3	A	303	A1LXH	C05-C06-C07-C08
3	B	303	A1LXH	O04-C05-C06-C07
3	B	303	A1LXH	C05-C06-C07-C11
3	B	303	A1LXH	C05-C06-C07-C08
3	C	303	A1LXH	C12-C05-C06-C07
3	C	303	A1LXH	O04-C05-C06-C07
3	C	303	A1LXH	C11-C07-C08-O09
3	C	303	A1LXH	C11-C07-C08-O10
3	C	303	A1LXH	C06-C07-C08-O09
3	C	303	A1LXH	C06-C07-C08-O10
3	B	303	A1LXH	C22-C19-O20-C21
3	B	303	A1LXH	C18-C19-O20-C21
3	A	303	A1LXH	C22-C19-O20-C21
3	C	303	A1LXH	C18-C19-O20-C21
3	A	303	A1LXH	C18-C19-O20-C21
3	C	303	A1LXH	C22-C19-O20-C21
3	C	303	A1LXH	C05-C06-C07-C08
3	B	303	A1LXH	C12-C05-C06-C07
3	C	303	A1LXH	C05-C06-C07-C11


There are no ring outliers.

3 monomers are involved in 10 short contacts:

Mol	Chain	Res	Type	Clashes	Symm-Clashes
3	C	303	A1LXH	2	0
3	A	303	A1LXH	1	0
3	B	303	A1LXH	7	0

The following is a two-dimensional graphical depiction of Mogul quality analysis of bond lengths, bond angles, torsion angles, and ring geometry for all instances of the Ligand of Interest. In addition, ligands with molecular weight > 250 and outliers as shown on the validation Tables will also be included. For torsion angles, if less than 5% of the Mogul distribution of torsion angles is within 10 degrees of the torsion angle in question, then that torsion angle is considered an outlier. Any bond that is central to one or more torsion angles identified as an outlier by Mogul will be highlighted in the graph. For rings, the root-mean-square deviation (RMSD) between the ring in question and similar rings identified by Mogul is calculated over all ring torsion angles. If the average RMSD is greater than 60 degrees and the minimal RMSD between the ring in question and any Mogul-identified rings is also greater than 60 degrees, then that ring is considered an outlier. The outliers are highlighted in purple. The color gray indicates Mogul did not find sufficient equivalents in the CSD to analyse the geometry.





5.7 Other polymers [i](#)

There are no such residues in this entry.

5.8 Polymer linkage issues [i](#)

There are no chain breaks in this entry.

6 Fit of model and data

6.1 Protein, DNA and RNA chains

In the following table, the column labelled ‘#RSRZ > 2’ contains the number (and percentage) of RSRZ outliers, followed by percent RSRZ outliers for the chain as percentile scores relative to all X-ray entries and entries of similar resolution. The OWAB column contains the minimum, median, 95th percentile and maximum values of the occupancy-weighted average B-factor per residue. The column labelled ‘Q < 0.9’ lists the number of (and percentage) of residues with an average occupancy less than 0.9.

Mol	Chain	Analysed	<RSRZ>	#RSRZ>2	OWAB(Å ²)	Q<0.9
1	A	231/231 (100%)	0.34	5 (2%) 62 67	30, 47, 72, 85	0
1	B	231/231 (100%)	0.92	24 (10%) 13 15	37, 69, 97, 134	0
1	C	231/231 (100%)	0.94	17 (7%) 22 26	40, 69, 108, 130	0
All	All	693/693 (100%)	0.73	46 (6%) 26 31	30, 62, 98, 134	0

All (46) RSRZ outliers are listed below:

Mol	Chain	Res	Type	RSRZ
1	B	262	ALA	3.8
1	B	235	PHE	3.7
1	C	205	ARG	3.6
1	C	198	CYS	3.4
1	B	236	VAL	3.2
1	B	258	ALA	3.2
1	C	262	ALA	3.0
1	B	53	VAL	2.9
1	C	235	PHE	2.9
1	B	54	TRP	2.6
1	C	167	PHE	2.6
1	A	262	ALA	2.6
1	B	261	ASN	2.5
1	C	49	ILE	2.5
1	B	216	LEU	2.5
1	C	216	LEU	2.5
1	B	255	VAL	2.5
1	A	216	LEU	2.4
1	B	50	ALA	2.4
1	C	33	TYR	2.4
1	B	35	THR	2.4
1	B	89	ALA	2.3
1	B	33	TYR	2.3

Continued on next page...

Continued from previous page...

Mol	Chain	Res	Type	RSRZ
1	C	172	LEU	2.3
1	B	256	VAL	2.2
1	C	255	VAL	2.2
1	B	206	THR	2.2
1	B	78	ASP	2.2
1	C	111	VAL	2.2
1	C	258	ALA	2.2
1	A	246	LEU	2.2
1	B	246	LEU	2.1
1	C	248	LEU	2.1
1	B	64	GLY	2.1
1	C	259	HIS	2.1
1	B	141	ARG	2.1
1	A	233	ALA	2.1
1	C	201	TYR	2.1
1	B	44	VAL	2.1
1	B	203	LEU	2.1
1	B	208	ALA	2.1
1	C	34	PRO	2.1
1	C	236	VAL	2.1
1	A	162	GLY	2.0
1	B	32	ALA	2.0
1	B	174	TYR	2.0

6.2 Non-standard residues in protein, DNA, RNA chains [i](#)

There are no non-standard protein/DNA/RNA residues in this entry.

6.3 Carbohydrates [i](#)

There are no monosaccharides in this entry.

6.4 Ligands [i](#)


In the following table, the Atoms column lists the number of modelled atoms in the group and the number defined in the chemical component dictionary. The B-factors column lists the minimum, median, 95th percentile and maximum values of B factors of atoms in the group. The column labelled 'Q< 0.9' lists the number of atoms with occupancy less than 0.9.

Continued on next page...

Continued from previous page...




Mol	Type	Chain	Res	Atoms	RSCC	RSR	B-factors(Å ²)	Q<0.9
3	A1LXH	C	303	26/26	0.67	0.18	71,92,105,108	0
3	A1LXH	B	303	26/26	0.78	0.15	53,84,103,107	0
3	A1LXH	A	303	26/26	0.89	0.11	41,52,66,75	0
2	ZN	B	301	1/1	0.98	0.03	57,57,57,57	0
2	ZN	A	302	1/1	0.98	0.05	53,53,53,53	0
2	ZN	C	302	1/1	0.99	0.02	59,59,59,59	0
2	ZN	A	301	1/1	0.99	0.03	42,42,42,42	0
2	ZN	B	302	1/1	0.99	0.09	60,60,60,60	0
2	ZN	C	301	1/1	0.99	0.03	62,62,62,62	0

The following is a graphical depiction of the model fit to experimental electron density of all instances of the Ligand of Interest. In addition, ligands with molecular weight > 250 and outliers as shown on the geometry validation Tables will also be included. Each fit is shown from different orientation to approximate a three-dimensional view.






Electron density around A1LXH B 303:

$2mF_o-DF_c$ (at 0.7 rmsd) in gray
 mF_o-DF_c (at 3 rmsd) in purple (negative)
and green (positive)

**Electron density around A1LXH A 303:**

$2mF_o-DF_c$ (at 0.7 rmsd) in gray
 mF_o-DF_c (at 3 rmsd) in purple (negative)
and green (positive)



6.5 Other polymers [i](#)

There are no such residues in this entry.