



Full wwPDB EM Validation Report ⓘ

Jul 15, 2025 – 10:55 PM JST

PDB ID : 8ZT2 / pdb_00008zt2
EMDB ID : EMD-60445
Title : Structure of calcium preference ATP-gated channel Apo-P2X1 in the Desensitized state 1
Authors : Zhang, H.; Xu, H.E.
Deposited on : 2024-06-06
Resolution : 2.31 Å(reported)

This is a Full wwPDB EM Validation Report for a publicly released PDB entry.

We welcome your comments at validation@mail.wwpdb.org

A user guide is available at

<https://www.wwpdb.org/validation/2017/EMValidationReportHelp>
with specific help available everywhere you see the ⓘ symbol.

The types of validation reports are described at

<http://www.wwpdb.org/validation/2017/FAQs#types>.

The following versions of software and data (see [references ⓘ](#)) were used in the production of this report:

EMDB validation analysis : **FAILED**
Mogul : 1.8.5 (274361), CSD as541be (2020)
MolProbity : 4-5-2 with Phenix2.0rc1
buster-report : 1.1.7 (2018)
Percentile statistics : 20231227.v01 (using entries in the PDB archive December 27th 2023)
MapQ : **FAILED**
Ideal geometry (proteins) : Engh & Huber (2001)
Ideal geometry (DNA, RNA) : Parkinson et al. (1996)
Validation Pipeline (wwPDB-VP) : 2.44


1 Overall quality at a glance

The following experimental techniques were used to determine the structure:

ELECTRON MICROSCOPY

The reported resolution of this entry is 2.31 Å.

Percentile scores (ranging between 0-100) for global validation metrics of the entry are shown in the following graphic. The table shows the number of entries on which the scores are based.



Metric	Whole archive (#Entries)	EM structures (#Entries)
Clashscore	210492	15764
Ramachandran outliers	207382	16835
Sidechain outliers	206894	16415

The table below summarises the geometric issues observed across the polymeric chains and their fit to the map. The red, orange, yellow and green segments of the bar indicate the fraction of residues that contain outliers for ≥ 3 , 2, 1 and 0 types of geometric quality criteria respectively. A grey segment represents the fraction of residues that are not modelled. The numeric value for each fraction is indicated below the corresponding segment, with a dot representing fractions $\leq 5\%$.

Mol	Chain	Length	Quality of chain
1	A	428	
1	B	428	
1	C	428	

2 Entry composition

There are 6 unique types of molecules in this entry. The entry contains 7994 atoms, of which 0 are hydrogens and 0 are deuteriums.

In the tables below, the AltConf column contains the number of residues with at least one atom in alternate conformation and the Trace column contains the number of residues modelled with at most 2 atoms.

- Molecule 1 is a protein called P2X purinoceptor 1.

Mol	Chain	Residues	Atoms					AltConf	Trace
1	A	330	Total	C	N	O	S	0	0
			2588	1672	445	456	15		
1	B	330	Total	C	N	O	S	0	0
			2588	1672	445	456	15		
1	C	330	Total	C	N	O	S	0	0
			2588	1672	445	456	15		

There are 87 discrepancies between the modelled and reference sequences:

Chain	Residue	Modelled	Actual	Comment	Reference
A	0	MET	-	initiating methionine	UNP P51576
A	400	LYS	-	expression tag	UNP P51576
A	401	LEU	-	expression tag	UNP P51576
A	402	LEU	-	expression tag	UNP P51576
A	403	GLU	-	expression tag	UNP P51576
A	404	VAL	-	expression tag	UNP P51576
A	405	LEU	-	expression tag	UNP P51576
A	406	PHE	-	expression tag	UNP P51576
A	407	GLN	-	expression tag	UNP P51576
A	408	GLY	-	expression tag	UNP P51576
A	409	PRO	-	expression tag	UNP P51576
A	410	HIS	-	expression tag	UNP P51576
A	411	HIS	-	expression tag	UNP P51576
A	412	HIS	-	expression tag	UNP P51576
A	413	HIS	-	expression tag	UNP P51576
A	414	HIS	-	expression tag	UNP P51576
A	415	HIS	-	expression tag	UNP P51576
A	416	HIS	-	expression tag	UNP P51576
A	417	HIS	-	expression tag	UNP P51576
A	418	HIS	-	expression tag	UNP P51576
A	419	HIS	-	expression tag	UNP P51576
A	420	ASP	-	expression tag	UNP P51576
A	421	TYR	-	expression tag	UNP P51576
A	422	LYS	-	expression tag	UNP P51576

Continued on next page...

Continued from previous page...


Chain	Residue	Modelled	Actual	Comment	Reference
A	423	ASP	-	expression tag	UNP P51576
A	424	ASP	-	expression tag	UNP P51576
A	425	ASP	-	expression tag	UNP P51576
A	426	ASP	-	expression tag	UNP P51576
A	427	LYS	-	expression tag	UNP P51576
B	0	MET	-	initiating methionine	UNP P51576
B	400	LYS	-	expression tag	UNP P51576
B	401	LEU	-	expression tag	UNP P51576
B	402	LEU	-	expression tag	UNP P51576
B	403	GLU	-	expression tag	UNP P51576
B	404	VAL	-	expression tag	UNP P51576
B	405	LEU	-	expression tag	UNP P51576
B	406	PHE	-	expression tag	UNP P51576
B	407	GLN	-	expression tag	UNP P51576
B	408	GLY	-	expression tag	UNP P51576
B	409	PRO	-	expression tag	UNP P51576
B	410	HIS	-	expression tag	UNP P51576
B	411	HIS	-	expression tag	UNP P51576
B	412	HIS	-	expression tag	UNP P51576
B	413	HIS	-	expression tag	UNP P51576
B	414	HIS	-	expression tag	UNP P51576
B	415	HIS	-	expression tag	UNP P51576
B	416	HIS	-	expression tag	UNP P51576
B	417	HIS	-	expression tag	UNP P51576
B	418	HIS	-	expression tag	UNP P51576
B	419	HIS	-	expression tag	UNP P51576
B	420	ASP	-	expression tag	UNP P51576
B	421	TYR	-	expression tag	UNP P51576
B	422	LYS	-	expression tag	UNP P51576
B	423	ASP	-	expression tag	UNP P51576
B	424	ASP	-	expression tag	UNP P51576
B	425	ASP	-	expression tag	UNP P51576
B	426	ASP	-	expression tag	UNP P51576
B	427	LYS	-	expression tag	UNP P51576
C	0	MET	-	initiating methionine	UNP P51576
C	400	LYS	-	expression tag	UNP P51576
C	401	LEU	-	expression tag	UNP P51576
C	402	LEU	-	expression tag	UNP P51576
C	403	GLU	-	expression tag	UNP P51576
C	404	VAL	-	expression tag	UNP P51576
C	405	LEU	-	expression tag	UNP P51576
C	406	PHE	-	expression tag	UNP P51576

Continued on next page...

Continued from previous page...


Chain	Residue	Modelled	Actual	Comment	Reference
C	407	GLN	-	expression tag	UNP P51576
C	408	GLY	-	expression tag	UNP P51576
C	409	PRO	-	expression tag	UNP P51576
C	410	HIS	-	expression tag	UNP P51576
C	411	HIS	-	expression tag	UNP P51576
C	412	HIS	-	expression tag	UNP P51576
C	413	HIS	-	expression tag	UNP P51576
C	414	HIS	-	expression tag	UNP P51576
C	415	HIS	-	expression tag	UNP P51576
C	416	HIS	-	expression tag	UNP P51576
C	417	HIS	-	expression tag	UNP P51576
C	418	HIS	-	expression tag	UNP P51576
C	419	HIS	-	expression tag	UNP P51576
C	420	ASP	-	expression tag	UNP P51576
C	421	TYR	-	expression tag	UNP P51576
C	422	LYS	-	expression tag	UNP P51576
C	423	ASP	-	expression tag	UNP P51576
C	424	ASP	-	expression tag	UNP P51576
C	425	ASP	-	expression tag	UNP P51576
C	426	ASP	-	expression tag	UNP P51576
C	427	LYS	-	expression tag	UNP P51576

- Molecule 2 is ADENOSINE-5'-TRIPHOSPHATE (CCD ID: ATP) (formula: $C_{10}H_{16}N_5O_{13}P_3$) (labeled as "Ligand of Interest" by depositor).



Mol	Chain	Residues	Atoms					AltConf
2	A	1	Total	C	N	O	P	0
			31	10	5	13	3	
2	B	1	Total	C	N	O	P	0
			31	10	5	13	3	
2	C	1	Total	C	N	O	P	0
			31	10	5	13	3	

- Molecule 3 is 2-acetamido-2-deoxy-beta-D-glucopyranose (CCD ID: NAG) (formula: $C_8H_{15}NO_6$) (labeled as "Ligand of Interest" by depositor).



Mol	Chain	Residues	Atoms				AltConf
3	A	1	Total	C	N	O	0
			14	8	1	5	
3	A	1	Total	C	N	O	0
			14	8	1	5	
3	A	1	Total	C	N	O	0
			14	8	1	5	
3	B	1	Total	C	N	O	0
			14	8	1	5	
3	B	1	Total	C	N	O	0
			14	8	1	5	
3	B	1	Total	C	N	O	0
			14	8	1	5	
3	C	1	Total	C	N	O	0
			14	8	1	5	
3	C	1	Total	C	N	O	0
			14	8	1	5	

Continued on next page...

Continued from previous page...

Mol	Chain	Residues	Atoms				AltConf
3	C	1	Total	C	N	O	0
			14	8	1	5	

- Molecule 4 is MAGNESIUM ION (CCD ID: MG) (formula: Mg) (labeled as "Ligand of Interest" by depositor).

Mol	Chain	Residues	Atoms		AltConf
4	A	1	Total	Mg	0
			1	1	
4	B	1	Total	Mg	0
			1	1	
4	C	1	Total	Mg	0
			1	1	

- Molecule 5 is CALCIUM ION (CCD ID: CA) (formula: Ca) (labeled as "Ligand of Interest" by depositor).

Mol	Chain	Residues	Atoms		AltConf
5	A	1	Total	Ca	0
			1	1	


- Molecule 6 is water.

Mol	Chain	Residues	Atoms		AltConf
6	A	2	Total	O	0
			2	2	
6	B	1	Total	O	0
			1	1	
6	C	4	Total	O	0
			4	4	


3 Residue-property plots

These plots are drawn for all protein, RNA, DNA and oligosaccharide chains in the entry. The first graphic for a chain summarises the proportions of the various outlier classes displayed in the second graphic. The second graphic shows the sequence view annotated by issues in geometry. Residues are color-coded according to the number of geometric quality criteria for which they contain at least one outlier: green = 0, yellow = 1, orange = 2 and red = 3 or more. Stretches of 2 or more consecutive residues without any outlier are shown as a green connector. Residues present in the sample, but not in the model, are shown in grey.


• Molecule 1: P2X purinoceptor 1



• Molecule 1: P2X purinoceptor 1



• Molecule 1: P2X purinoceptor 1



HIS	L353	P110
HIS	L354	
HIS	H355	C117
HIS	I1E	E122
HIS	LEU	
HIS	PRO	R139
HIS	LYS	
ASP	ARG	Q142
TYR	HIS	
LYS	TYR	G163
ASP	LYS	
ASP	GLN	S175
ASP	LYS	P176
LYS	LYS	E183
	PHE	
	LYS	
	TYR	I189
	ALA	K190
	GLU	
	ASP	R197
	MET	
	GLY	V200
	PRO	
	GLY	R203
	GLU	M204
	GLY	L205
	GLU	V206
	ARG	
	ASP	Y213
	PRO	M214
	ALA	
	ALA	H220
	THR	
	SER	L223
	SER	H224
	THR	F225
	LEU	L226
	GLY	
	LEU	V229
	GLN	
	GLU	G233
	ASN	
	MET	G250
	ARG	
	THR	E260
	SER	
	LYS	D264
	LEU	
	LEU	F289
	GLU	
	VAL	R292
	LEU	
	PHE	L307
	GLN	
	GLY	R314
	PRO	
	HIS	I329
	HIS	P330
	HIS	

4 Experimental information

Property	Value	Source
EM reconstruction method	SINGLE PARTICLE	Depositor
Imposed symmetry	POINT, Not provided	
Number of particles used	200491	Depositor
Resolution determination method	FSC 0.143 CUT-OFF	Depositor
CTF correction method	PHASE FLIPPING AND AMPLITUDE CORRECTION	Depositor
Microscope	FEI POLARA 300	Depositor
Voltage (kV)	300	Depositor
Electron dose ($e^-/\text{\AA}^2$)	50	Depositor
Minimum defocus (nm)	1000	Depositor
Maximum defocus (nm)	3000	Depositor
Magnification	Not provided	
Image detector	FEI FALCON IV (4k x 4k)	Depositor

5 Model quality [i](#)

5.1 Standard geometry [i](#)

Bond lengths and bond angles in the following residue types are not validated in this section: CA, ATP, MG, NAG

The Z score for a bond length (or angle) is the number of standard deviations the observed value is removed from the expected value. A bond length (or angle) with $|Z| > 5$ is considered an outlier worth inspection. RMSZ is the root-mean-square of all Z scores of the bond lengths (or angles).

Mol	Chain	Bond lengths		Bond angles	
		RMSZ	$\# Z > 5$	RMSZ	$\# Z > 5$
1	A	0.10	0/2655	0.27	0/3598
1	B	0.11	0/2655	0.28	0/3598
1	C	0.10	0/2655	0.28	0/3598
All	All	0.10	0/7965	0.27	0/10794

There are no bond length outliers.

There are no bond angle outliers.

There are no chirality outliers.

There are no planarity outliers.

5.2 Too-close contacts [i](#)

In the following table, the Non-H and H(model) columns list the number of non-hydrogen atoms and hydrogen atoms in the chain respectively. The H(added) column lists the number of hydrogen atoms added and optimized by MolProbity. The Clashes column lists the number of clashes within the asymmetric unit, whereas Symm-Clashes lists symmetry-related clashes.

Mol	Chain	Non-H	H(model)	H(added)	Clashes	Symm-Clashes
1	A	2588	0	2568	34	0
1	B	2588	0	2568	33	0
1	C	2588	0	2568	32	0
2	A	31	0	12	0	0
2	B	31	0	12	0	0
2	C	31	0	12	0	0
3	A	42	0	39	0	0
3	B	42	0	39	0	0
3	C	42	0	39	0	0
4	A	1	0	0	0	0

Continued on next page...

Continued from previous page...

Mol	Chain	Non-H	H(model)	H(added)	Clashes	Symm-Clashes
4	B	1	0	0	0	0
4	C	1	0	0	0	0
5	A	1	0	0	0	0
6	A	2	0	0	0	0
6	B	1	0	0	0	0
6	C	4	0	0	0	0
All	All	7994	0	7857	89	0

The all-atom clashscore is defined as the number of clashes found per 1000 atoms (including hydrogen atoms). The all-atom clashscore for this structure is 6.

All (89) close contacts within the same asymmetric unit are listed below, sorted by their clash magnitude.

Atom-1	Atom-2	Interatomic distance (Å)	Clash overlap (Å)
1:A:108:MET:HE2	1:A:110:PRO:HB3	1.78	0.64
1:A:139:ARG:NH2	1:C:214:MET:O	2.32	0.63
1:C:189:ILE:O	1:C:204:ASN:ND2	2.32	0.63
1:B:220:HIS:HD2	1:B:223:LEU:H	1.50	0.59
1:A:189:ILE:O	1:A:204:ASN:ND2	2.35	0.58
1:C:220:HIS:HD2	1:C:223:LEU:H	1.48	0.58
1:A:84:VAL:HG21	1:B:163:GLY:HA2	1.86	0.58
1:A:66:SER:HB3	1:A:190:LYS:HB3	1.85	0.58
1:B:189:ILE:O	1:B:204:ASN:ND2	2.37	0.58
1:A:93:PRO:HG2	1:A:100:PHE:HA	1.87	0.57
1:C:66:SER:HB3	1:C:190:LYS:HB3	1.87	0.57
1:A:220:HIS:HD2	1:A:223:LEU:H	1.51	0.56
1:C:122:GLU:OE2	1:C:142:GLN:NE2	2.39	0.56
1:A:285:LEU:HG	1:C:205:LEU:HD13	1.88	0.56
1:B:93:PRO:HG2	1:B:100:PHE:HA	1.88	0.55
1:C:93:PRO:HG2	1:C:100:PHE:HA	1.88	0.55
1:B:108:MET:HE2	1:B:110:PRO:HB3	1.89	0.55
1:A:260:GLU:N	1:A:260:GLU:OE1	2.41	0.54
1:C:46:GLY:O	1:C:50:VAL:N	2.38	0.54
1:B:66:SER:HB3	1:B:190:LYS:HB3	1.90	0.53
1:C:220:HIS:HB3	1:C:224:HIS:H	1.73	0.53
1:A:85:TRP:HE3	1:A:89:ASP:HB3	1.75	0.52
1:C:29:VAL:HG13	1:C:353:LEU:HD22	1.92	0.52
1:A:220:HIS:HB3	1:A:224:HIS:H	1.75	0.52
1:B:183:GLU:O	1:B:233:GLY:N	2.43	0.51
1:C:292:ARG:HG2	1:C:307:LEU:HD11	1.92	0.51
1:C:47:TRP:HA	1:C:51:TYR:HB3	1.93	0.50

Continued on next page...

Continued from previous page...

Atom-1	Atom-2	Interatomic distance (Å)	Clash overlap (Å)
1:C:183:GLU:O	1:C:233:GLY:N	2.42	0.50
1:B:85:TRP:HE3	1:B:89:ASP:HB3	1.75	0.50
1:B:260:GLU:OE1	1:B:260:GLU:N	2.44	0.50
1:C:108:MET:HE2	1:C:110:PRO:HB3	1.94	0.49
1:B:229:VAL:HG21	1:C:139:ARG:HH22	1.78	0.49
1:B:284:ASN:OD1	1:B:285:LEU:N	2.45	0.49
1:B:84:VAL:HG21	1:C:163:GLY:HA2	1.94	0.49
1:A:220:HIS:CD2	1:A:223:LEU:H	2.30	0.49
1:C:220:HIS:CD2	1:C:223:LEU:H	2.30	0.48
1:A:250:GLY:HA3	1:A:289:PHE:H	1.79	0.47
1:C:206:VAL:HG21	1:C:226:LEU:HD13	1.95	0.47
1:B:92:PHE:HB2	1:B:93:PRO:HD3	1.96	0.47
1:C:250:GLY:HA3	1:C:289:PHE:H	1.80	0.47
1:A:139:ARG:HH22	1:C:229:VAL:HG21	1.79	0.47
1:C:85:TRP:HE3	1:C:89:ASP:HB3	1.79	0.47
1:A:92:PHE:HB2	1:A:93:PRO:HD3	1.96	0.46
1:B:241:GLN:HE21	1:B:280:TYR:HB3	1.81	0.46
1:A:101:VAL:HG11	1:A:291:PHE:HE1	1.80	0.46
1:A:183:GLU:O	1:A:233:GLY:N	2.46	0.46
1:C:92:PHE:HB2	1:C:93:PRO:HD3	1.98	0.46
1:B:246:LEU:HG	1:B:251:GLY:HA3	1.97	0.45
1:A:37:GLN:HG3	1:A:342:PHE:CE1	2.50	0.45
1:B:212:THR:HA	1:B:215:LYS:HE3	1.99	0.45
1:C:57:THR:OG1	1:C:197:ARG:NH1	2.49	0.45
1:C:213:TYR:OH	1:C:224:HIS:ND1	2.39	0.45
1:A:29:VAL:HB	1:A:353:LEU:HD11	1.98	0.45
1:A:37:GLN:HG3	1:A:342:PHE:HE1	1.82	0.45
1:A:59:SER:HB3	1:A:197:ARG:HD2	1.99	0.44
1:A:284:ASN:OD1	1:A:285:LEU:N	2.51	0.44
1:A:175:SER:HB3	1:A:176:PRO:HD3	1.99	0.44
1:B:42:VAL:HA	1:B:45:ILE:HG22	2.00	0.44
1:B:34:ARG:HA	1:B:37:GLN:HG2	1.99	0.44
1:C:56:GLN:NE2	1:C:264:ASP:OD2	2.51	0.43
1:A:70:LYS:HD3	1:B:140:LYS:HG2	1.99	0.43
1:C:329:ILE:HB	1:C:330:PRO:HD3	2.00	0.43
1:B:220:HIS:CD2	1:B:223:LEU:H	2.31	0.43
1:A:151:PRO:HA	1:A:157:LYS:HA	2.00	0.43
1:B:165:CYS:HB3	1:B:166:PRO:HD3	2.01	0.43
1:C:175:SER:HB2	1:C:176:PRO:HD3	2.01	0.43
1:A:294:ALA:HB1	1:A:305:ARG:HD2	2.01	0.42
1:B:99:SER:HB3	1:B:314:ARG:HH21	1.83	0.42

Continued on next page...

Continued from previous page...

Atom-1	Atom-2	Interatomic distance (Å)	Clash overlap (Å)
1:B:220:HIS:HB3	1:B:224:HIS:H	1.84	0.42
1:B:329:ILE:HB	1:B:330:PRO:HD3	2.00	0.42
1:C:101:VAL:HG22	1:C:314:ARG:HB3	2.02	0.42
1:B:175:SER:HB2	1:B:176:PRO:HD3	2.02	0.42
1:B:226:LEU:HD21	1:B:271:LYS:HD3	2.00	0.42
1:B:244:ARG:HH21	1:B:244:ARG:HA	1.85	0.42
1:B:103:MET:HG3	1:B:310:VAL:HG13	2.02	0.42
1:B:101:VAL:HG11	1:B:291:PHE:HE1	1.85	0.42
1:C:42:VAL:HA	1:C:45:ILE:HG22	2.01	0.42
1:C:203:ARG:CZ	1:C:205:LEU:HD12	2.50	0.42
1:B:250:GLY:HA3	1:B:289:PHE:H	1.86	0.41
1:A:68:LYS:HE2	1:A:70:LYS:HZ1	1.86	0.41
1:A:120:ASN:HB3	1:A:142:GLN:HE22	1.86	0.41
1:A:57:THR:HG23	1:A:198:PHE:HZ	1.85	0.41
1:A:139:ARG:NH2	1:C:229:VAL:HG21	2.35	0.41
1:B:111:GLN:H	1:B:306:HIS:CE1	2.39	0.41
1:A:205:LEU:HD13	1:B:285:LEU:HG	2.04	0.40
1:B:229:VAL:HG21	1:C:139:ARG:NH2	2.36	0.40
1:A:103:MET:HG3	1:A:310:VAL:HG13	2.03	0.40
1:A:206:VAL:HG22	1:A:209:VAL:HG23	2.02	0.40
1:A:255:ILE:HG12	1:A:276:PHE:HD1	1.86	0.40

There are no symmetry-related clashes.

5.3 Torsion angles [i](#)

5.3.1 Protein backbone [i](#)

In the following table, the Percentiles column shows the percent Ramachandran outliers of the chain as a percentile score with respect to all PDB entries followed by that with respect to all EM entries.

The Analysed column shows the number of residues for which the backbone conformation was analysed, and the total number of residues.

Mol	Chain	Analysed	Favoured	Allowed	Outliers	Percentiles	
1	A	328/428 (77%)	326 (99%)	2 (1%)	0	100	100
1	B	328/428 (77%)	325 (99%)	3 (1%)	0	100	100
1	C	328/428 (77%)	324 (99%)	4 (1%)	0	100	100
All	All	984/1284 (77%)	975 (99%)	9 (1%)	0	100	100

There are no Ramachandran outliers to report.

5.3.2 Protein sidechains ⓘ

In the following table, the Percentiles column shows the percent sidechain outliers of the chain as a percentile score with respect to all PDB entries followed by that with respect to all EM entries.

The Analysed column shows the number of residues for which the sidechain conformation was analysed, and the total number of residues.

Mol	Chain	Analysed	Rotameric	Outliers	Percentiles	
1	A	282/371 (76%)	279 (99%)	3 (1%)	70	83
1	B	282/371 (76%)	281 (100%)	1 (0%)	89	94
1	C	282/371 (76%)	277 (98%)	5 (2%)	54	70
All	All	846/1113 (76%)	837 (99%)	9 (1%)	69	83

All (9) residues with a non-rotameric sidechain are listed below:

Mol	Chain	Res	Type
1	A	61	LEU
1	A	117	CYS
1	A	200	VAL
1	B	200	VAL
1	C	61	LEU
1	C	87	VAL
1	C	117	CYS
1	C	200	VAL
1	C	260	GLU

Sometimes sidechains can be flipped to improve hydrogen bonding and reduce clashes. All (18) such sidechains are listed below:

Mol	Chain	Res	Type
1	A	83	GLN
1	A	114	GLN
1	A	191	ASN
1	A	220	HIS
1	A	241	GLN
1	A	290	ASN
1	B	37	GLN
1	B	56	GLN
1	B	83	GLN

Continued on next page...

Continued from previous page...

Mol	Chain	Res	Type
1	B	114	GLN
1	B	191	ASN
1	B	220	HIS
1	B	241	GLN
1	C	83	GLN
1	C	114	GLN
1	C	191	ASN
1	C	220	HIS
1	C	277	HIS

5.3.3 RNA [i](#)

There are no RNA molecules in this entry.

5.4 Non-standard residues in protein, DNA, RNA chains [i](#)

There are no non-standard protein/DNA/RNA residues in this entry.

5.5 Carbohydrates [i](#)

There are no oligosaccharides in this entry.

5.6 Ligand geometry [i](#)

Of 16 ligands modelled in this entry, 4 are monoatomic - leaving 12 for Mogul analysis.

In the following table, the Counts columns list the number of bonds (or angles) for which Mogul statistics could be retrieved, the number of bonds (or angles) that are observed in the model and the number of bonds (or angles) that are defined in the Chemical Component Dictionary. The Link column lists molecule types, if any, to which the group is linked. The Z score for a bond length (or angle) is the number of standard deviations the observed value is removed from the expected value. A bond length (or angle) with $|Z| > 2$ is considered an outlier worth inspection. RMSZ is the root-mean-square of all Z scores of the bond lengths (or angles).

Mol	Type	Chain	Res	Link	Bond lengths			Bond angles		
					Counts	RMSZ	$\# Z > 2$	Counts	RMSZ	$\# Z > 2$
2	ATP	C	502	4	26,33,33	0.89	1 (3%)	31,52,52	1.51	6 (19%)
3	NAG	C	505	1	14,14,15	0.32	0	17,19,21	0.42	0
3	NAG	B	504	1	14,14,15	0.21	0	17,19,21	0.43	0
3	NAG	B	503	1	14,14,15	0.22	0	17,19,21	0.43	0
3	NAG	C	504	1	14,14,15	0.20	0	17,19,21	0.43	0

Mol	Type	Chain	Res	Link	Bond lengths			Bond angles		
					Counts	RMSZ	# Z > 2	Counts	RMSZ	# Z > 2
3	NAG	A	503	1	14,14,15	0.22	0	17,19,21	0.42	0
3	NAG	A	502	1	14,14,15	0.22	0	17,19,21	0.45	0
3	NAG	A	504	1	14,14,15	0.32	0	17,19,21	0.40	0
2	ATP	B	502	4	26,33,33	0.89	1 (3%)	31,52,52	1.52	6 (19%)
3	NAG	C	503	1	14,14,15	0.22	0	17,19,21	0.46	0
3	NAG	B	505	1	14,14,15	0.33	0	17,19,21	0.40	0
2	ATP	A	501	4	26,33,33	0.89	1 (3%)	31,52,52	1.52	6 (19%)

In the following table, the Chirals column lists the number of chiral outliers, the number of chiral centers analysed, the number of these observed in the model and the number defined in the Chemical Component Dictionary. Similar counts are reported in the Torsion and Rings columns. '-' means no outliers of that kind were identified.

Mol	Type	Chain	Res	Link	Chirals	Torsions	Rings
2	ATP	C	502	4	-	5/18/38/38	0/3/3/3
3	NAG	C	505	1	-	2/6/23/26	0/1/1/1
3	NAG	B	504	1	-	1/6/23/26	0/1/1/1
3	NAG	B	503	1	-	2/6/23/26	0/1/1/1
3	NAG	C	504	1	-	1/6/23/26	0/1/1/1
3	NAG	A	503	1	-	1/6/23/26	0/1/1/1
3	NAG	A	502	1	-	1/6/23/26	0/1/1/1
3	NAG	A	504	1	-	2/6/23/26	0/1/1/1
2	ATP	B	502	4	-	4/18/38/38	0/3/3/3
3	NAG	C	503	1	-	1/6/23/26	0/1/1/1
3	NAG	B	505	1	-	2/6/23/26	0/1/1/1
2	ATP	A	501	4	-	5/18/38/38	0/3/3/3

All (3) bond length outliers are listed below:

Mol	Chain	Res	Type	Atoms	Z	Observed(Å)	Ideal(Å)
2	A	501	ATP	C5-C4	2.36	1.47	1.40
2	B	502	ATP	C5-C4	2.36	1.47	1.40
2	C	502	ATP	C5-C4	2.33	1.47	1.40

All (18) bond angle outliers are listed below:

Mol	Chain	Res	Type	Atoms	Z	Observed(°)	Ideal(°)
2	A	501	ATP	N3-C2-N1	-3.55	123.13	128.68
2	B	502	ATP	N3-C2-N1	-3.51	123.19	128.68
2	C	502	ATP	N3-C2-N1	-3.50	123.21	128.68

Continued on next page...

Continued from previous page...

Mol	Chain	Res	Type	Atoms	Z	Observed(°)	Ideal(°)
2	B	502	ATP	C3'-C2'-C1'	3.03	105.55	100.98
2	C	502	ATP	PA-O3A-PB	-3.02	122.45	132.83
2	B	502	ATP	PA-O3A-PB	-3.01	122.50	132.83
2	A	501	ATP	C3'-C2'-C1'	2.97	105.46	100.98
2	C	502	ATP	C3'-C2'-C1'	2.97	105.45	100.98
2	B	502	ATP	PB-O3B-PG	-2.85	123.04	132.83
2	A	501	ATP	PA-O3A-PB	-2.83	123.13	132.83
2	B	502	ATP	C4-C5-N7	-2.79	106.49	109.40
2	C	502	ATP	PB-O3B-PG	-2.79	123.24	132.83
2	A	501	ATP	C4-C5-N7	-2.79	106.49	109.40
2	C	502	ATP	C4-C5-N7	-2.74	106.54	109.40
2	A	501	ATP	PB-O3B-PG	-2.65	123.72	132.83
2	A	501	ATP	C2-N1-C6	2.21	122.53	118.75
2	C	502	ATP	C2-N1-C6	2.14	122.42	118.75
2	B	502	ATP	C2-N1-C6	2.12	122.37	118.75

There are no chirality outliers.

All (27) torsion outliers are listed below:

Mol	Chain	Res	Type	Atoms
2	A	501	ATP	C5'-O5'-PA-O2A
2	B	502	ATP	C5'-O5'-PA-O2A
2	C	502	ATP	C5'-O5'-PA-O2A
3	B	503	NAG	C4-C5-C6-O6
3	B	503	NAG	O5-C5-C6-O6
3	A	504	NAG	C4-C5-C6-O6
3	B	505	NAG	C4-C5-C6-O6
3	C	505	NAG	C4-C5-C6-O6
3	A	504	NAG	O5-C5-C6-O6
3	B	505	NAG	O5-C5-C6-O6
3	C	505	NAG	O5-C5-C6-O6
3	A	503	NAG	O5-C5-C6-O6
3	C	504	NAG	O5-C5-C6-O6
3	A	502	NAG	O5-C5-C6-O6
3	C	503	NAG	O5-C5-C6-O6
3	B	504	NAG	O5-C5-C6-O6
2	A	501	ATP	C5'-O5'-PA-O3A
2	B	502	ATP	C5'-O5'-PA-O3A
2	C	502	ATP	C5'-O5'-PA-O3A
2	A	501	ATP	PB-O3A-PA-O2A
2	A	501	ATP	C5'-O5'-PA-O1A
2	B	502	ATP	C5'-O5'-PA-O1A

Continued on next page...

Continued from previous page...


Mol	Chain	Res	Type	Atoms
2	C	502	ATP	C5'-O5'-PA-O1A
2	B	502	ATP	PB-O3A-PA-O2A
2	C	502	ATP	PG-O3B-PB-O1B
2	A	501	ATP	PB-O3A-PA-O1A
2	C	502	ATP	PB-O3A-PA-O1A

There are no ring outliers.


No monomer is involved in short contacts.

The following is a two-dimensional graphical depiction of Mogul quality analysis of bond lengths, bond angles, torsion angles, and ring geometry for all instances of the Ligand of Interest. In addition, ligands with molecular weight > 250 and outliers as shown on the validation Tables will also be included. For torsion angles, if less than 5% of the Mogul distribution of torsion angles is within 10 degrees of the torsion angle in question, then that torsion angle is considered an outlier. Any bond that is central to one or more torsion angles identified as an outlier by Mogul will be highlighted in the graph. For rings, the root-mean-square deviation (RMSD) between the ring in question and similar rings identified by Mogul is calculated over all ring torsion angles. If the average RMSD is greater than 60 degrees and the minimal RMSD between the ring in question and any Mogul-identified rings is also greater than 60 degrees, then that ring is considered an outlier. The outliers are highlighted in purple. The color gray indicates Mogul did not find sufficient equivalents in the CSD to analyse the geometry.


Ligand ATP C 502




Bond lengths



Bond angles




Torsions




Rings


Ligand NAG C 505




Bond lengths





Bond angles







Torsions




Rings









Ligand ATP B 502




Bond lengths



Bond angles




Torsions




Rings


Ligand NAG C 503




Bond lengths





Bond angles



Torsions



Rings



5.7 Other polymers

There are no such residues in this entry.

5.8 Polymer linkage issues

There are no chain breaks in this entry.