

# Full wwPDB EM Validation Report (i)

Jul 16, 2025 – 02:18 AM JST

PDB ID : 8ZXP / pdb 00008zxp

EMDB ID : EMD-60548

Title : Cryo-EM structure of TmaT-TMA complexes

Authors : Chao, G. Deposited on : 2024-06-14

Resolution : 3.09 Å(reported)

This is a Full wwPDB EM Validation Report for a publicly released PDB entry.

We welcome your comments at *validation@mail.wwpdb.org*A user guide is available at

<a href="https://www.wwpdb.org/validation/2017/EMValidationReportHelp">https://www.wwpdb.org/validation/2017/EMValidationReportHelp</a>
with specific help available everywhere you see the (i) symbol.

The types of validation reports are described at http://www.wwpdb.org/validation/2017/FAQs#types.

The following versions of software and data (see references (1)) were used in the production of this report:

EMDB validation analysis : FAILED

Mogul : 1.8.5 (274361), CSD as541be (2020)

MolProbity : 4-5-2 with Phenix2.0rc1

buster-report : 1.1.7 (2018)

Percentile statistics : 20231227.v01 (using entries in the PDB archive December 27th 2023)

MapQ : FAILED

Ideal geometry (proteins) : Engh & Huber (2001) Ideal geometry (DNA, RNA) : Parkinson et al. (1996)


Validation Pipeline (wwPDB-VP) : 2.44

# 1 Overall quality at a glance (i)

The following experimental techniques were used to determine the structure:  $ELECTRON\ MICROSCOPY$ 

The reported resolution of this entry is 3.09 Å.

Percentile scores (ranging between 0-100) for global validation metrics of the entry are shown in the following graphic. The table shows the number of entries on which the scores are based.



Metric	Whole archive $(\# \mathrm{Entries})$	${ m EM\ structures} \ (\#{ m Entries})$
Clashscore	210492	15764
Ramachandran outliers	207382	16835
Sidechain outliers	206894	16415

The table below summarises the geometric issues observed across the polymeric chains and their fit to the map. The red, orange, yellow and green segments of the bar indicate the fraction of residues that contain outliers for >=3, 2, 1 and 0 types of geometric quality criteria respectively. A grey segment represents the fraction of residues that are not modelled. The numeric value for each fraction is indicated below the corresponding segment, with a dot representing fractions <=5%

Mol	Chain	Length	Quality of chain		
1	A	539	81%	11%	8%
1	В	539	79%	13%	8%
1	С	539	78%	14%	8%



# 2 Entry composition (i)

There are 2 unique types of molecules in this entry. The entry contains 11586 atoms, of which 0 are hydrogens and 0 are deuteriums.

In the tables below, the AltConf column contains the number of residues with at least one atom in alternate conformation and the Trace column contains the number of residues modelled with at most 2 atoms.

• Molecule 1 is a protein called Trimethylamine transporter.

Mol	Chain	Residues	Atoms				AltConf	Trace	
1	٨	494	Total	С	N	О	S	0	0
1	А	494	3858	2599	592	651	16	0	0
1	В	494	Total	С	N	О	S	0	0
1	Б	494	3858	2599	592	651	16	0	U
1	С	494	Total	С	N	О	S	0	0
1	C	494	3858	2599	592	651	16	0	0


There are 30 discrepancies between the modelled and reference sequences:

Chain	Residue	Modelled	Actual	Comment	Reference
A	530	HIS	ricudar		UNP A0A0B5RUB0
			-	expression tag	
A	531	HIS	-	expression tag	UNP A0A0B5RUB0
A	532	HIS	-	expression tag	UNP A0A0B5RUB0
A	533	HIS	-	expression tag	UNP A0A0B5RUB0
A	534	HIS	-	expression tag	UNP A0A0B5RUB0
A	535	HIS	-	expression tag	UNP A0A0B5RUB0
A	536	HIS	-	expression tag	UNP A0A0B5RUB0
A	537	HIS	-	expression tag	UNP A0A0B5RUB0
A	538	HIS	-	expression tag	UNP A0A0B5RUB0
A	539	HIS	-	expression tag	UNP A0A0B5RUB0
В	530	HIS	-	expression tag	UNP A0A0B5RUB0
В	531	HIS	-	expression tag	UNP A0A0B5RUB0
В	532	HIS	-	expression tag	UNP A0A0B5RUB0
В	533	HIS	-	expression tag	UNP A0A0B5RUB0
В	534	HIS	-	expression tag	UNP A0A0B5RUB0
В	535	HIS	-	expression tag	UNP A0A0B5RUB0
В	536	HIS	-	expression tag	UNP A0A0B5RUB0
В	537	HIS	_	expression tag	UNP A0A0B5RUB0
В	538	HIS	-	expression tag	UNP A0A0B5RUB0
В	539	HIS	-	expression tag	UNP A0A0B5RUB0
С	530	HIS	-	expression tag	UNP A0A0B5RUB0
С	531	HIS	-	expression tag	UNP A0A0B5RUB0
С	532	HIS	-	expression tag	UNP A0A0B5RUB0
С	533	HIS	-	expression tag	UNP A0A0B5RUB0
				0	tinued on next nage



Chain	Residue	Modelled	Actual	Comment	Reference
С	534	HIS	-	expression tag	UNP A0A0B5RUB0
С	535	HIS	-	1 0	UNP A0A0B5RUB0
С	536	HIS	-	expression tag	UNP A0A0B5RUB0
С	537	HIS	-	expression tag	UNP A0A0B5RUB0
С	538	HIS	-	expression tag	UNP A0A0B5RUB0
С	539	HIS	-	expression tag	UNP A0A0B5RUB0

• Molecule 2 is N,N-dimethylmethanamine (CCD ID: KEN) (formula:  $C_3H_9N$ ) (labeled as "Ligand of Interest" by depositor).




Mol	Chain	Residues	${f Atoms}$	AltConf
2	A	1	Total C N 4 3 1	0
2	В	1	Total C N 4 3 1	0
2	С	1	Total C N 4 3 1	0



# 3 Residue-property plots (i)

These plots are drawn for all protein, RNA, DNA and oligosaccharide chains in the entry. The first graphic for a chain summarises the proportions of the various outlier classes displayed in the second graphic. The second graphic shows the sequence view annotated by issues in geometry. Residues are color-coded according to the number of geometric quality criteria for which they contain at least one outlier: green = 0, yellow = 1, orange = 2 and red = 3 or more. Stretches of 2 or more consecutive residues without any outlier are shown as a green connector. Residues present in the sample, but not in the model, are shown in grey.

• Molecule 1: Trimethylamine transporter









# 4 Experimental information (i)

Property	Value	Source
EM reconstruction method	SINGLE PARTICLE	Depositor
Imposed symmetry	POINT, Not provided	
Number of particles used	148358	Depositor
Resolution determination method	FSC 0.143 CUT-OFF	Depositor
CTF correction method	PHASE FLIPPING AND AMPLITUDE	Depositor
	CORRECTION	
Microscope	FEI TITAN KRIOS	Depositor
Voltage (kV)	300	Depositor
Electron dose $(e^-/\text{Å}^2)$	50.23	Depositor
Minimum defocus (nm)	1500	Depositor
Maximum defocus (nm)	2500	Depositor
Magnification	Not provided	
Image detector	GATAN K3 (6k x 4k)	Depositor



## 5 Model quality (i)

### 5.1 Standard geometry (i)

Bond lengths and bond angles in the following residue types are not validated in this section: KEN

The Z score for a bond length (or angle) is the number of standard deviations the observed value is removed from the expected value. A bond length (or angle) with |Z| > 5 is considered an outlier worth inspection. RMSZ is the root-mean-square of all Z scores of the bond lengths (or angles).

Mal	Chain	Bond	lengths	Bond angles		
Mol   C	Chain	RMSZ	# Z  > 5	RMSZ	# Z  > 5	
1	A	0.24	0/3977	0.58	0/5428	
1	В	0.24	0/3977	0.60	3/5428 (0.1%)	
1	С	0.22	0/3977	0.56	4/5428 (0.1%)	
All	All	0.23	0/11931	0.58	7/16284 (0.0%)	

There are no bond length outliers.

All (7) bond angle outliers are listed below:

Mol	Chain	Res	Type	Atoms	$\mathbf{Z}$	$\mathbf{Observed}(^o)$	$Ideal(^{o})$
1	В	445	TRP	N-CA-C	-6.18	107.58	114.62
1	С	106	GLY	CA-C-N	5.84	132.21	121.70
1	С	106	GLY	C-N-CA	5.84	132.21	121.70
1	С	441	GLU	CA-C-N	5.70	131.96	121.70
1	С	441	GLU	C-N-CA	5.70	131.96	121.70
1	В	256	GLY	CA-C-N	5.58	131.74	121.70
1	В	256	GLY	C-N-CA	5.58	131.74	121.70

There are no chirality outliers.

There are no planarity outliers.

### 5.2 Too-close contacts (i)

In the following table, the Non-H and H(model) columns list the number of non-hydrogen atoms and hydrogen atoms in the chain respectively. The H(added) column lists the number of hydrogen atoms added and optimized by MolProbity. The Clashes column lists the number of clashes within the asymmetric unit, whereas Symm-Clashes lists symmetry-related clashes.

$\mathbf{M}$	ol	Chain	Non-H	H(model)	H(added)	Clashes	Symm-Clashes
1	-	A	3858	0	3909	34	0



Mol	Chain	Non-H	H(model)	H(added)	Clashes	Symm-Clashes
1	В	3858	0	3909	41	0
1	С	3858	0	3909	40	0
2	A	4	0	7	0	0
2	В	4	0	9	0	0
2	С	4	0	9	0	0
All	All	11586	0	11752	110	0

The all-atom clashscore is defined as the number of clashes found per 1000 atoms (including hydrogen atoms). The all-atom clashscore for this structure is 5.

All (110) close contacts within the same asymmetric unit are listed below, sorted by their clash magnitude.

Atom-1	Atom-2	Interatomic	Clash
Atom-1	Atom-2	$\operatorname{distance}\left(\mathrm{\AA}\right)$	overlap (Å)
1:C:107:ILE:HD11	1:C:420:PHE:HB3	1.67	0.77
1:A:202:THR:HG23	1:A:332:PHE:HB2	1.81	0.62
1:C:93:LYS:HB2	1:C:344:ARG:HH12	1.65	0.61
1:C:157:VAL:HG21	1:C:330:SER:HB3	1.82	0.61
1:A:444:VAL:HG22	1:A:447:ARG:HG3	1.82	0.61
1:C:313:GLY:O	1:C:316:ASN:ND2	2.34	0.61
1:A:157:VAL:HG21	1:A:330:SER:HB3	1.83	0.61
1:B:114:ILE:HD12	1:B:395:LEU:HA	1.84	0.60
1:C:17:VAL:HG21	1:C:195:ASP:HB3	1.84	0.60
1:C:345:THR:HB	1:C:348:GLU:HB3	1.87	0.57
1:C:75:SER:OG	1:C:76:LYS:N	2.38	0.56
1:A:109:ILE:O	1:A:113:SER:HB3	2.05	0.56
1:B:251:SER:OG	1:B:252:GLY:N	2.39	0.56
1:A:75:SER:OG	1:A:76:LYS:N	2.39	0.55
1:C:160:ALA:HB1	1:C:177:LEU:HD21	1.86	0.55
1:B:149:HIS:HE2	1:B:303:SER:HG	1.54	0.55
1:A:93:LYS:HB2	1:A:344:ARG:HH12	1.71	0.55
1:C:72:LEU:HD12	1:C:156:MET:HE1	1.89	0.55
1:B:191:GLY:HA2	1:B:194:ILE:HD12	1.89	0.55
1:B:345:THR:HB	1:B:348:GLU:HB3	1.90	0.54
1:C:278:LEU:HD13	1:C:403:PRO:HG2	1.89	0.54
1:B:219:ALA:HB1	1:B:393:THR:HG22	1.88	0.53
1:A:332:PHE:HA	1:A:430:VAL:HG11	1.88	0.53
1:B:481:PHE:HA	1:B:484:ILE:HB	1.89	0.53
1:B:75:SER:OG	1:B:76:LYS:N	2.40	0.53
1:A:481:PHE:HA	1:A:484:ILE:HB	1.90	0.53
1:C:481:PHE:HA	1:C:484:ILE:HB	1.90	0.53
1:C:390:ASP:N	1:C:390:ASP:OD1	2.41	0.52



Continued from previ		Interatomic	Clash
Atom-1	Atom-2	${ m distance}({ m \AA})$	overlap (Å)
1:A:149:HIS:NE2	1:A:303:SER:OG	2.42	0.52
1:C:149:HIS:HE2	1:C:303:SER:HG	1.55	0.52
1:B:17:VAL:HG23	1:B:192:HIS:HD2	1.75	0.51
1:C:93:LYS:HA	1:C:96:TRP:HB3	1.92	0.51
1:B:173:THR:HG22	1:B:175:ARG:H	1.75	0.51
1:B:159:LEU:HD11	1:B:346:VAL:HG22	1.92	0.51
1:B:178:PHE:HE2	1:B:194:ILE:HG21	1.75	0.51
1:C:428:SER:HG	1:C:451:SER:HG	1.58	0.50
1:B:180:PRO:HB2	1:B:494:LYS:HD3	1.94	0.50
1:B:208:THR:HA	1:B:470:LEU:HD22	1.95	0.49
1:B:444:VAL:HG22	1:B:447:ARG:HD3	1.94	0.49
1:A:29:ILE:HD12	1:A:460:VAL:HG21	1.95	0.49
1:B:157:VAL:HG21	1:B:330:SER:HB3	1.95	0.49
1:A:180:PRO:HB2	1:A:494:LYS:HD3	1.95	0.49
1:A:390:ASP:N	1:A:390:ASP:OD1	2.44	0.49
1:C:109:ILE:O	1:C:364:TRP:NE1	2.46	0.48
1:C:219:ALA:HB1	1:C:393:THR:HG22	1.96	0.48
1:B:160:ALA:HB2	1:B:492:LEU:HD22	1.96	0.48
1:C:248:SER:OG	1:C:255:LYS:O	2.30	0.47
1:B:107:ILE:HD12	1:B:419:PHE:HB3	1.96	0.47
1:B:208:THR:HG23	1:B:470:LEU:HB3	1.96	0.47
1:B:17:VAL:HG23	1:B:192:HIS:CD2	2.49	0.47
1:C:30:LEU:HA	1:C:33:VAL:HG12	1.97	0.47
1:C:305:TRP:O	1:C:315:GLN:NE2	2.48	0.47
1:C:332:PHE:HA	1:C:430:VAL:HG11	1.96	0.47
1:A:103:THR:O	1:A:103:THR:OG1	2.30	0.47
1:B:218:THR:HG23	1:B:229:ILE:HG13	1.98	0.46
1:A:93:LYS:HA	1:A:96:TRP:HB3	1.97	0.46
1:A:345:THR:HB	1:A:348:GLU:HB3	1.97	0.46
1:B:274:LEU:HD23	1:B:408:LEU:HD21	1.97	0.46
1:B:35:PHE:HB3	1:B:38:LYS:HB3	1.98	0.46
1:A:95:SER:OG	1:A:258:LYS:NZ	2.45	0.45
1:B:149:HIS:NE2	1:B:303:SER:OG	2.44	0.45
1:B:214:VAL:HG11	1:B:238:ILE:HD11	1.98	0.45
1:A:72:LEU:HD12	1:A:156:MET:HE1	1.97	0.45
1:C:268:ALA:HB2	1:C:415:LEU:HD11	1.99	0.45
1:A:191:GLY:HA2	1:A:194:ILE:HD12	1.98	0.45
1:B:305:TRP:O	1:B:315:GLN:NE2	2.48	0.45
1:C:107:ILE:HG22	1:C:110:MET:HB2	1.99	0.45
1:B:69:ALA:HA	1:B:156:MET:HE2	1.98	0.44
1:B:47:GLN:O	1:B:51:THR:HG22	2.18	0.44



Continued from prev		Interatomic	Clash
Atom-1	Atom-2	${\rm distance}\ ({\rm \AA})$	overlap (Å)
1:C:191:GLY:HA2	1:C:194:ILE:HD12	2.00	0.44
1:A:217:ILE:HG23	1:A:413:ILE:HG23	2.00	0.43
1:C:337:ILE:HA	1:C:340:ILE:HB	1.99	0.43
1:B:106:GLY:HA3	1:B:107:ILE:HD13	2.01	0.43
1:A:20:THR:HG23	1:A:196:ILE:HD11	2.01	0.43
1:B:268:ALA:HB2	1:B:415:LEU:HD11	2.01	0.43
1:C:111:PHE:HD1	1:C:216:GLN:HB2	1.84	0.43
1:C:157:VAL:HG12	1:C:334:GLY:HA3	2.00	0.43
1:A:56:TRP:HB3	1:B:286:LYS:HG2	1.99	0.43
1:B:72:LEU:HD22	1:B:156:MET:HE1	2.01	0.43
1:C:160:ALA:HB2	1:C:492:LEU:HD22	2.01	0.43
1:C:33:VAL:HG13	1:C:34:LEU:HD23	2.01	0.42
1:A:74:PHE:HE2	1:A:351:LEU:HD21	1.84	0.42
1:A:160:ALA:HB2	1:A:492:LEU:HD22	2.02	0.42
1:A:468:ASP:O	1:A:472:THR:HG23	2.20	0.42
1:A:446:GLN:HA	1:A:449:PHE:HB3	2.01	0.42
1:B:56:TRP:HB3	1:C:286:LYS:HG2	2.01	0.42
1:A:208:THR:HG23	1:A:470:LEU:HB3	2.00	0.42
1:A:114:ILE:HD11	1:A:368:PHE:HD2	1.85	0.41
1:A:286:LYS:HG2	1:C:56:TRP:HB3	2.01	0.41
1:B:11:LEU:HD23	1:B:11:LEU:HA	1.91	0.41
1:B:332:PHE:HA	1:B:430:VAL:HG11	2.01	0.41
1:A:247:ILE:HD13	1:A:247:ILE:HA	1.93	0.41
1:B:72:LEU:HD11	1:B:496:LEU:HD12	2.02	0.41
1:B:192:HIS:O	1:B:196:ILE:HG12	2.20	0.41
1:A:300:ILE:HB	1:B:297:ALA:HB2	2.02	0.41
1:B:80:ILE:HG12	1:B:500:LEU:HD13	2.03	0.41
1:C:438:SER:OG	1:C:439:ASN:N	2.53	0.41
1:A:165:GLY:HA3	1:A:172:MET:HG3	2.01	0.41
1:B:114:ILE:HD11	1:B:368:PHE:HD2	1.85	0.41
1:C:114:ILE:HD11	1:C:368:PHE:HD2	1.86	0.41
1:A:268:ALA:HB2	1:A:415:LEU:HD11	2.03	0.41
1:C:173:THR:HG23	1:C:434:ILE:HD13	2.03	0.41
1:C:462:LEU:HD21	1:C:470:LEU:HD11	2.02	0.41
1:C:178:PHE:HE2	1:C:194:ILE:HG21	1.85	0.41
1:B:344:ARG:HA	1:B:344:ARG:HD3	1.91	0.40
1:A:278:LEU:HD13	1:A:403:PRO:HG2	2.02	0.40
1:C:432:ASP:O	1:C:436:SER:HB3	2.21	0.40
1:A:287:GLY:HA2	1:C:308:THR:HG21	2.03	0.40
1:C:500:LEU:HD12	1:C:500:LEU:HA	1.94	0.40
1:C:444:VAL:HG13	1:C:447:ARG:HD3	2.03	0.40



There are no symmetry-related clashes.

### 5.3 Torsion angles (i)

#### 5.3.1 Protein backbone (i)

In the following table, the Percentiles column shows the percent Ramachandran outliers of the chain as a percentile score with respect to all PDB entries followed by that with respect to all EM entries.

The Analysed column shows the number of residues for which the backbone conformation was analysed, and the total number of residues.

Mol	Chain	Analysed	Favoured	Allowed	Outliers	Perce	ntiles
1	A	492/539~(91%)	462 (94%)	30 (6%)	0	100	100
1	В	492/539 (91%)	472 (96%)	20 (4%)	0	100	100
1	С	492/539 (91%)	465 (94%)	27 (6%)	0	100	100
All	All	1476/1617 (91%)	1399 (95%)	77 (5%)	0	100	100

There are no Ramachandran outliers to report.

#### 5.3.2 Protein sidechains (i)

In the following table, the Percentiles column shows the percent sidechain outliers of the chain as a percentile score with respect to all PDB entries followed by that with respect to all EM entries.

The Analysed column shows the number of residues for which the sidechain conformation was analysed, and the total number of residues.

Mol	Chain	Analysed	d   Rotameric   Out		Percentiles
1	A	407/450 (90%)	405 (100%)	2 (0%)	86 92
1	В	407/450 (90%)	406 (100%)	1 (0%)	92 96
1	С	407/450 (90%)	405 (100%)	2 (0%)	86 92
All	All	1221/1350 (90%)	1216 (100%)	5 (0%)	88 94

All (5) residues with a non-rotameric sidechain are listed below:

Mol	Chain	Res	Type
1	A	308	THR
1	A	481	PHE



Mol	Chain	Res	Type
1	В	420	PHE
1	С	140	GLN
1	С	281	THR

Sometimes sidechains can be flipped to improve hydrogen bonding and reduce clashes. All (9) such sidechains are listed below:

Mol	Chain	Res	Type
1	A	216	GLN
1	A	298	ASN
1	В	14	ASN
1	В	298	ASN
1	В	401	ASN
1	В	439	ASN
1	С	192	HIS
1	С	216	GLN
1	С	298	ASN

#### 5.3.3 RNA (i)

There are no RNA molecules in this entry.

### 5.4 Non-standard residues in protein, DNA, RNA chains i

There are no non-standard protein/DNA/RNA residues in this entry.

### 5.5 Carbohydrates (i)

There are no oligosaccharides in this entry.

### 5.6 Ligand geometry (i)

3 ligands are modelled in this entry.

In the following table, the Counts columns list the number of bonds (or angles) for which Mogul statistics could be retrieved, the number of bonds (or angles) that are observed in the model and the number of bonds (or angles) that are defined in the Chemical Component Dictionary. The Link column lists molecule types, if any, to which the group is linked. The Z score for a bond length (or angle) is the number of standard deviations the observed value is removed from the expected value. A bond length (or angle) with |Z| > 2 is considered an outlier worth inspection. RMSZ is the root-mean-square of all Z scores of the bond lengths (or angles).



Mol Type Chain R		Res	Link	Bond lengths		В	ond ang	gles		
MIOI	туре	Chain	nes	LIIIK	Counts	RMSZ	# Z  > 2	Counts	RMSZ	# Z  > 2
2	KEN	A	601	-	3,3,3	0.18	0	3,3,3	0.55	0
2	KEN	В	601	-	3,3,3	0.09	0	3,3,3	0.64	0
2	KEN	С	601	-	3,3,3	0.10	0	3,3,3	0.72	0

There are no bond length outliers.

There are no bond angle outliers.

There are no chirality outliers.


There are no torsion outliers.

There are no ring outliers.


No monomer is involved in short contacts.

The following is a two-dimensional graphical depiction of Mogul quality analysis of bond lengths, bond angles, torsion angles, and ring geometry for all instances of the Ligand of Interest. In addition, ligands with molecular weight > 250 and outliers as shown on the validation Tables will also be included. For torsion angles, if less then 5% of the Mogul distribution of torsion angles is within 10 degrees of the torsion angle in question, then that torsion angle is considered an outlier. Any bond that is central to one or more torsion angles identified as an outlier by Mogul will be highlighted in the graph. For rings, the root-mean-square deviation (RMSD) between the ring in question and similar rings identified by Mogul is calculated over all ring torsion angles. If the average RMSD is greater than 60 degrees and the minimal RMSD between the ring in question and any Mogul-identified rings is also greater than 60 degrees, then that ring is considered an outlier. The outliers are highlighted in purple. The color gray indicates Mogul did not find sufficient equivalents in the CSD to analyse the geometry.














# 5.7 Other polymers (i)

There are no such residues in this entry.



## 5.8 Polymer linkage issues (i)

There are no chain breaks in this entry.

