

# Full wwPDB X-ray Structure Validation Report (i)

#### Mar 3, 2025 – 10:24 AM EST

PDB ID	:	9DTS
Title	:	Crystal structure of the human eIF4A1/AMPPNP/amidino-rocaglate/polypu
		rine RNA complex
Authors	:	Conley, J.F.; Allen, K.N.
Deposited on	:	2024-10-01
Resolution	:	1.69 Å(reported)

This is a Full wwPDB X-ray Structure Validation Report for a publicly released PDB entry.

We welcome your comments at validation@mail.wwpdb.org A user guide is available at https://www.wwpdb.org/validation/2017/XrayValidationReportHelp with specific help available everywhere you see the (i) symbol.

The types of validation reports are described at http://www.wwpdb.org/validation/2017/FAQs#types.

The following versions of software and data (see references (1)) were used in the production of this report:

MolProbity	:	4.02b-467
Mogul	:	2022.3.0, CSD as543be (2022)
Xtriage (Phenix)	:	1.21
$\mathrm{EDS}$	:	3.0
buster-report	:	1.1.7(2018)
Percentile statistics	:	20231227.v01 (using entries in the PDB archive December 27th 2023)
CCP4	:	9.0.004 (Gargrove)
Density-Fitness	:	1.0.11
Ideal geometry (proteins)	:	Engh & Huber (2001)
Ideal geometry (DNA, RNA)	:	Parkinson et al. (1996)
Validation Pipeline (wwPDB-VP)	:	2.41.4

# 1 Overall quality at a glance (i)

The following experimental techniques were used to determine the structure:  $X\text{-}RAY \, DIFFRACTION$ 

The reported resolution of this entry is 1.69 Å.

Percentile scores (ranging between 0-100) for global validation metrics of the entry are shown in the following graphic. The table shows the number of entries on which the scores are based.



Metric	$egin{array}{c} { m Whole \ archive} \ (\#{ m Entries}) \end{array}$	${f Similar\ resolution}\ (\#{ m Entries,\ resolution\ range}({ m \AA}))$		
R <sub>free</sub>	164625	5161(1.70-1.70)		
Clashscore	180529	5671(1.70-1.70)		
Ramachandran outliers	177936	5594(1.70-1.70)		
Sidechain outliers	177891	5594(1.70-1.70)		
RSRZ outliers	164620	5159 (1.70-1.70)		
RNA backbone	3690	1037 (2.20-1.20)		

The table below summarises the geometric issues observed across the polymeric chains and their fit to the electron density. The red, orange, yellow and green segments of the lower bar indicate the fraction of residues that contain outliers for >=3, 2, 1 and 0 types of geometric quality criteria respectively. A grey segment represents the fraction of residues that are not modelled. The numeric value for each fraction is indicated below the corresponding segment, with a dot representing fractions <=5% The upper red bar (where present) indicates the fraction of residues that have poor fit to the electron density. The numeric value is given above the bar.

Mol	Chain	Length	Quality of chain	
1	А	388	8%	14% • •
1	В	388	82%	13% • •
1	С	388	6%	11% ••
1	D	388	21%	18% •••



Continue contraction contrac	Continued from previous page									
Mol	Chain	Length		Quality of chain						
	***	10	20%	_						
2	W	10	10%	50%		20%	20%	_		
			10%					_		
2	Х	10		50%	20%	10%	20%			
			10%							
2	Y	10		40%	30%	10%	20%			
			20%							
2	Z	10		40%	40%		20%			



#### $9 \mathrm{DTS}$

# 2 Entry composition (i)

There are 6 unique types of molecules in this entry. The entry contains 26889 atoms, of which 12860 are hydrogens and 0 are deuteriums.

In the tables below, the ZeroOcc column contains the number of atoms modelled with zero occupancy, the AltConf column contains the number of residues with at least one atom in alternate conformation and the Trace column contains the number of residues modelled with at most 2 atoms.

Mol	Chain	Residues			Atom	s			ZeroOcc	AltConf	Trace
1	1 Δ	270	Total	С	Η	Ν	0	$\mathbf{S}$	30	4	0
1	Л	510	6144	1922	3101	528	573	20	50	4	0
1	В	373	Total	С	Η	Ν	0	S	0	3	0
1	I D	575	6061	1898	3053	525	565	20	0		0
1	С	278	Total	С	Η	Ν	0	S	28	5	0
1	U	510	6166	1927	3114	531	574	20			0
1	1 D	274	Total	С	Н	Ν	0	S	0	3	0
		574	6075	1903	3060	526	566	20			0

• Molecule 1 is a protein called Eukaryotic initiation factor 4A-I.

There are 8 discrepancies between the modelled and reference sequences:

Chain	Residue	Modelled	Actual	Comment	Reference
А	19	SER	-	cloning artifact	UNP P60842
А	20	SER	-	cloning artifact	UNP P60842
В	19	SER	-	cloning artifact	UNP P60842
В	20	SER	-	cloning artifact	UNP P60842
С	19	SER	-	cloning artifact	UNP P60842
С	20	SER	-	cloning artifact	UNP P60842
D	19	SER	-	cloning artifact	UNP P60842
D	20	SER	-	cloning artifact	UNP P60842

• Molecule 2 is a RNA chain called RNA (5'-R(P\*AP\*GP\*AP\*GP\*AP\*GP\*AP\*G)-3').

Mol	Chain	Residues	Atoms						ZeroOcc	AltConf	Trace
9	W	0	Total	С	Η	Ν	Ο	Р	0	0	0
	vv	0	268	80	88	40	52	8	0	0	0
9	v	0	Total	С	Η	Ν	Ο	Р	0	0	0
	Λ	0	268	80	88	40	52	8	0		
9	V	8	Total	С	Η	Ν	Ο	Р	0	0	0
	2 Y		268	80	88	40	52	8	0		U
9	2 Z	Z 8	Total	С	Η	Ν	Ο	Р	0	0	0
			268	80	88	40	52	8	0	0	U



Mol	Chain	Residues	Atoms	ZeroOcc	AltConf
3	А	1	Total Mg 1 1	0	0
3	В	1	Total Mg 1 1	0	0
3	С	1	Total Mg 1 1	0	0
3	D	1	Total Mg 1 1	0	0

• Molecule 3 is MAGNESIUM ION (three-letter code: MG) (formula: Mg).

• Molecule 4 is PHOSPHOAMINOPHOSPHONIC ACID-ADENYLATE ESTER (three-letter code: ANP) (formula:  $C_{10}H_{17}N_6O_{12}P_3$ ).



Mol	Chain	Residues		Atoms						AltConf	
Λ Λ	1	Total	С	Η	Ν	Ο	Р	0	0		
4	4 A	L	43	10	12	6	12	3	0	0	
4	Р	1	Total	С	Η	Ν	Ο	Р	0	0	
4	4 B	1	43	10	12	6	12	3	0		
4	C	1	Total	С	Η	Ν	0	Р	0	0	
4	U	1	43	10	12	6	12	3	0	U	
4	4 D	D 1	Total	С	Η	Ν	Ο	Р	0	0	
4			43	10	12	6	12	3	0	0	

• Molecule 5 is (3aR,4R,5S,5aR,10bR)-3a-hydroxy-N,8,10-trimethoxy-5a-(4-methoxyphenyl)-N,2-dimethyl-5-phenyl-3a,4,5,5a-tetrahydro-1H-[1]benzofuro[3',2':1,5]cyclopenta[1,2-d]imida zole-4-carboxamide (three-letter code: A1BB1) (formula: C<sub>31</sub>H<sub>33</sub>N<sub>3</sub>O<sub>7</sub>) (labeled as "Ligand of Interest" by depositor).





Mol	Chain	Residues	Atoms					ZeroOcc	AltConf	
5	Л	1	Total	С	Η	Ν	Ο	0	0	
0	5 D	I	74	31	33	3	$\overline{7}$	0		
5	W	1	Total	С	Η	Ν	0	0	0	
0	VV G	1	74	31	33	3	$\overline{7}$	0		
5	v	1	Total	С	Η	Ν	0	0	0	
0	D A	1	74	31	33	3	$\overline{7}$	0		
5	V	1	Total	С	Η	Ν	0	0	0	
0	I		74	31	33	3	$\overline{7}$	0	0	

• Molecule 6 is water.

Mol	Chain	Residues	Atoms	ZeroOcc	AltConf
6	А	221	Total         O           221         221	0	0
6	В	220	Total O 220 220	0	0
6	С	215	Total O 215 215	0	0
6	D	155	Total O 155 155	0	0
6	W	28	TotalO2828	0	0
6	Х	22	TotalO2222	0	0
6	Y	21	TotalO2121	0	0
6	Ζ	17	Total         O           17         17	0	0



# 3 Residue-property plots (i)

These plots are drawn for all protein, RNA, DNA and oligosaccharide chains in the entry. The first graphic for a chain summarises the proportions of the various outlier classes displayed in the second graphic. The second graphic shows the sequence view annotated by issues in geometry and electron density. Residues are color-coded according to the number of geometric quality criteria for which they contain at least one outlier: green = 0, yellow = 1, orange = 2 and red = 3 or more. A red dot above a residue indicates a poor fit to the electron density (RSRZ > 2). Stretches of 2 or more consecutive residues without any outlier are shown as a green connector. Residues present in the sample, but not in the model, are shown in grey.



• Molecule 1: Eukaryotic initiation factor 4A-I





# 4 Data and refinement statistics (i)

Property	Value	Source
Space group	P 1	Depositor
Cell constants	66.11Å 87.31Å 93.16Å	Depositor
a, b, c, $\alpha$ , $\beta$ , $\gamma$	$95.22^{\circ}$ $105.29^{\circ}$ $108.35^{\circ}$	Depositor
$\mathbf{B}_{\mathrm{ascolution}}(\hat{\boldsymbol{\lambda}})$	40.68 - 1.69	Depositor
Resolution (A)	40.68 - 1.69	EDS
% Data completeness	96.0 (40.68-1.69)	Depositor
(in resolution range)	96.0(40.68-1.69)	EDS
$R_{merge}$	0.09	Depositor
$R_{sym}$	(Not available)	Depositor
$< I/\sigma(I) > 1$	$1.21 (at 1.69 \text{\AA})$	Xtriage
Refinement program	PHENIX 1.20.1_4487	Depositor
B B.	0.203 , $0.240$	Depositor
II, II free	0.203 , $0.240$	DCC
$R_{free}$ test set	207759 reflections $(0.99%)$	wwPDB-VP
Wilson B-factor $(Å^2)$	27.3	Xtriage
Anisotropy	0.313	Xtriage
Bulk solvent $k_{sol}(e/Å^3), B_{sol}(Å^2)$	0.42 , $42.1$	EDS
L-test for $twinning^2$	$ < L >=0.49, < L^2>=0.32$	Xtriage
Estimated twinning fraction	No twinning to report.	Xtriage
$F_o, F_c$ correlation	0.96	EDS
Total number of atoms	26889	wwPDB-VP
Average B, all atoms $(Å^2)$	43.0	wwPDB-VP

Xtriage's analysis on translational NCS is as follows: The largest off-origin peak in the Patterson function is 16.06% of the height of the origin peak. No significant pseudotranslation is detected.

<sup>&</sup>lt;sup>2</sup>Theoretical values of  $\langle |L| \rangle$ ,  $\langle L^2 \rangle$  for acentric reflections are 0.5, 0.333 respectively for untwinned datasets, and 0.375, 0.2 for perfectly twinned datasets.



<sup>&</sup>lt;sup>1</sup>Intensities estimated from amplitudes.

# 5 Model quality (i)

## 5.1 Standard geometry (i)

Bond lengths and bond angles in the following residue types are not validated in this section: MG, A1BB1, ANP

The Z score for a bond length (or angle) is the number of standard deviations the observed value is removed from the expected value. A bond length (or angle) with |Z| > 5 is considered an outlier worth inspection. RMSZ is the root-mean-square of all Z scores of the bond lengths (or angles).

Mal	Chain	Bo	nd lengths	Bond angles		
MOI	Moi Chain		# Z  > 5	RMSZ	# Z  > 5	
1	А	0.56	0/3105	0.74	0/4187	
1	В	0.61	1/3068~(0.0%)	0.78	2/4136~(0.0%)	
1	С	0.59	0/3117	0.76	0/4201	
1	D	0.51	0/3076	0.72	1/4148~(0.0%)	
2	W	1.04	0/203	1.48	3/316~(0.9%)	
2	Х	1.21	0/203	1.70	6/316~(1.9%)	
2	Y	1.03	0/203	1.34	2/316~(0.6%)	
2	Z	1.04	0/203	1.41	3/316~(0.9%)	
All	All	0.61	1/13178~(0.0%)	0.83	17/17936~(0.1%)	

Chiral center outliers are detected by calculating the chiral volume of a chiral center and verifying if the center is modelled as a planar moiety or with the opposite hand. A planarity outlier is detected by checking planarity of atoms in a peptide group, atoms in a mainchain group or atoms of a sidechain that are expected to be planar.

Mol	Chain	#Chirality outliers	<b>#Planarity outliers</b>
1	А	0	4
1	В	0	3
1	D	0	6
All	All	0	13

All (1) bond length outliers are listed below:

Mol	Chain	Res	Type	Atoms	Z	Observed(Å)	$\mathrm{Ideal}(\mathrm{\AA})$
1	В	134	CYS	CB-SG	-5.67	1.72	1.81

All (17) bond angle outliers are listed below:

Mol	Chain	Res	Type	Atoms	Z	$Observed(^{o})$	$Ideal(^{o})$
2	Х	4	G	O5'-P-OP1	-8.48	98.06	105.70



Mol	Chain	$\mathbf{Res}$	Type	Atoms	$\mathbf{Z}$	$\mathbf{Observed}(^{o})$	$Ideal(^{o})$
2	Ζ	2	G	N1-C6-O6	-7.06	115.67	119.90
2	W	6	G	C4-C5-N7	-6.68	108.13	110.80
2	Х	6	G	N1-C6-O6	5.96	123.48	119.90
2	W	6	G	C5-N7-C8	5.91	107.25	104.30
2	W	4	G	O5'-P-OP1	-5.71	100.56	105.70
1	В	302	MET	CG-SD-CE	-5.63	91.19	100.20
2	Y	3	A	OP2-P-O3'	5.38	117.04	105.20
2	Х	6	G	C5-C6-O6	-5.37	125.38	128.60
2	Х	4	G	C2-N3-C4	5.35	114.58	111.90
1	В	35	ASP	CB-CG-OD1	5.30	123.07	118.30
1	D	35	ASP	CB-CG-OD1	5.21	122.99	118.30
2	Х	6	G	C2-N3-C4	-5.19	109.30	111.90
2	Ζ	6	G	N1-C6-O6	5.17	123.00	119.90
2	Х	4	G	OP1-P-OP2	5.16	127.34	119.60
2	Y	5	А	OP2-P-O3'	5.13	116.48	105.20
2	Ζ	5	A	N1-C6-N6	5.00	121.60	118.60

There are no chirality outliers.

$\mathbf{Mol}$	Chain	$\operatorname{Res}$	Type	Group
1	А	190	ARG	Sidechain
1	А	247	ARG	Sidechain
1	А	255	ARG	Sidechain
1	А	382	ARG	Sidechain
1	В	324	ARG	Sidechain
1	В	385[A]	ARG	Sidechain
1	В	385[B]	ARG	Sidechain
1	D	255	ARG	Sidechain
1	D	324	ARG	Sidechain
1	D	353	ARG	Sidechain
1	D	365	ARG	Sidechain
1	D	368	ARG	Sidechain
1	D	385	ARG	Sidechain

All (13) planarity outliers are listed below:

## 5.2 Too-close contacts (i)

In the following table, the Non-H and H(model) columns list the number of non-hydrogen atoms and hydrogen atoms in the chain respectively. The H(added) column lists the number of hydrogen atoms added and optimized by MolProbity. The Clashes column lists the number of clashes within the asymmetric unit, whereas Symm-Clashes lists symmetry-related clashes.



9I	DD	$\Gamma S$
<u> </u>		

Mol	Chain	Non-H	H(model)	H(added)	Clashes	Symm-Clashes
1	А	3043	3101	3091	59	0
1	В	3008	3053	3043	44	0
1	С	3052	3114	3104	30	0
1	D	3015	3060	3050	70	0
2	W	180	88	89	5	0
2	Х	180	88	89	0	0
2	Y	180	88	89	1	0
2	Ζ	180	88	89	1	0
3	А	1	0	0	0	0
3	В	1	0	0	0	0
3	С	1	0	0	0	0
3	D	1	0	0	0	0
4	А	31	12	13	1	0
4	В	31	12	13	1	0
4	С	31	12	13	1	0
4	D	31	12	13	2	0
5	D	41	33	0	0	0
5	W	41	33	0	0	0
5	Х	41	33	0	0	0
5	Y	41	33	0	0	0
6	А	221	0	0	16	0
6	В	220	0	0	10	0
6	С	215	0	0	7	0
6	D	155	0	0	5	0
6	W	28	0	0	1	0
6	Х	22	0	0	0	0
6	Y	21	0	0	0	0
6	Z	17	0	0	1	0
All	All	14029	12860	12696	204	0

The all-atom clashscore is defined as the number of clashes found per 1000 atoms (including hydrogen atoms). The all-atom clashscore for this structure is 8.

All (204) close contacts within the same asymmetric unit are listed below, sorted by their clash magnitude.

Atom 1	Atom 2	Interatomic	Clash
Atom-1	Atom-2	distance $(\text{\AA})$	overlap (Å)
1:B:216:MET:N	6:B:601:HOH:O	1.74	1.17
1:D:169:ARG:O	6:D:601:HOH:O	1.81	0.98
1:A:244:GLU:OE2	6:A:601:HOH:O	1.85	0.95
1:A:242:THR:HG21	1:A:393:THR:HG21	1.47	0.94
1:B:382:ARG:NH1	6:B:603:HOH:O	2.05	0.88
1:B:215:THR:HG23	1:B:357:ILE:HD11	1.56	0.88



	• • • • •	Interatomic	Clash
Atom-1	Atom-2	distance (Å)	overlap (Å)
1:D:263:LEU:HD23	1:D:292:MET:HE1	1.54	0.88
1:A:41:GLU:OE1	6:A:602:HOH:O	1.93	0.85
1:D:263:LEU:HD23	1:D:292:MET:CE	2.06	0.85
1:A:369:LYS:NZ	6:A:607:HOH:O	2.06	0.85
1:D:215:THR:HG23	1:D:357:ILE:HD11	1.62	0.82
1:A:307:ASP:OD1	6:A:603:HOH:O	1.98	0.81
1:B:233:ARG:NH1	6:B:606:HOH:O	2.15	0.79
1:D:77:GLN:NE2	6:D:603:HOH:O	2.16	0.78
1:A:255:ARG:HD2	1:A:258:TRP:CZ3	2.19	0.77
1:A:255:ARG:HD2	1:A:258:TRP:CH2	2.20	0.77
1:A:240:GLU:OE1	6:A:606:HOH:O	2.04	0.76
1:A:369:LYS:HE2	1:A:369:LYS:N	2.01	0.76
1:A:128:GLY:O	6:A:605:HOH:O	2.03	0.75
1:A:93:GLN:OE1	1:A:178[B]:MET:SD	2.47	0.72
1:D:190:ARG:NH1	6:D:604:HOH:O	2.22	0.72
1:C:321:GLY:O	6:C:601:HOH:O	2.07	0.72
1:B:215:THR:CA	6:B:601:HOH:O	2.38	0.72
1:D:31:VAL:HG21	1:D:64:LEU:HD11	1.71	0.71
1:A:244:GLU:OE1	6:A:608:HOH:O	2.09	0.70
1:A:369:LYS:HE2	1:A:369:LYS:H	1.58	0.69
1:A:117:GLN:NE2	1:A:121:MET:SD	2.66	0.69
1:D:31:VAL:HG21	1:D:64:LEU:CD1	2.23	0.67
1:D:376:VAL:HG11	1:D:384:LEU:HD22	1.76	0.67
1:B:218:SER:OG	6:B:604:HOH:O	2.13	0.66
1:B:64:LEU:HD12	1:B:68:LYS:HE2	1.76	0.66
1:A:36:ASP:OD2	6:A:609:HOH:O	2.14	0.66
1:B:215:THR:CG2	1:B:357:ILE:HD11	2.26	0.66
1:B:256:GLU:OE2	6:B:605:HOH:O	2.15	0.65
1:B:79:GLY:H	4:B:502:ANP:HNB1	1.45	0.64
1:D:310:GLU:HG3	1:D:314:ILE:CD1	2.28	0.63
1:D:382:ARG:HD2	1:D:382:ARG:H	1.62	0.63
1:C:79:GLY:H	4:C:502:ANP:HNB1	1.47	0.63
1:C:174:LYS:HE2	1:C:175:TYR:CZ	2.33	0.63
1:A:247:ARG:HG3	1:A:406:ILE:HG13	1.81	0.63
1:B:61:ARG:HG3	1:B:61:ARG:HH11	1.63	0.63
1:D:324:ARG:HH11	1:D:324:ARG:HG2	1.64	0.62
1:C:93:GLN:OE1	1:C:178[B]:MET:SD	2.57	0.62
1:A:145:GLN:OE1	1:B:145:GLN:NE2	2.33	0.61
1:C:169:ARG:NH2	6:C:609:HOH:O	2.32	0.61
1:A:244:GLU:OE1	1:A:244:GLU:N	2.33	0.61
1:A:272:ILE:HG23	1:A:272:ILE:O	2.02	0.59



	A h o	Interatomic	Clash
Atom-1	Atom-2	distance (Å)	overlap (Å)
1:D:53:GLU:OE2	6:D:602:HOH:O	2.16	0.59
1:C:219:ASP:OD1	6:C:603:HOH:O	2.17	0.59
1:D:310:GLU:O	1:D:314:ILE:HD12	2.03	0.59
1:A:324:ARG:HH11	1:A:324:ARG:HG3	1.67	0.58
1:D:365:ARG:HD2	4:D:502:ANP:H4'	1.84	0.58
1:A:382:ARG:O	1:A:386:ASP:OD1	2.20	0.58
1:B:75:GLN:HE22	1:B:238:LYS:HE2	1.68	0.58
1:C:240:GLU:OE2	6:C:602:HOH:O	2.15	0.58
1:B:177:LYS:HG3	1:B:178[B]:MET:SD	2.43	0.58
2:W:1:A:H5"	2:W:2:G:OP1	2.04	0.58
2:W:1:A:O2'	6:W:201:HOH:O	2.17	0.57
1:D:93:GLN:OE1	1:D:178[A]:MET:SD	2.62	0.57
1:D:79:GLY:H	4:D:502:ANP:HNB1	1.53	0.57
1:A:79:GLY:H	4:A:502:ANP:HNB1	1.53	0.56
1:B:54:LYS:HG3	1:B:55:PRO:HD2	1.86	0.56
1:D:263:LEU:HD23	1:D:292:MET:HE3	1.86	0.56
1:B:28:ASN:O	1:B:28:ASN:ND2	2.38	0.56
1:C:132:HIS:ND1	1:C:146:LYS:HE2	2.20	0.56
1:D:215:THR:O	1:D:216:MET:HE2	2.06	0.56
1:D:391:TYR:HB2	1:D:393:THR:HG22	1.88	0.55
1:A:217:PRO:HB2	1:A:219:ASP:OD1	2.07	0.55
2:Z:7:A:N6	6:Z:101:HOH:O	2.27	0.53
1:D:215:THR:CG2	1:D:357:ILE:HD11	2.36	0.53
1:A:96:LEU:HD21	6:A:627:HOH:O	2.09	0.53
1:D:273:THR:OG1	1:D:274:GLN:N	2.41	0.53
1:D:61:ARG:HH11	1:D:61:ARG:HG3	1.75	0.52
1:C:217:PRO:HB2	1:C:219:ASP:OD1	2.10	0.52
1:A:405:LEU:O	1:A:406:ILE:HG12	2.11	0.51
1:D:384:LEU:O	1:D:388:GLU:HG3	2.10	0.51
1:D:287:TRP:O	1:D:291:LYS:HD3	2.10	0.51
1:B:194:ASP:OD1	6:B:607:HOH:O	2.19	0.51
1:B:316:ARG:NH2	2:W:8:G:O3'	2.42	0.51
1:D:250:TYR:CE1	1:D:397:GLU:HG3	2.47	0.50
1:A:64:LEU:O	1:A:68:LYS:HG3	2.11	0.50
1:B:222:GLU:O	1:B:225:LYS:HG2	2.11	0.50
1:A:392:ASN:OD1	1:D:368:ARG:HG2	2.11	0.50
1:C:324:ARG:HG2	1:C:324:ARG:HH11	1.77	0.50
1:D:347:TYR:CD2	1:D:375:MET:HE1	2.47	0.50
1:C:253:VAL:O	1:C:254:GLU:HB3	2.11	0.49
1:A:250:TYR:CD2	1:A:250:TYR:C	2.86	0.49
1:B:238:LYS:HD3	1:B:241:LEU:CD1	2.43	0.49



	A L O	Interatomic	Clash
Atom-1	Atom-2	distance $(\text{\AA})$	overlap (Å)
1:A:169:ARG:NH2	1:B:128:GLY:HA3	2.28	0.49
1:C:141:ARG:O	1:C:145:GLN:HG3	2.13	0.49
1:A:169:ARG:NH2	1:B:127:MET:O	2.46	0.49
1:B:390:PHE:HE2	1:B:391:TYR:CZ	2.30	0.49
1:D:238:LYS:NZ	1:D:239:GLU:OE2	2.37	0.49
1:D:61:ARG:HG3	1:D:61:ARG:NH1	2.27	0.48
6:C:758:HOH:O	1:D:97:ASP:HB3	2.13	0.48
1:D:256:GLU:H	1:D:256:GLU:CD	2.15	0.48
1:D:279:ILE:HD13	1:D:347:TYR:HB3	1.95	0.48
1:A:266:LEU:HD22	1:A:270:LEU:HD11	1.95	0.48
1:D:150:GLU:HG2	6:D:737:HOH:O	2.13	0.48
1:B:37:MET:HB3	1:B:64:LEU:HD21	1.96	0.48
1:B:215:THR:HB	6:B:601:HOH:O	2.13	0.48
1:D:231:PRO:O	1:D:233[B]:ARG:NE	2.37	0.48
1:D:238:LYS:HA	1:D:241:LEU:HD23	1.96	0.48
1:B:238:LYS:HD3	1:B:241:LEU:HD12	1.96	0.48
1:D:274:GLN:HG2	1:D:324:ARG:HA	1.96	0.48
1:A:381:LYS:N	6:A:614:HOH:O	2.47	0.47
1:A:391:TYR:O	1:A:393:THR:HG23	2.14	0.47
1:D:260:LEU:HD12	1:D:292:MET:HE2	1.95	0.47
1:A:273:THR:O	1:A:324:ARG:NE	2.48	0.47
1:D:253:VAL:HG11	1:D:259:LYS:HG3	1.97	0.47
1:D:388:GLU:HB3	1:D:393:THR:O	2.14	0.47
1:A:184:ALA:HB1	1:A:211:LEU:HG	1.96	0.47
1:B:227:PHE:HD2	1:B:228:MET:HG3	1.80	0.47
1:A:141:ARG:O	1:A:145:GLN:HG3	2.15	0.47
1:A:382:ARG:NH2	1:A:385[B]:ARG:NH1	2.63	0.47
1:B:312:ASP:O	1:B:316:ARG:HG2	2.15	0.47
1:B:215:THR:HA	6:B:601:HOH:O	2.09	0.47
1:B:93:GLN:OE1	1:B:178[B]:MET:SD	2.73	0.47
1:A:229:ARG:HH11	1:A:229:ARG:HG3	1.79	0.46
1:C:252:ASN:OD1	1:C:381:LYS:NZ	2.35	0.46
1:D:27:TRP:HB2	1:D:232:ILE:HG23	1.97	0.46
1:D:378:GLU:HA	1:D:381:LYS:HD3	1.97	0.46
1:B:149:MET:HE3	1:B:149:MET:HA	1.98	0.46
1:D:251:ILE:HD11	1:D:398:MET:SD	2.56	0.46
1:D:272:ILE:HG22	1:D:273:THR:HG23	1.97	0.46
1:C:75:GLN:HA	1:C:213:SER:O	2.16	0.46
1:D:70:TYR:CB	1:D:232:ILE:HD12	2.46	0.46
1:C:57:ALA:O	1:C:61[B]:ARG:HG3	2.16	0.46
1:A:247:ARG:HH11	1:A:406:ILE:HG13	1.82	0.45



	A L O	Interatomic	Clash	
Atom-1	Atom-2	distance (Å)	overlap (Å)	
1:A:255:ARG:CD	1:A:258:TRP:CH2	2.94	0.45	
1:D:364:GLY:O	1:D:365:ARG:HB2	2.17	0.45	
1:A:35:ASP:O	6:A:611:HOH:O	2.20	0.45	
1:A:272:ILE:O	1:A:272:ILE:CG2	2.64	0.45	
1:D:259:LYS:HB3	1:D:347:TYR:CZ	2.51	0.45	
1:A:41:GLU:HG2	6:A:720:HOH:O	2.17	0.45	
1:D:365:ARG:CB	1:D:368:ARG:HG3	2.47	0.45	
1:A:271:THR:OG1	1:A:404:ASP:OD1	2.33	0.45	
1:A:316:ARG:NH1	1:A:316:ARG:HG2	2.32	0.45	
1:B:279:ILE:CG2	1:B:284:LYS:HB3	2.47	0.44	
1:B:352:ASN:HD21	1:B:355:ASN:ND2	2.15	0.44	
1:C:357:ILE:HG12	1:C:391:TYR:CZ	2.52	0.44	
1:D:174:LYS:HE2	1:D:175:TYR:CZ	2.52	0.44	
1:B:61:ARG:HG3	1:B:61:ARG:NH1	2.31	0.44	
1:B:272:ILE:O	1:B:324:ARG:NH2	2.51	0.44	
1:C:259:LYS:NZ	1:C:375:MET:O	2.50	0.44	
1:C:268:GLU:OE2	1:C:269:THR:HG23	2.18	0.44	
1:D:255:ARG:N	1:D:377:THR:HG22	2.32	0.44	
1:B:238:LYS:HD3	1:B:238:LYS:HA	1.80	0.44	
1:D:215:THR:HG23	1:D:357:ILE:CD1	2.40	0.44	
1:A:167:ASN:OD1	1:A:202:LYS:HE3	2.18	0.44	
1:B:32:ASP:O	1:B:54:LYS:HE2	2.17	0.44	
1:C:233:ARG:HD2	6:C:805:HOH:O	2.18	0.44	
1:A:30:ILE:HD11	1:A:61:ARG:HG2	1.99	0.43	
1:D:250:TYR:CZ	1:D:397:GLU:HG3	2.53	0.43	
1:D:287:TRP:O	1:D:290:GLU:HB3	2.18	0.43	
1:A:77:GLN:NE2	6:A:608:HOH:O	2.33	0.43	
1:C:190:ARG:O	6:C:604:HOH:O	2.21	0.43	
1:A:279:ILE:HG23	1:A:284:LYS:HD3	2.00	0.43	
1:D:190:ARG:CG	1:D:190:ARG:HH11	2.31	0.43	
1:D:354:GLU:O	1:D:357:ILE:HG13	2.18	0.43	
1:D:365:ARG:HD3	1:D:365:ARG:HA	1.76	0.43	
1:C:57:ALA:O	1:C:61[A]:ARG:HG3	2.19	0.43	
1:C:324:ARG:HG2	1:C:324:ARG:NH1	2.33	0.43	
1:D:56:SER:O	1:D:60:GLN:HG3	2.19	0.43	
1:D:255:ARG:HH11	1:D:255:ARG:HG3	1.84	0.43	
1:D:349:LEU:HD11	1:D:376:VAL:HG12	2.00	0.43	
1:D:238:LYS:HG3	1:D:239:GLU:OE2	2.19	0.43	
1:A:96:LEU:HD22	1:A:96:LEU:N	2.34	0.42	
1:A:261:ASP:CG	6:A:615:HOH:O	2.58	0.42	
1:B:76:ALA:O	1:B:214:ALA:HA	2.18	0.42	



Atom 1	Atom 2	Interatomic	Clash
Atom-1	Atom-2	distance (Å)	overlap (Å)
1:D:190:ARG:HH11	1:D:190:ARG:HG2	1.85	0.42
1:D:287:TRP:CE2	1:D:291:LYS:HE3	2.54	0.42
1:B:225:LYS:NZ	6:B:625:HOH:O	2.52	0.42
1:A:324:ARG:HG3	1:A:324:ARG:NH1	2.34	0.41
1:D:365:ARG:HB2	1:D:368:ARG:HG3	2.02	0.41
1:C:288:LEU:O	1:C:292:MET:HG2	2.21	0.41
1:D:352:ASN:OD1	1:D:355:ASN:N	2.34	0.41
1:D:267:TYR:HA	1:D:270:LEU:HG	2.02	0.41
1:C:167:ASN:OD1	1:C:202:LYS:HE3	2.20	0.41
1:C:241:LEU:HA	1:C:241:LEU:HD23	1.84	0.41
1:C:357:ILE:HD13	1:C:357:ILE:HA	1.91	0.41
1:D:213:SER:HB3	1:D:216:MET:HE3	2.02	0.41
1:B:93:GLN:OE1	1:B:178[B]:MET:HG2	2.20	0.41
2:Y:3:A:H2'	2:Y:4:G:O4'	2.21	0.41
2:W:7:A:H2'	2:W:8:G:C8	2.56	0.41
1:A:197:TYR:O	1:A:201:GLN:HG2	2.21	0.41
1:A:243:LEU:HA	6:A:608:HOH:O	2.20	0.41
1:B:37:MET:HB3	1:B:64:LEU:CD2	2.51	0.41
1:D:268:GLU:OE1	1:D:269:THR:HG23	2.20	0.41
2:W:3:A:H2'	2:W:4:G:O4'	2.20	0.41
1:B:229:ARG:CZ	1:B:229:ARG:HB3	2.51	0.40
1:A:242:THR:CG2	1:A:393:THR:HG21	2.35	0.40
1:D:70:TYR:HB3	1:D:232:ILE:HD12	2.03	0.40
1:D:236:VAL:HG12	1:D:241:LEU:HD22	2.04	0.40
1:A:169:ARG:HH22	1:B:128:GLY:HA3	1.84	0.40
1:A:219:ASP:HA	6:A:789:HOH:O	2.20	0.40
1:C:339:GLN:OE1	1:C:365:ARG:HB2	2.22	0.40
1:C:376:VAL:HG23	1:C:376:VAL:O	2.21	0.40
1:D:117:GLN:HE22	1:D:121:MET:CE	2.34	0.40
1:A:244:GLU:N	1:A:244:GLU:CD	2.74	0.40
1:A:362:ARG:NH1	1:A:365:ARG:NH1	2.70	0.40
1:C:174:LYS:HE2	1:C:175:TYR:OH	2.20	0.40

There are no symmetry-related clashes.

#### 5.3 Torsion angles (i)

#### 5.3.1 Protein backbone (i)

In the following table, the Percentiles column shows the percent Ramachandran outliers of the chain as a percentile score with respect to all X-ray entries followed by that with respect to entries



of similar resolution.

The Analysed column shows the number of residues for which the backbone conformation was analysed, and the total number of residues.

Mol	Chain	Analysed	Favoured	Allowed	Outliers	Perce	ntiles
1	А	380/388~(98%)	373~(98%)	7 (2%)	0	100	100
1	В	374/388~(96%)	367~(98%)	6(2%)	1 (0%)	37	23
1	С	381/388~(98%)	372~(98%)	9(2%)	0	100	100
1	D	375/388~(97%)	364~(97%)	6 (2%)	5 (1%)	10	2
All	All	1510/1552~(97%)	1476 (98%)	28 (2%)	6~(0%)	30	17

All (6) Ramachandran outliers are listed below:

Mol	Chain	Res	Type
1	В	364	GLY
1	D	254	GLU
1	D	365	ARG
1	D	268	GLU
1	D	255	ARG
1	D	290	GLU

#### 5.3.2 Protein sidechains (i)

In the following table, the Percentiles column shows the percent sidechain outliers of the chain as a percentile score with respect to all X-ray entries followed by that with respect to entries of similar resolution.

The Analysed column shows the number of residues for which the sidechain conformation was analysed, and the total number of residues.

Mol	Chain	Analysed	Rotameric	Outliers	Bercentile	
1	А	337/342~(98%)	331~(98%)	6 (2%)	54	39
1	В	332/342~(97%)	327~(98%)	5 (2%)	60	47
1	С	338/342~(99%)	331 (98%)	7 (2%)	48	32
1	D	333/342~(97%)	324 (97%)	9~(3%)	40	23
All	All	1340/1368~(98%)	1313 (98%)	27 (2%)	52	34

All (27) residues with a non-rotameric sidechain are listed below:



Mol	Chain	Res	Type
1	А	141	ARG
1	А	177	LYS
1	А	190	ARG
1	А	369	LYS
1	А	382	ARG
1	А	386	ASP
1	В	78	SER
1	В	190	ARG
1	В	247	ARG
1	В	302	MET
1	В	322	SER
1	С	29	GLU
1	С	45	ARG
1	С	61[A]	ARG
1	С	61[B]	ARG
1	С	141	ARG
1	С	382	ARG
1	С	406	ILE
1	D	150	GLU
1	D	227	PHE
1	D	233[A]	ARG
1	D	233[B]	ARG
1	D	254	GLU
1	D	255	ARG
1	D	365	ARG
1	D	366	PHE
1	D	382	ARG

Sometimes sidechains can be flipped to improve hydrogen bonding and reduce clashes. All (3) such sidechains are listed below:

Mol	Chain	Res	Type
1	А	355	ASN
1	В	28	ASN
1	В	75	GLN

#### 5.3.3 RNA (i)

Mol	Chain	Analysed	Backbone Outliers	Pucker Outliers
2	W	7/10~(70%)	1 (14%)	0
2	Х	7/10~(70%)	2(28%)	0
2	Y	7/10~(70%)	1 (14%)	0



Continued from previous page...

Mol	Chain	Analysed	Backbone Outliers	Pucker Outliers
2	Ζ	7/10~(70%)	0	0
All	All	28/40~(70%)	4 (14%)	0

All (4) RNA backbone outliers are listed below:

Mol	Chain	Res	Type
2	W	2	G
2	Х	4	G
2	Х	8	G
2	Y	2	G

There are no RNA pucker outliers to report.

### 5.4 Non-standard residues in protein, DNA, RNA chains (i)

There are no non-standard protein/DNA/RNA residues in this entry.

### 5.5 Carbohydrates (i)

There are no oligosaccharides in this entry.

### 5.6 Ligand geometry (i)

Of 12 ligands modelled in this entry, 4 are monoatomic - leaving 8 for Mogul analysis.

In the following table, the Counts columns list the number of bonds (or angles) for which Mogul statistics could be retrieved, the number of bonds (or angles) that are observed in the model and the number of bonds (or angles) that are defined in the Chemical Component Dictionary. The Link column lists molecule types, if any, to which the group is linked. The Z score for a bond length (or angle) is the number of standard deviations the observed value is removed from the expected value. A bond length (or angle) with |Z| > 2 is considered an outlier worth inspection. RMSZ is the root-mean-square of all Z scores of the bond lengths (or angles).

Mal	al Tuna Chain Ba		Dec	Timle	Bond lengths		Bond angles			
Moi Type	Chain	nes	Res Link	Counts	RMSZ	# Z >2	Counts	RMSZ	# Z >2	
4	ANP	А	502	3	29,33,33	1.64	3 (10%)	31,52,52	1.25	4 (12%)
5	A1BB1	Х	101	-	39,46,46	0.93	2 (5%)	48,72,72	0.87	1 (2%)
4	ANP	С	502	3	29,33,33	1.70	<mark>5 (17%)</mark>	31,52,52	1.30	3 (9%)
5	A1BB1	W	101	-	39,46,46	0.84	2 (5%)	48,72,72	1.12	3 (6%)
4	ANP	В	502	3	29,33,33	1.56	4 (13%)	31,52,52	1.51	4 (12%)



Mal	I Type Chain Beg Link		Bond lengths			Bond angles				
MOI	туре	Unain	nes	LIIIK	Counts	RMSZ	# Z >2	Counts	RMSZ	# Z >2
5	A1BB1	Y	101	-	39,46,46	0.67	2 (5%)	48,72,72	1.05	3 (6%)
5	A1BB1	D	503	-	39,46,46	0.69	1 (2%)	48,72,72	1.14	3 (6%)
4	ANP	D	502	3	29,33,33	1.26	3 (10%)	$31,\!52,\!52$	1.13	3 (9%)

In the following table, the Chirals column lists the number of chiral outliers, the number of chiral centers analysed, the number of these observed in the model and the number defined in the Chemical Component Dictionary. Similar counts are reported in the Torsion and Rings columns. '-' means no outliers of that kind were identified.

Mol	Type	Chain	Res	Link	Chirals	Torsions	Rings
4	ANP	А	502	3	-	2/14/38/38	0/3/3/3
5	A1BB1	Х	101	-	-	1/26/81/81	0/6/6/6
4	ANP	C	502	3	-	2/14/38/38	0/3/3/3
5	A1BB1	W	101	-	-	0/26/81/81	0/6/6/6
4	ANP	В	502	3	-	2/14/38/38	0/3/3/3
5	A1BB1	Y	101	-	-	0/26/81/81	0/6/6/6
5	A1BB1	D	503	-	-	1/26/81/81	0/6/6/6
4	ANP	D	502	3	-	2/14/38/38	0/3/3/3

All (22) bond length outliers are listed below:

Mol	Chain	Res	Type	Atoms		Observed(Å)	Ideal(Å)
4	А	502	ANP	PB-O1B	6.34	1.55	1.46
4	В	502	ANP	PG-01G	5.50	1.54	1.46
4	С	502	ANP	PB-O1B	5.14	1.54	1.46
4	С	502	ANP	PA-O3A	4.24	1.64	1.59
4	D	502	ANP	PB-O1B	3.48	1.51	1.46
4	В	502	ANP	PA-O3A	3.35	1.63	1.59
4	А	502	ANP	PG-N3B	3.29	1.72	1.63
4	С	502	ANP	PG-01G	3.27	1.51	1.46
5	W	101	A1BB1	C29-N3	3.16	1.31	1.29
5	Х	101	A1BB1	C12-C5	3.14	1.59	1.56
4	D	502	ANP	PG-N3B	2.82	1.70	1.63
5	W	101	A1BB1	C5-C4	-2.80	1.51	1.55
4	D	502	ANP	PG-01G	2.75	1.50	1.46
5	Х	101	A1BB1	C5-C4	-2.75	1.51	1.55
4	С	502	ANP	PG-N3B	2.74	1.70	1.63
4	В	502	ANP	PB-N3B	2.63	1.70	1.63
5	D	503	A1BB1	C5-C4	-2.59	1.51	1.55
4	A	502	ANP	PB-O3A	2.41	1.62	1.59
4	С	502	ANP	PG-O2G	-2.22	1.50	1.56



	Contraction from the former fr								
Mol	Chain	Res	Type	Atoms	Z	Observed(A)	Ideal(Å)		
5	Y	101	A1BB1	C5-C4	-2.18	1.52	1.55		
4	В	502	ANP	PG-N3B	2.18	1.69	1.63		
5	Y	101	A1BB1	C29-N3	2.13	1.30	1.29		

All (24) bond angle outliers are listed below:

Mol	Chain	Res	Type	Atoms	Z	$Observed(^{o})$	$Ideal(^{o})$
4	В	502	ANP	O1G-PG-N3B	-5.77	103.27	111.77
4	С	502	ANP	O1G-PG-N3B	-4.59	105.02	111.77
5	W	101	A1BB1	C4-C3-N1	-3.51	113.58	117.78
4	В	502	ANP	O2B-PB-O1B	3.29	116.93	109.87
4	D	502	ANP	O1G-PG-N3B	-3.27	106.95	111.77
5	D	503	A1BB1	O6-C25-C27	-3.27	112.01	116.51
4	А	502	ANP	O3A-PB-N3B	-3.05	98.13	106.59
4	А	502	ANP	O2G-PG-O1G	-2.74	106.59	113.45
5	D	503	A1BB1	C26-O6-C25	-2.70	113.55	117.51
5	Y	101	A1BB1	O6-C25-C27	-2.70	112.79	116.51
4	В	502	ANP	C5-C6-N6	2.70	124.42	120.31
4	D	502	ANP	C5-C6-N6	2.57	124.23	120.31
5	D	503	A1BB1	O6-C25-C24	2.57	128.50	124.08
5	Y	101	A1BB1	O6-C25-C24	2.56	128.48	124.08
5	Х	101	A1BB1	C30-C29-N3	-2.50	122.55	125.33
5	W	101	A1BB1	C6-C5-C4	2.36	121.88	114.60
4	В	502	ANP	O3A-PB-N3B	-2.35	100.06	106.59
5	Y	101	A1BB1	O4-C12-C13	-2.29	105.82	108.26
4	А	502	ANP	C5-C6-N6	2.28	123.79	120.31
4	С	502	ANP	C5-C6-N6	2.17	123.61	120.31
4	С	502	ANP	O1B-PB-N3B	-2.12	108.64	111.77
4	А	502	ANP	O2B-PB-O3A	2.06	111.50	104.64
4	D	502	ANP	O1B-PB-N3B	2.03	114.76	111.77
5	W	101	A1BB1	C30-C29-N2	-2.02	121.05	123.02

There are no chirality outliers.

All (10) torsion outliers are listed below:

Mol	Chain	Res	Type	Atoms
4	А	502	ANP	PA-O3A-PB-O2B
4	В	502	ANP	PA-O3A-PB-O2B
4	С	502	ANP	PA-O3A-PB-O2B
4	D	502	ANP	PA-O3A-PB-O2B
5	D	503	A1BB1	C2-N1-O1-C1
5	Х	101	A1BB1	C2-N1-O1-C1



001000	e entituda frent precio as pagem								
Mol	Chain	Res	Type	Atoms					
4	А	502	ANP	PA-O3A-PB-O1B					
4	В	502	ANP	PA-O3A-PB-O1B					
4	С	502	ANP	PA-O3A-PB-O1B					
4	D	502	ANP	PA-O3A-PB-O1B					

Continued from previous page...

There are no ring outliers.

4 monomers are involved in 5 short contacts:

Mol	Chain	Res	Type	Clashes	Symm-Clashes
4	А	502	ANP	1	0
4	С	502	ANP	1	0
4	В	502	ANP	1	0
4	D	502	ANP	2	0

The following is a two-dimensional graphical depiction of Mogul quality analysis of bond lengths, bond angles, torsion angles, and ring geometry for all instances of the Ligand of Interest. In addition, ligands with molecular weight > 250 and outliers as shown on the validation Tables will also be included. For torsion angles, if less then 5% of the Mogul distribution of torsion angles is within 10 degrees of the torsion angle in question, then that torsion angle is considered an outlier. Any bond that is central to one or more torsion angles identified as an outlier by Mogul will be highlighted in the graph. For rings, the root-mean-square deviation (RMSD) between the ring in question and similar rings identified by Mogul is calculated over all ring torsion angles. If the average RMSD is greater than 60 degrees and the minimal RMSD between the ring in question and any Mogul-identified rings is also greater than 60 degrees, then that ring is considered an outlier. The outliers are highlighted in purple. The color gray indicates Mogul did not find sufficient equivalents in the CSD to analyse the geometry.









































## 5.7 Other polymers (i)

There are no such residues in this entry.

### 5.8 Polymer linkage issues (i)

There are no chain breaks in this entry.



# 6 Fit of model and data (i)

## 6.1 Protein, DNA and RNA chains (i)

In the following table, the column labelled '#RSRZ> 2' contains the number (and percentage) of RSRZ outliers, followed by percent RSRZ outliers for the chain as percentile scores relative to all X-ray entries and entries of similar resolution. The OWAB column contains the minimum, median,  $95^{th}$  percentile and maximum values of the occupancy-weighted average B-factor per residue. The column labelled 'Q< 0.9' lists the number of (and percentage) of residues with an average occupancy less than 0.9.

Mol	Chain	Analysed	< <b>RSRZ</b> >	#RSRZ>2	$OWAB(Å^2)$	Q<0.9
1	А	378/388~(97%)	0.52	30 (7%) 20 20	15, 37, 68, 95	5 (1%)
1	В	373/388~(96%)	0.49	26 (6%) 24 24	13, 36, 66, 85	2(0%)
1	С	378/388~(97%)	0.45	22 (5%) 30 31	16, 36, 67, 91	6 (1%)
1	D	374/388~(96%)	1.10	81 (21%) 3 2	16, 46, 88, 117	2(0%)
2	W	8/10 (80%)	0.39	2(25%) 2 2	25, 31, 69, 85	0
2	Х	8/10~(80%)	0.37	1 (12%) 9 8	26, 35, 65, 82	0
2	Y	8/10 (80%)	0.26	1 (12%) 9 8	28, 33, 69, 90	0
2	Z	8/10 (80%)	0.94	2 (25%) 2 2	31, 44, 74, 87	0
All	All	1535/1592~(96%)	0.64	165 (10%) 12 12	13, 38, 78, 117	15 (0%)

All (165) RSRZ outliers are listed below:

Mol	Chain	$\operatorname{Res}$	Type	RSRZ
1	D	365	ARG	6.1
1	D	366	PHE	5.9
1	D	258	TRP	5.3
1	D	390	PHE	5.2
1	А	272	ILE	4.8
1	D	227	PHE	4.6
1	В	390	PHE	4.5
1	D	270	LEU	4.4
1	В	227	PHE	4.3
1	В	271	THR	4.1
1	D	385	ARG	4.1
1	D	367	GLY	4.0
1	С	272	ILE	4.0
1	С	400	LEU	4.0
1	А	402	VAL	4.0
1	D	236	VAL	3.9



Mol	Chain	Res	Type	RSRZ
1	А	351	THR	3.8
1	А	406	ILE	3.8
1	А	385[A]	ARG	3.7
1	D	364	GLY	3.7
1	А	270	LEU	3.7
1	D	253	VAL	3.7
1	В	258	TRP	3.6
1	В	391	TYR	3.6
1	С	128	GLY	3.6
1	С	269	THR	3.6
1	С	399	PRO	3.5
1	В	385[A]	ARG	3.5
1	D	387	ILE	3.4
1	В	364	GLY	3.4
1	D	245	GLY	3.4
1	А	400	LEU	3.4
1	D	30	ILE	3.3
1	D	392	ASN	3.3
1	D	370	GLY	3.3
1	А	405	LEU	3.3
1	D	254	GLU	3.3
1	D	399	PRO	3.3
1	С	406	ILE	3.3
1	D	384	LEU	3.2
1	D	246	ILE	3.1
1	D	235	LEU	3.1
1	D	383	THR	3.1
1	D	386	ASP	3.1
1	D	27	TRP	3.1
1	D	243	LEU	3.1
1	D	267	TYR	3.1
1	D	244	GLU	3.1
1	D	393	THR	3.1
1	D	77	GLN	3.1
1	D	287	TRP	3.0
1	D	272	ILE	3.0
1	A	271	THR	3.0
1	D	369	LYS	3.0
1	D	269	THR	3.0
2	W	1	A	2.9
1	С	270	LEU	2.9
1	D	220	VAL	2.9



Mol	Chain	Res	Type	RSRZ
1	D	347	TYR	2.9
1	D	391	TYR	2.9
1	В	384	LEU	2.9
1	D	376	VAL	2.9
1	D	279	ILE	2.8
1	А	399	PRO	2.8
1	D	294	ALA	2.8
1	D	368	ARG	2.8
1	А	384	LEU	2.8
1	А	128	GLY	2.8
1	В	238	LYS	2.8
1	В	229	ARG	2.8
1	D	273	THR	2.8
1	C	149	MET	2.8
1	D	285	VAL	2.8
2	Ζ	1	A	2.8
1	D	395	ILE	2.7
1	В	254	GLU	2.7
1	D	389	THR	2.7
1	D	297	PHE	2.7
1	D	28	ASN	2.7
1	А	393	THR	2.7
1	В	190	ARG	2.7
1	С	378	GLU	2.7
2	Y	1	A	2.7
1	D	223	VAL	2.7
1	D	250	TYR	2.7
1	A	366	PHE	2.7
1	С	384	LEU	2.6
1	А	381	LYS	2.6
1	D	97	ASP	2.6
1	В	26	ASN	2.6
1	D	217	PRO	2.6
1	А	367	GLY	2.6
1	D	322	SER	2.6
1	С	405	LEU	2.5
1	D	264	CYS	2.5
1	D	242	THR	2.5
1	В	367	GLY	2.5
1	С	367	GLY	2.5
1	D	325	VAL	2.5
2	Ζ	8	G	2.5



Mol	Chain	Res	Type	RSRZ	
1	А	403	ALA	2.5	
1	С	243	LEU	2.5	
1	С	402	VAL	2.5	
1	А	51	GLY	2.4	
1	С	271	THR	2.4	
1	В	220	VAL	2.4	
1	D	371	VAL	2.4	
1	В	140	VAL	2.4	
2	W	8	G	2.4	
1	D	128	GLY	2.4	
1	А	382	ARG	2.4	
1	D	271	THR	2.3	
1	D	260	LEU	2.3	
1	В	389	THR	2.3	
1	D	233[A]	ARG	2.3	
1	С	253	VAL	2.3	
1	D	140	VAL	2.3	
1	D	351	THR	2.3	
1	В	30	ILE	2.3	
1	В	251	ILE	2.3	
1	D	255	ARG	2.3	
1	С	29	GLU	2.3	
1	А	258	TRP	2.2	
1	А	352	ASN	2.2	
1	С	366	PHE	2.2	
1	В	363	GLY	2.2	
1	В	223	VAL	2.2	
1	D	299	VAL	2.2	
1	А	386	ASP	2.2	
1	А	246	ILE	2.2	
1	С	296	ASP	2.2	
1	D	261	ASP	2.2	
1	С	339	GLN	2.2	
1	В	270	LEU	2.2	
1	D	349	LEU	2.2	
1	D	219	ASP	2.2	
1	A	150	GLU	2.2	
1	В	376	VAL	2.2	
1	A	243	LEU	2.2	
1	D	288	LEU	2.2	
1	A	149	MET	2.1	
1	D	353	ARG	2.1	



9DTS	9D]	ГS
------	-----	----

Mol	Chain	Res	Type	RSRZ	
1	D	277 ILE		2.1	
1	В	352	ASN	2.1	
1	В	128	GLY	2.1	
1	D	382	ARG	2.1	
1	А	380	ASP	2.1	
1	А	404	ASP	2.1	
1	А	401	401 ASN		
1	D	251	251 ILE		
2	Х	1	А	2.1	
1	А	269	THR	2.1	
1	D	298	THR	2.1	
1	С	385[A]	ARG	2.1	
1	D	281	THR	2.0	
1	D	190	ARG	2.0	
1	D	292	MET	2.0	
1	D	135	ILE	2.0	
1	D	321	GLY	2.0	
1	D	256	GLU	2.0	
1	D	381	LYS	2.0	
1	В	395	ILE	2.0	
1	С	251	ILE	2.0	
1	D	373	ILE	2.0	
1	D	38	ASN	2.0	

Continued from previous page...

### 6.2 Non-standard residues in protein, DNA, RNA chains (i)

There are no non-standard protein/DNA/RNA residues in this entry.

#### 6.3 Carbohydrates (i)

There are no monosaccharides in this entry.

### 6.4 Ligands (i)

In the following table, the Atoms column lists the number of modelled atoms in the group and the number defined in the chemical component dictionary. The B-factors column lists the minimum, median,  $95^{th}$  percentile and maximum values of B factors of atoms in the group. The column labelled 'Q< 0.9' lists the number of atoms with occupancy less than 0.9.





Continuea from previous page								
Mol	Type	Chain	$\operatorname{Res}$	Atoms	RSCC	RSR	$B$ -factors $(A^2)$	$Q{<}0.9$
Mol	Type	Chain	Res	Atoms	RSCC	RSR	$B-factors(Å^2)$	Q < 0.9
5	A1BB1	D	503	41/41	0.92	0.10	$22,\!34,\!58,\!77$	0
5	A1BB1	W	101	41/41	0.95	0.08	22,28,44,48	0
5	A1BB1	Х	101	41/41	0.95	0.08	19,28,45,49	0
5	A1BB1	Y	101	41/41	0.95	0.09	23,32,49,59	0
4	ANP	D	502	31/31	0.97	0.07	23,29,38,42	0
4	ANP	С	502	31/31	0.98	0.05	20,28,35,38	0
4	ANP	А	502	31/31	0.98	0.06	22,30,36,39	0
4	ANP	В	502	31/31	0.98	0.05	18,24,30,34	0
3	MG	А	501	1/1	0.99	0.06	23,23,23,23	0
3	MG	В	501	1/1	0.99	0.05	21,21,21,21	0
3	MG	С	501	1/1	0.99	0.03	20,20,20,20	0
3	MG	D	501	1/1	0.99	0.03	22,22,22,22	0

The following is a graphical depiction of the model fit to experimental electron density of all instances of the Ligand of Interest. In addition, ligands with molecular weight > 250 and outliers as shown on the geometry validation Tables will also be included. Each fit is shown from different orientation to approximate a three-dimensional view.





















## 6.5 Other polymers (i)

There are no such residues in this entry.

