# Full wwPDB EM Validation Report ⓘ

Oct 19, 2025 – 12:15 AM JST

| | | |
|---|---|---|
| PDB ID | : | 9LA9 / pdb_00009la9 |
| EMDB ID | : | EMD-62922 |
| Title | : | Munc13-4-Rab27a complex with GppNHp |
| Authors | : | Zheng, X.; Liu, C.Q.; Wang, S.; Guan, J.L.; He, J.; Ma, C. |
| Deposited on | : | 2025-01-02 |
| Resolution | : | 4.38 Å(reported) |

This is a Full wwPDB EM Validation Report for a publicly released PDB entry.

We welcome your comments at *validation@mail.wwpdb.org*
A user guide is available at
https://www.wwpdb.org/validation/2017/EMValidationReportHelp
with specific help available everywhere you see the ⓘ symbol.

The types of validation reports are described at
http://www.wwpdb.org/validation/2017/FAQs#types.

---

The following versions of software and data (see references ⓘ) were used in the production of this report:

| | | |
|---|---|---|
| EMDB validation analysis | : | FAILED |
| Mogul | : | 1.8.5 (274361), CSD as541be (2020) |
| MolProbity | : | 4-5-2 with Phenix2.0 |
| buster-report | : | 1.1.7 (2018) |
| Percentile statistics | : | 20231227.v01 (using entries in the PDB archive December 27th 2023) |
| EM percentile statistics | : | NOT EXECUTED |
| MapQ | : | FAILED |
| Ideal geometry (proteins) | : | Engh & Huber (2001) |
| Ideal geometry (DNA, RNA) | : | Parkinson et al. (1996) |
| Validation Pipeline (wwPDB-VP) | : | 2.46 |

# 1 Overall quality at a glance

The following experimental techniques were used to determine the structure:
*ELECTRON MICROSCOPY*

The reported resolution of this entry is 4.38 Å.

Percentile scores (ranging between 0-100) for global validation metrics of the entry are shown in the following graphic. The table shows the number of entries on which the scores are based.




| Metric | Whole archive (#Entries) | EM structures (#Entries) |
|---|---|---|
| Clashscore | 210492 | 15764 |
| Ramachandran outliers | 207382 | 16835 |
| Sidechain outliers | 206894 | 16415 |

The table below summarises the geometric issues observed across the polymeric chains and their fit to the map. The red, orange, yellow and green segments of the bar indicate the fraction of residues that contain outliers for >=3, 2, 1 and 0 types of geometric quality criteria respectively. A grey segment represents the fraction of residues that are not modelled. The numeric value for each fraction is indicated below the corresponding segment, with a dot representing fractions <=5%

| Mol | Chain | Length | Quality of chain |
|---|---|---|---|
| 1 | A | 1118 | 71% 16% 13% |
| 2 | B | 263 | 46% 24% 30% |

The following table lists non-polymeric compounds, carbohydrate monomers and non-standard residues in protein, DNA, RNA chains that are outliers for geometric or electron-density-fit criteria:

| Mol | Type | Chain | Res | Chirality | Geometry | Clashes | Electron density |
|---|---|---|---|---|---|---|---|
| 3 | GNP | B | 301 | - | - | X | - |

# 2 Entry composition (i)

There are 3 unique types of molecules in this entry. The entry contains 9283 atoms, of which 16 are hydrogens and 0 are deuteriums.

In the tables below, the AltConf column contains the number of residues with at least one atom in alternate conformation and the Trace column contains the number of residues modelled with at most 2 atoms.

- Molecule 1 is a protein called Protein unc-13 homolog D.

| Mol | Chain | Residues | Atoms | | | | | AltConf | Trace |
|---|---|---|---|---|---|---|---|---|---|
| | | | Total | C | N | O | S | | |
| 1 | A | 974 | 7761 | 4911 | 1369 | 1448 | 33 | 0 | 0 |

There are 28 discrepancies between the modelled and reference sequences:

| Chain | Residue | Modelled | Actual | Comment | Reference |
|---|---|---|---|---|---|
| A | -27 | MET | - | initiating methionine | UNP Q70J99 |
| A | -26 | SER | - | expression tag | UNP Q70J99 |
| A | -25 | TYR | - | expression tag | UNP Q70J99 |
| A | -24 | TYR | - | expression tag | UNP Q70J99 |
| A | -23 | HIS | - | expression tag | UNP Q70J99 |
| A | -22 | HIS | - | expression tag | UNP Q70J99 |
| A | -21 | HIS | - | expression tag | UNP Q70J99 |
| A | -20 | HIS | - | expression tag | UNP Q70J99 |
| A | -19 | HIS | - | expression tag | UNP Q70J99 |
| A | -18 | HIS | - | expression tag | UNP Q70J99 |
| A | -17 | ASP | - | expression tag | UNP Q70J99 |
| A | -16 | TYR | - | expression tag | UNP Q70J99 |
| A | -15 | ASP | - | expression tag | UNP Q70J99 |
| A | -14 | ILE | - | expression tag | UNP Q70J99 |
| A | -13 | PRO | - | expression tag | UNP Q70J99 |
| A | -12 | THR | - | expression tag | UNP Q70J99 |
| A | -11 | THR | - | expression tag | UNP Q70J99 |
| A | -10 | GLU | - | expression tag | UNP Q70J99 |
| A | -9 | ASN | - | expression tag | UNP Q70J99 |
| A | -8 | LEU | - | expression tag | UNP Q70J99 |
| A | -7 | TYR | - | expression tag | UNP Q70J99 |
| A | -6 | PHE | - | expression tag | UNP Q70J99 |
| A | -5 | GLN | - | expression tag | UNP Q70J99 |
| A | -4 | GLY | - | expression tag | UNP Q70J99 |
| A | -3 | ALA | - | expression tag | UNP Q70J99 |
| A | -2 | MET | - | expression tag | UNP Q70J99 |
| A | -1 | GLY | - | expression tag | UNP Q70J99 |
| A | 0 | SER | - | expression tag | UNP Q70J99 |

- Molecule 2 is a protein called Ras-related protein Rab-27A.

| Mol | Chain | Residues | Atoms | | | | | AltConf | Trace |
|---|---|---|---|---|---|---|---|---|---|
| 2 | B | 184 | Total | C | N | O | S | 0 | 0 |
| | | | 1474 | 936 | 252 | 278 | 8 | | |

There are 42 discrepancies between the modelled and reference sequences:

| Chain | Residue | Modelled | Actual | Comment | Reference |
|---|---|---|---|---|---|
| B | -33 | MET | - | initiating methionine | UNP P51159 |
| B | -32 | GLY | - | expression tag | UNP P51159 |
| B | -31 | SER | - | expression tag | UNP P51159 |
| B | -30 | SER | - | expression tag | UNP P51159 |
| B | -29 | HIS | - | expression tag | UNP P51159 |
| B | -28 | HIS | - | expression tag | UNP P51159 |
| B | -27 | HIS | - | expression tag | UNP P51159 |
| B | -26 | HIS | - | expression tag | UNP P51159 |
| B | -25 | HIS | - | expression tag | UNP P51159 |
| B | -24 | HIS | - | expression tag | UNP P51159 |
| B | -23 | SER | - | expression tag | UNP P51159 |
| B | -22 | SER | - | expression tag | UNP P51159 |
| B | -21 | GLY | - | expression tag | UNP P51159 |
| B | -20 | LEU | - | expression tag | UNP P51159 |
| B | -19 | VAL | - | expression tag | UNP P51159 |
| B | -18 | PRO | - | expression tag | UNP P51159 |
| B | -17 | ARG | - | expression tag | UNP P51159 |
| B | -16 | GLY | - | expression tag | UNP P51159 |
| B | -15 | SER | - | expression tag | UNP P51159 |
| B | -14 | HIS | - | expression tag | UNP P51159 |
| B | -13 | MET | - | expression tag | UNP P51159 |
| B | -12 | ALA | - | expression tag | UNP P51159 |
| B | -11 | SER | - | expression tag | UNP P51159 |
| B | -10 | MET | - | expression tag | UNP P51159 |
| B | -9 | THR | - | expression tag | UNP P51159 |
| B | -8 | GLY | - | expression tag | UNP P51159 |
| B | -7 | GLY | - | expression tag | UNP P51159 |
| B | -6 | GLN | - | expression tag | UNP P51159 |
| B | -5 | GLN | - | expression tag | UNP P51159 |
| B | -4 | MET | - | expression tag | UNP P51159 |
| B | -3 | GLY | - | expression tag | UNP P51159 |
| B | -2 | ARG | - | expression tag | UNP P51159 |
| B | -1 | GLY | - | expression tag | UNP P51159 |
| B | 0 | SER | - | expression tag | UNP P51159 |
| B | 222 | LEU | - | expression tag | UNP P51159 |
| B | 223 | GLU | - | expression tag | UNP P51159 |

*Continued on next page...*

*Continued from previous page...*

| Chain | Residue | Modelled | Actual | Comment | Reference |
|---|---|---|---|---|---|
| B | 224 | HIS | - | expression tag | UNP P51159 |
| B | 225 | HIS | - | expression tag | UNP P51159 |
| B | 226 | HIS | - | expression tag | UNP P51159 |
| B | 227 | HIS | - | expression tag | UNP P51159 |
| B | 228 | HIS | - | expression tag | UNP P51159 |
| B | 229 | HIS | - | expression tag | UNP P51159 |

- Molecule 3 is PHOSPHOAMINOPHOSPHONIC ACID-GUANYLATE ESTER (CCD ID: GNP) (formula: $C_{10}H_{17}N_6O_{13}P_3$) (labeled as "Ligand of Interest" by depositor).




| Mol | Chain | Residues | Atoms | | | | | | AltConf |
|---|---|---|---|---|---|---|---|---|---|
| 3 | B | 1 | Total | C | H | N | O | P | 0 |
| | | | 48 | 10 | 16 | 6 | 13 | 3 | |

# 3 Residue-property plots (i)

These plots are drawn for all protein, RNA, DNA and oligosaccharide chains in the entry. The first graphic for a chain summarises the proportions of the various outlier classes displayed in the second graphic. The second graphic shows the sequence view annotated by issues in geometry. Residues are color-coded according to the number of geometric quality criteria for which they contain at least one outlier: green = 0, yellow = 1, orange = 2 and red = 3 or more. Stretches of 2 or more consecutive residues without any outlier are shown as a green connector. Residues present in the sample, but not in the model, are shown in grey.

• Molecule 1: Protein unc-13 homolog D

Chain A:





• Molecule 2: Ras-related protein Rab-27A

Chain B:





S163
A164
A165
S171
Q172
A173
I174
E175
M176
D179
L180
I181
M182
K183
R184
V189
ASP
LYS
SER
TRP
ILE
PRO
GLU
GLY
VAL
VAL
ARG
SER
ASN
GLY
HIS
ALA
SER
THR
ASP
GLN
LEU
SER
GLU
GLU
LYS
GLU
LYS
GLY
ALA
CYS
GLY
CYS
LEU
GLU
HIS
HIS
HIS
HIS
HIS

# 4 Experimental information (i)

| Property | Value | Source |
|---|---|---|
| EM reconstruction method | SINGLE PARTICLE | Depositor |
| Imposed symmetry | POINT, Not provided | |
| Number of particles used | 102381 | Depositor |
| Resolution determination method | FSC 0.143 CUT-OFF | Depositor |
| CTF correction method | PHASE FLIPPING AND AMPLITUDE CORRECTION | Depositor |
| Microscope | TFS KRIOS | Depositor |
| Voltage (kV) | 300 | Depositor |
| Electron dose ($e^-/Å^2$) | 50 | Depositor |
| Minimum defocus (nm) | 800 | Depositor |
| Maximum defocus (nm) | 2400 | Depositor |
| Magnification | Not provided | |
| Image detector | FEI FALCON IV (4k x 4k) | Depositor |

# 5 Model quality

## 5.1 Standard geometry

Bond lengths and bond angles in the following residue types are not validated in this section: GNP

The Z score for a bond length (or angle) is the number of standard deviations the observed value is removed from the expected value. A bond length (or angle) with $|Z| > 5$ is considered an outlier worth inspection. RMSZ is the root-mean-square of all Z scores of the bond lengths (or angles).

| Mol | Chain | Bond lengths | | Bond angles | |
|---|---|---|---|---|---|
| | | RMSZ | #$\|Z\|$ >5 | RMSZ | #$\|Z\|$ >5 |
| 1 | A | 0.23 | 1/7926 (0.0%) | 0.64 | 9/10756 (0.1%) |
| 2 | B | 0.21 | 0/1501 | 0.62 | 2/2023 (0.1%) |
| All | All | 0.22 | 1/9427 (0.0%) | 0.64 | 11/12779 (0.1%) |

Chiral center outliers are detected by calculating the chiral volume of a chiral center and verifying if the center is modelled as a planar moiety or with the opposite hand.A planarity outlier is detected by checking planarity of atoms in a peptide group, atoms in a mainchain group or atoms of a sidechain that are expected to be planar.

| Mol | Chain | #Chirality outliers | #Planarity outliers |
|---|---|---|---|
| 1 | A | 0 | 1 |
| 2 | B | 0 | 1 |
| All | All | 0 | 2 |

All (1) bond length outliers are listed below:

| Mol | Chain | Res | Type | Atoms | Z | Observed(Å) | Ideal(Å) |
|---|---|---|---|---|---|---|---|
| 1 | A | 453 | PRO | CG-CD | -5.13 | 1.33 | 1.50 |

All (11) bond angle outliers are listed below:

| Mol | Chain | Res | Type | Atoms | Z | Observed($^o$) | Ideal($^o$) |
|---|---|---|---|---|---|---|---|
| 1 | A | 886 | ALA | N-CA-CB | -22.63 | 76.45 | 110.40 |
| 1 | A | 885 | ALA | CB-CA-C | -18.08 | 73.89 | 109.68 |
| 1 | A | 885 | ALA | N-CA-C | 15.64 | 135.50 | 108.75 |
| 1 | A | 453 | PRO | CA-N-CD | -12.41 | 94.63 | 112.00 |
| 1 | A | 886 | ALA | N-CA-C | 10.10 | 139.28 | 111.00 |
| 1 | A | 453 | PRO | N-CD-CG | -7.02 | 92.67 | 103.20 |
| 2 | B | 53 | TYR | CA-C-N | 6.84 | 134.61 | 121.54 |
| 2 | B | 53 | TYR | C-N-CA | 6.84 | 134.61 | 121.54 |

*Continued on next page...*

*Continued from previous page...*

| Mol | Chain | Res | Type | Atoms | Z | Observed($^o$) | Ideal($^o$) |
|---|---|---|---|---|---|---|---|
| 1 | A | 91 | VAL | CA-C-N | 6.76 | 130.09 | 120.49 |
| 1 | A | 91 | VAL | C-N-CA | 6.76 | 130.09 | 120.49 |
| 1 | A | 453 | PRO | N-CA-C | 5.90 | 119.92 | 111.13 |

There are no chirality outliers.

All (2) planarity outliers are listed below:

| Mol | Chain | Res | Type | Group |
|---|---|---|---|---|
| 1 | A | 755 | GLU | Peptide |
| 2 | B | 54 | ARG | Peptide |

## 5.2 Too-close contacts (i)

In the following table, the Non-H and H(model) columns list the number of non-hydrogen atoms and hydrogen atoms in the chain respectively. The H(added) column lists the number of hydrogen atoms added and optimized by MolProbity. The Clashes column lists the number of clashes within the asymmetric unit, whereas Symm-Clashes lists symmetry-related clashes.

| Mol | Chain | Non-H | H(model) | H(added) | Clashes | Symm-Clashes |
|---|---|---|---|---|---|---|
| 1 | A | 7761 | 0 | 7740 | 108 | 0 |
| 2 | B | 1474 | 0 | 1452 | 55 | 0 |
| 3 | B | 32 | 16 | 13 | 17 | 0 |
| All | All | 9267 | 16 | 9205 | 162 | 0 |

The all-atom clashscore is defined as the number of clashes found per 1000 atoms (including hydrogen atoms). The all-atom clashscore for this structure is 9.

All (162) close contacts within the same asymmetric unit are listed below, sorted by their clash magnitude.

| Atom-1 | Atom-2 | Interatomic distance (Å) | Clash overlap (Å) |
|---|---|---|---|
| 2:B:100:ASP:OD2 | 2:B:134:LYS:CE | 1.93 | 1.16 |
| 2:B:100:ASP:OD2 | 2:B:134:LYS:NZ | 1.88 | 1.04 |
| 2:B:21:GLY:HA2 | 3:B:301:GNP:PA | 2.04 | 0.98 |
| 2:B:100:ASP:OD2 | 2:B:134:LYS:HE3 | 1.66 | 0.95 |
| 2:B:100:ASP:CG | 2:B:134:LYS:HE3 | 1.91 | 0.94 |
| 2:B:41:THR:OG1 | 3:B:301:GNP:O2G | 1.88 | 0.91 |
| 2:B:134:LYS:HG2 | 3:B:301:GNP:C6 | 2.02 | 0.88 |
| 2:B:21:GLY:HA2 | 3:B:301:GNP:O3A | 1.73 | 0.87 |
| 2:B:100:ASP:CG | 2:B:134:LYS:CE | 2.49 | 0.85 |

*Continued on next page...*

*Continued from previous page...*

| Atom-1 | Atom-2 | Interatomic distance (Å) | Clash overlap (Å) |
|---|---|---|---|
| 2:B:134:LYS:HG2 | 3:B:301:GNP:C5 | 2.14 | 0.78 |
| 2:B:21:GLY:HA2 | 3:B:301:GNP:O1A | 1.86 | 0.75 |
| 2:B:100:ASP:OD1 | 2:B:134:LYS:HE3 | 1.87 | 0.73 |
| 1:A:53:ALA:O | 1:A:56:TYR:HB3 | 1.90 | 0.70 |
| 2:B:47:ARG:HB2 | 2:B:72:LEU:HB2 | 1.79 | 0.64 |
| 1:A:630:ALA:HB1 | 1:A:707:GLN:HG2 | 1.80 | 0.64 |
| 1:A:740:THR:O | 1:A:744:GLN:NE2 | 2.31 | 0.64 |
| 1:A:61:TYR:HE2 | 1:A:287:ARG:HB3 | 1.63 | 0.64 |
| 2:B:158:PRO:HG2 | 2:B:180:LEU:HD11 | 1.79 | 0.64 |
| 2:B:41:THR:OG1 | 3:B:301:GNP:PG | 2.57 | 0.63 |
| 1:A:951:GLN:HB2 | 1:A:1002:THR:HB | 1.79 | 0.63 |
| 1:A:917:LYS:HD3 | 1:A:932:LEU:HD11 | 1.81 | 0.63 |
| 2:B:97:LEU:HD23 | 2:B:128:ILE:HG23 | 1.81 | 0.62 |
| 1:A:657:MET:HG3 | 2:B:84:LEU:HD22 | 1.80 | 0.62 |
| 1:A:703:ASN:HD22 | 1:A:810:VAL:HG23 | 1.66 | 0.61 |
| 1:A:474:GLN:HE22 | 1:A:536:ARG:HE | 1.47 | 0.60 |
| 1:A:388:LYS:HG3 | 1:A:390:GLU:H | 1.67 | 0.60 |
| 2:B:14:ALA:HA | 2:B:96:LEU:HB2 | 1.83 | 0.60 |
| 2:B:21:GLY:CA | 3:B:301:GNP:O3A | 2.48 | 0.60 |
| 1:A:999:LEU:HD12 | 1:A:1020:LEU:HD11 | 1.83 | 0.59 |
| 2:B:12:PHE:HE2 | 2:B:174:ILE:HG23 | 1.67 | 0.59 |
| 2:B:45:ASP:HB2 | 2:B:74:ASP:HB3 | 1.83 | 0.59 |
| 1:A:136:CYS:HB3 | 1:A:202:LEU:HD11 | 1.86 | 0.58 |
| 2:B:13:LEU:HB3 | 2:B:15:LEU:HD23 | 1.86 | 0.58 |
| 1:A:67:LEU:O | 1:A:254:ARG:NH1 | 2.38 | 0.57 |
| 1:A:712:ILE:HD12 | 1:A:752:LEU:HD11 | 1.87 | 0.57 |
| 2:B:64:ARG:NH1 | 2:B:65:GLY:O | 2.38 | 0.57 |
| 1:A:57:GLU:OE2 | 1:A:102:ARG:NH1 | 2.39 | 0.56 |
| 1:A:758:THR:HA | 1:A:761:ARG:HB2 | 1.87 | 0.56 |
| 1:A:703:ASN:HD21 | 1:A:809:LEU:HA | 1.71 | 0.56 |
| 1:A:246:VAL:HG23 | 1:A:263:LEU:HD23 | 1.87 | 0.56 |
| 1:A:305:LEU:HD21 | 1:A:353:GLN:HA | 1.88 | 0.55 |
| 1:A:517:LEU:HG | 1:A:519:ILE:HG12 | 1.88 | 0.55 |
| 1:A:806:ASN:ND2 | 1:A:861:GLY:O | 2.39 | 0.55 |
| 1:A:603:GLU:O | 1:A:606:ALA:HB3 | 2.07 | 0.54 |
| 1:A:900:ILE:HD13 | 1:A:1019:PHE:HB2 | 1.89 | 0.54 |
| 1:A:783:GLU:HG2 | 1:A:837:ARG:HH22 | 1.70 | 0.54 |
| 2:B:22:LYS:NZ | 3:B:301:GNP:N3B | 2.54 | 0.54 |
| 1:A:955:GLU:HG3 | 1:A:1000:LEU:HD13 | 1.89 | 0.54 |
| 1:A:257:GLU:HB2 | 1:A:280:PHE:HB2 | 1.89 | 0.54 |
| 1:A:919:SER:HB2 | 1:A:1037:VAL:HG13 | 1.90 | 0.53 |

*Continued on next page...*

*Continued from previous page...*

| Atom-1 | Atom-2 | Interatomic distance (Å) | Clash overlap (Å) |
|---|---|---|---|
| 1:A:599:LYS:O | 1:A:603:GLU:N | 2.40 | 0.53 |
| 1:A:403:LEU:HD22 | 1:A:444:PHE:HZ | 1.73 | 0.53 |
| 1:A:354:TRP:HH2 | 1:A:402:LEU:HD22 | 1.74 | 0.53 |
| 1:A:945:SER:HA | 1:A:973:LYS:HD3 | 1.91 | 0.53 |
| 1:A:617:LEU:HD11 | 1:A:677:ILE:HG22 | 1.90 | 0.53 |
| 2:B:98:LEU:HD13 | 2:B:131:CYS:HB2 | 1.91 | 0.53 |
| 1:A:374:PRO:O | 1:A:377:SER:HB3 | 2.09 | 0.52 |
| 1:A:774:HIS:HB3 | 1:A:794:LEU:HB2 | 1.90 | 0.52 |
| 1:A:722:GLU:OE2 | 1:A:722:GLU:N | 2.43 | 0.52 |
| 2:B:30:THR:HG21 | 2:B:47:ARG:HE | 1.75 | 0.51 |
| 1:A:114:LYS:HB3 | 1:A:281:GLN:HB2 | 1.93 | 0.51 |
| 2:B:9:LEU:HD21 | 2:B:71:GLN:HE21 | 1.75 | 0.50 |
| 1:A:206:ASP:HB2 | 1:A:243:LEU:HD11 | 1.94 | 0.50 |
| 2:B:134:LYS:CG | 3:B:301:GNP:C5 | 2.86 | 0.50 |
| 2:B:51:VAL:HG23 | 2:B:68:ILE:HB | 1.93 | 0.50 |
| 1:A:875:GLN:HA | 1:A:878:GLN:HG2 | 1.93 | 0.50 |
| 1:A:1029:SER:O | 1:A:1029:SER:OG | 2.30 | 0.50 |
| 1:A:292:SER:OG | 1:A:293:ARG:NH1 | 2.45 | 0.49 |
| 1:A:459:THR:HA | 1:A:462:LEU:HD12 | 1.93 | 0.49 |
| 1:A:55:LEU:HD21 | 1:A:304:LEU:HA | 1.94 | 0.49 |
| 1:A:749:LEU:HA | 1:A:752:LEU:HD12 | 1.95 | 0.49 |
| 2:B:134:LYS:HG2 | 3:B:301:GNP:N1 | 2.27 | 0.49 |
| 1:A:114:LYS:HB2 | 1:A:283:ILE:HG23 | 1.95 | 0.49 |
| 1:A:637:PHE:HD2 | 1:A:715:LEU:HD21 | 1.78 | 0.49 |
| 2:B:28:GLN:NE2 | 2:B:164:ALA:O | 2.40 | 0.49 |
| 2:B:163:SER:OG | 3:B:301:GNP:O6 | 2.22 | 0.49 |
| 1:A:903:GLN:HG2 | 1:A:1042:LEU:HD23 | 1.95 | 0.48 |
| 1:A:673:TYR:O | 1:A:677:ILE:HG12 | 2.13 | 0.48 |
| 2:B:26:LEU:HD12 | 2:B:74:ASP:HB2 | 1.95 | 0.48 |
| 2:B:165:ALA:HB2 | 3:B:301:GNP:C2 | 2.43 | 0.48 |
| 1:A:799:GLU:O | 1:A:803:CYS:CB | 2.62 | 0.48 |
| 1:A:920:TYR:HD1 | 1:A:927:LEU:HD13 | 1.79 | 0.48 |
| 1:A:549:SER:HB3 | 1:A:552:MET:HB2 | 1.94 | 0.48 |
| 1:A:673:TYR:HA | 1:A:676:LEU:HD12 | 1.96 | 0.48 |
| 1:A:507:ARG:O | 1:A:511:LYS:NZ | 2.40 | 0.47 |
| 2:B:179:ASP:O | 2:B:183:LYS:HG3 | 2.13 | 0.47 |
| 1:A:71:GLU:HB2 | 1:A:74:HIS:HB2 | 1.96 | 0.47 |
| 1:A:344:LEU:HD11 | 1:A:348:HIS:HB2 | 1.95 | 0.47 |
| 1:A:369:SER:HA | 1:A:372:LEU:HD12 | 1.96 | 0.47 |
| 2:B:55:ALA:HB1 | 2:B:179:ASP:HA | 1.96 | 0.47 |
| 2:B:171:SER:OG | 2:B:175:GLU:OE2 | 2.32 | 0.47 |

*Continued on next page...*

*Continued from previous page...*

| Atom-1 | Atom-2 | Interatomic distance (Å) | Clash overlap (Å) |
|---|---|---|---|
| 2:B:37:LYS:HB3 | 2:B:37:LYS:HE3 | 1.71 | 0.46 |
| 1:A:418:PRO:O | 1:A:424:SER:OG | 2.25 | 0.46 |
| 1:A:462:LEU:HD22 | 1:A:521:LEU:HD13 | 1.97 | 0.46 |
| 2:B:21:GLY:H | 3:B:301:GNP:PB | 2.39 | 0.46 |
| 1:A:799:GLU:O | 1:A:803:CYS:HB2 | 2.16 | 0.46 |
| 1:A:204:MET:HB3 | 1:A:243:LEU:HD12 | 1.98 | 0.46 |
| 2:B:79:GLU:HA | 2:B:82:ARG:HG3 | 1.97 | 0.46 |
| 2:B:17:ASP:OD1 | 2:B:113:TRP:NE1 | 2.43 | 0.46 |
| 1:A:931:LEU:O | 1:A:980:ASP:N | 2.49 | 0.45 |
| 1:A:659:THR:HG21 | 1:A:724:LEU:HD22 | 1.99 | 0.45 |
| 1:A:672:VAL:O | 1:A:676:LEU:HG | 2.16 | 0.45 |
| 1:A:625:LYS:HB2 | 1:A:625:LYS:HE2 | 1.79 | 0.44 |
| 1:A:968:THR:OG1 | 1:A:981:GLU:OE1 | 2.34 | 0.44 |
| 1:A:881:LEU:HA | 1:A:884:GLN:HB2 | 1.98 | 0.44 |
| 1:A:60:LEU:HA | 1:A:63:VAL:HG12 | 1.99 | 0.44 |
| 1:A:818:LEU:HD22 | 1:A:864:LEU:HB2 | 2.00 | 0.44 |
| 1:A:586:HIS:HB2 | 1:A:649:TRP:CZ3 | 2.53 | 0.44 |
| 1:A:764:ALA:O | 1:A:768:GLU:HB3 | 2.16 | 0.44 |
| 1:A:782:ARG:NH1 | 1:A:784:SER:OG | 2.50 | 0.44 |
| 1:A:997:ALA:HB1 | 1:A:1022:LEU:HD23 | 2.00 | 0.44 |
| 1:A:879:ARG:HA | 1:A:879:ARG:HD2 | 1.81 | 0.44 |
| 1:A:354:TRP:HB2 | 1:A:378:ILE:HD11 | 2.00 | 0.44 |
| 1:A:914:VAL:HA | 1:A:934:ALA:HA | 1.98 | 0.44 |
| 1:A:934:ALA:HB1 | 1:A:937:LEU:HD21 | 1.99 | 0.44 |
| 1:A:376:THR:O | 1:A:379:GLU:HB3 | 2.18 | 0.44 |
| 1:A:778:LEU:O | 1:A:845:ARG:NH2 | 2.50 | 0.44 |
| 2:B:9:LEU:HD21 | 2:B:71:GLN:NE2 | 2.32 | 0.43 |
| 1:A:100:LEU:HA | 1:A:103:VAL:HG12 | 2.00 | 0.43 |
| 1:A:798:LEU:HG | 1:A:802:LEU:HD13 | 1.99 | 0.43 |
| 2:B:21:GLY:HA3 | 3:B:301:GNP:H5'1 | 2.00 | 0.43 |
| 1:A:293:ARG:HD3 | 1:A:293:ARG:HA | 1.83 | 0.43 |
| 2:B:52:VAL:HG22 | 2:B:65:GLY:H | 1.84 | 0.43 |
| 2:B:94:GLY:HA3 | 2:B:181:ILE:HD11 | 2.00 | 0.43 |
| 1:A:899:ARG:HH21 | 1:A:1074:ARG:HH22 | 1.67 | 0.42 |
| 2:B:141:ARG:NH1 | 2:B:143:VAL:O | 2.52 | 0.42 |
| 1:A:369:SER:O | 1:A:372:LEU:HB2 | 2.20 | 0.42 |
| 2:B:10:ILE:HB | 2:B:70:LEU:HD23 | 2.01 | 0.42 |
| 2:B:125:ASN:O | 2:B:184:ARG:NH1 | 2.51 | 0.42 |
| 2:B:158:PRO:HB3 | 2:B:176:MET:HE1 | 2.01 | 0.42 |
| 1:A:101:GLN:N | 1:A:104:ARG:HH21 | 2.17 | 0.42 |
| 1:A:455:PRO:HB3 | 1:A:519:ILE:HD11 | 2.00 | 0.42 |

*Continued on next page...*

*Continued from previous page...*

| Atom-1 | Atom-2 | Interatomic distance (Å) | Clash overlap (Å) |
|---|---|---|---|
| 1:A:535:LYS:HA | 1:A:535:LYS:HD3 | 1.77 | 0.42 |
| 1:A:696:ASN:O | 1:A:700:VAL:HG12 | 2.20 | 0.42 |
| 1:A:931:LEU:HD22 | 1:A:952:LEU:HD11 | 2.02 | 0.42 |
| 1:A:559:LEU:HD12 | 1:A:559:LEU:HA | 1.94 | 0.42 |
| 1:A:563:LEU:HD22 | 1:A:582:LEU:HD11 | 2.02 | 0.42 |
| 2:B:44:ILE:HG22 | 2:B:75:THR:HA | 2.02 | 0.41 |
| 2:B:6:TYR:HB3 | 2:B:50:ARG:HH21 | 1.85 | 0.41 |
| 1:A:553:GLY:O | 1:A:596:TRP:NE1 | 2.50 | 0.41 |
| 1:A:706:GLU:OE2 | 1:A:709:ARG:NH2 | 2.53 | 0.41 |
| 1:A:576:ARG:HH21 | 1:A:579:VAL:HG21 | 1.85 | 0.41 |
| 1:A:703:ASN:ND2 | 1:A:810:VAL:HG23 | 2.35 | 0.41 |
| 1:A:114:LYS:HD3 | 1:A:283:ILE:HD13 | 2.01 | 0.41 |
| 2:B:172:GLN:H | 2:B:172:GLN:HG2 | 1.71 | 0.41 |
| 1:A:67:LEU:HD12 | 1:A:195:ILE:HB | 2.03 | 0.41 |
| 1:A:114:LYS:HG3 | 1:A:187:THR:HG21 | 2.02 | 0.41 |
| 1:A:195:ILE:HG13 | 1:A:250:LEU:HB3 | 2.03 | 0.41 |
| 1:A:656:PHE:HB2 | 1:A:728:VAL:HG11 | 2.02 | 0.41 |
| 2:B:8:TYR:HB2 | 2:B:68:ILE:HD13 | 2.02 | 0.41 |
| 2:B:21:GLY:CA | 3:B:301:GNP:H5'1 | 2.50 | 0.41 |
| 1:A:50:GLU:OE2 | 1:A:51:GLN:NE2 | 2.51 | 0.41 |
| 1:A:184:TRP:CD1 | 1:A:186:GLU:HB2 | 2.55 | 0.41 |
| 1:A:826:LEU:HD23 | 1:A:826:LEU:HA | 1.94 | 0.40 |
| 1:A:855:ILE:HD12 | 1:A:855:ILE:HA | 1.93 | 0.40 |
| 1:A:204:MET:HB2 | 1:A:243:LEU:HB2 | 2.04 | 0.40 |
| 1:A:432:LEU:HA | 1:A:435:LEU:HB2 | 2.03 | 0.40 |
| 1:A:435:LEU:HD23 | 1:A:435:LEU:HA | 1.94 | 0.40 |
| 1:A:805:MET:HE3 | 1:A:805:MET:HB2 | 1.89 | 0.40 |
| 2:B:165:ALA:HB2 | 3:B:301:GNP:N1 | 2.36 | 0.40 |
| 1:A:1068:GLN:HA | 1:A:1071:VAL:HG22 | 2.04 | 0.40 |
| 1:A:758:THR:O | 1:A:762:THR:OG1 | 2.39 | 0.40 |

There are no symmetry-related clashes.

## 5.3 Torsion angles (i)

### 5.3.1 Protein backbone (i)

In the following table, the Percentiles column shows the percent Ramachandran outliers of the chain as a percentile score with respect to all PDB entries followed by that with respect to all EM entries.

The Analysed column shows the number of residues for which the backbone conformation was analysed, and the total number of residues.

| Mol | Chain | Analysed | Favoured | Allowed | Outliers | Percentiles | |
|---|---|---|---|---|---|---|---|
| 1 | A | 966/1118 (86%) | 925 (96%) | 41 (4%) | 0 | 100 | 100 |
| 2 | B | 182/263 (69%) | 166 (91%) | 16 (9%) | 0 | 100 | 100 |
| All | All | 1148/1381 (83%) | 1091 (95%) | 57 (5%) | 0 | 100 | 100 |

There are no Ramachandran outliers to report.

### 5.3.2 Protein sidechains (i)

In the following table, the Percentiles column shows the percent sidechain outliers of the chain as a percentile score with respect to all PDB entries followed by that with respect to all EM entries.

The Analysed column shows the number of residues for which the sidechain conformation was analysed, and the total number of residues.

| Mol | Chain | Analysed | Rotameric | Outliers | Percentiles | |
|---|---|---|---|---|---|---|
| 1 | A | 855/979 (87%) | 854 (100%) | 1 (0%) | 92 | 95 |
| 2 | B | 157/221 (71%) | 156 (99%) | 1 (1%) | 84 | 88 |
| All | All | 1012/1200 (84%) | 1010 (100%) | 2 (0%) | 91 | 94 |

All (2) residues with a non-rotameric sidechain are listed below:

| Mol | Chain | Res | Type |
|---|---|---|---|
| 1 | A | 804 | TYR |
| 2 | B | 108 | LEU |

Sometimes sidechains can be flipped to improve hydrogen bonding and reduce clashes. All (9) such sidechains are listed below:

| Mol | Chain | Res | Type |
|---|---|---|---|
| 1 | A | 259 | GLN |
| 1 | A | 703 | ASN |
| 1 | A | 746 | GLN |
| 1 | A | 971 | HIS |
| 2 | B | 69 | HIS |
| 2 | B | 105 | GLN |
| 2 | B | 125 | ASN |
| 2 | B | 140 | GLN |

*Continued on next page...*

*Continued from previous page...*

| Mol | Chain | Res | Type |
|---|---|---|---|
| 2 | B | 166 | ASN |

### 5.3.3 RNA

There are no RNA molecules in this entry.

## 5.4 Non-standard residues in protein, DNA, RNA chains

There are no non-standard protein/DNA/RNA residues in this entry.

## 5.5 Carbohydrates

There are no oligosaccharides in this entry.

## 5.6 Ligand geometry

1 ligand is modelled in this entry.

In the following table, the Counts columns list the number of bonds (or angles) for which Mogul statistics could be retrieved, the number of bonds (or angles) that are observed in the model and the number of bonds (or angles) that are defined in the Chemical Component Dictionary. The Link column lists molecule types, if any, to which the group is linked. The Z score for a bond length (or angle) is the number of standard deviations the observed value is removed from the expected value. A bond length (or angle) with $|Z| > 2$ is considered an outlier worth inspection. RMSZ is the root-mean-square of all Z scores of the bond lengths (or angles).

| Mol | Type | Chain | Res | Link | Bond lengths | | | Bond angles | | |
|---|---|---|---|---|---|---|---|---|---|---|
| | | | | | Counts | RMSZ | $\#\|Z\| > 2$ | Counts | RMSZ | $\#\|Z\| > 2$ |
| 3 | GNP | B | 301 | - | 29,34,34 | 1.62 | 7 (24%) | 33,54,54 | 2.23 | 6 (18%) |

In the following table, the Chirals column lists the number of chiral outliers, the number of chiral centers analysed, the number of these observed in the model and the number defined in the Chemical Component Dictionary. Similar counts are reported in the Torsion and Rings columns. '-' means no outliers of that kind were identified.

| Mol | Type | Chain | Res | Link | Chirals | Torsions | Rings |
|---|---|---|---|---|---|---|---|
| 3 | GNP | B | 301 | - | - | 3/14/38/38 | 0/3/3/3 |

All (7) bond length outliers are listed below:

| Mol | Chain | Res | Type | Atoms | Z | Observed(Å) | Ideal(Å) |
|---|---|---|---|---|---|---|---|
| 3 | B | 301 | GNP | PB-O3A | 4.47 | 1.64 | 1.59 |
| 3 | B | 301 | GNP | C6-N1 | 3.11 | 1.38 | 1.33 |
| 3 | B | 301 | GNP | PB-O1B | 3.10 | 1.51 | 1.46 |
| 3 | B | 301 | GNP | PG-N3B | 2.95 | 1.71 | 1.63 |
| 3 | B | 301 | GNP | PG-O1G | 2.76 | 1.50 | 1.46 |
| 3 | B | 301 | GNP | PB-O2B | -2.14 | 1.51 | 1.56 |
| 3 | B | 301 | GNP | C5-C6 | 2.05 | 1.44 | 1.41 |

All (6) bond angle outliers are listed below:

| Mol | Chain | Res | Type | Atoms | Z | Observed($^o$) | Ideal($^o$) |
|---|---|---|---|---|---|---|---|
| 3 | B | 301 | GNP | C5-C6-N1 | -8.43 | 111.90 | 123.43 |
| 3 | B | 301 | GNP | C2-N1-C6 | 5.86 | 125.24 | 115.93 |
| 3 | B | 301 | GNP | N3-C2-N1 | -2.79 | 123.50 | 127.22 |
| 3 | B | 301 | GNP | C4-C5-C6 | -2.56 | 118.36 | 120.80 |
| 3 | B | 301 | GNP | PB-O3A-PA | -2.33 | 124.39 | 132.62 |
| 3 | B | 301 | GNP | C2-N3-C4 | -2.14 | 112.91 | 115.36 |

There are no chirality outliers.

All (3) torsion outliers are listed below:

| Mol | Chain | Res | Type | Atoms |
|---|---|---|---|---|
| 3 | B | 301 | GNP | PB-N3B-PG-O1G |
| 3 | B | 301 | GNP | C5'-O5'-PA-O1A |
| 3 | B | 301 | GNP | O4'-C4'-C5'-O5' |

There are no ring outliers.

1 monomer is involved in 17 short contacts:

| Mol | Chain | Res | Type | Clashes | Symm-Clashes |
|---|---|---|---|---|---|
| 3 | B | 301 | GNP | 17 | 0 |

The following is a two-dimensional graphical depiction of Mogul quality analysis of bond lengths, bond angles, torsion angles, and ring geometry for all instances of the Ligand of Interest. In addition, ligands with molecular weight > 250 and outliers as shown on the validation Tables will also be included. For torsion angles, if less then 5% of the Mogul distribution of torsion angles is within 10 degrees of the torsion angle in question, then that torsion angle is considered an outlier. Any bond that is central to one or more torsion angles identified as an outlier by Mogul will be highlighted in the graph. For rings, the root-mean-square deviation (RMSD) between the ring in question and similar rings identified by Mogul is calculated over all ring torsion angles. If the average RMSD is greater than 60 degrees and the minimal RMSD between the ring in question and any Mogul-identified rings is also greater than 60 degrees, then that ring is considered an outlier.

The outliers are highlighted in purple. The color gray indicates Mogul did not find sufficient equivalents in the CSD to analyse the geometry.




## 5.7 Other polymers

There are no such residues in this entry.

## 5.8 Polymer linkage issues

There are no chain breaks in this entry.