



Full wwPDB X-ray Structure Validation Report ⓘ

Dec 3, 2023 – 03:12 pm GMT

PDB ID : 2CLP
Title : Crystal structure of human aflatoxin B1 aldehyde reductase member 3
Authors : Debreczeni, J.E.; Marsden, B.D.; Johansson, C.; Kavanagh, K.; Guo, K.; Smees, C.; Gileadi, O.; Turnbull, A.; Papagrigoriou, E.; von Delft, F.; Edwards, A.; Arrowsmith, C.; Weigelt, J.; Sundstrom, M.; Oppermann, U.
Deposited on : 2006-04-28
Resolution : 3.00 Å(reported)

This is a Full wwPDB X-ray Structure Validation Report for a publicly released PDB entry.

We welcome your comments at validation@mail.wwpdb.org

A user guide is available at

<https://www.wwpdb.org/validation/2017/XrayValidationReportHelp>

with specific help available everywhere you see the ⓘ symbol.

The types of validation reports are described at

<http://www.wwpdb.org/validation/2017/FAQs#types>.

The following versions of software and data (see [references ⓘ](#)) were used in the production of this report:

MolProbity : **FAILED**
Mogul : 1.8.4, CSD as541be (2020)
Xtriage (Phenix) : 1.13
EDS : 2.36
buster-report : 1.1.7 (2018)
Percentile statistics : 20191225.v01 (using entries in the PDB archive December 25th 2019)
Refmac : 5.8.0158
CCP4 : 7.0.044 (Gargrove)
Ideal geometry (proteins) : Engh & Huber (2001)
Ideal geometry (DNA, RNA) : Parkinson et al. (1996)
Validation Pipeline (wwPDB-VP) : 2.36


1 Overall quality at a glance

The following experimental techniques were used to determine the structure:

X-RAY DIFFRACTION

The reported resolution of this entry is 3.00 Å.

Percentile scores (ranging between 0-100) for global validation metrics of the entry are shown in the following graphic. The table shows the number of entries on which the scores are based.



Metric	Whole archive (#Entries)	Similar resolution (#Entries, resolution range(Å))
R_{free}	130704	2092 (3.00-3.00)
RSRZ outliers	127900	1990 (3.00-3.00)

MolProbity failed to run properly - the sequence quality summary graphics cannot be shown.

2 Entry composition [i](#)

There are 4 unique types of molecules in this entry. The entry contains 27441 atoms, of which 0 are hydrogens and 0 are deuteriums.

In the tables below, the ZeroOcc column contains the number of atoms modelled with zero occupancy, the AltConf column contains the number of residues with at least one atom in alternate conformation and the Trace column contains the number of residues modelled with at most 2 atoms.

- Molecule 1 is a protein called AFLATOXIN B1 ALDEHYDE REDUCTASE MEMBER 3.

Mol	Chain	Residues	Atoms					ZeroOcc	AltConf	Trace
			Total	C	N	O	S			
1	A	323	2445	1566	419	444	16	0	0	0
1	B	323	2445	1566	418	445	16	0	0	0
1	C	323	2443	1565	417	445	16	0	0	0
1	D	323	2444	1568	416	444	16	0	0	0
1	E	323	2445	1568	417	444	16	0	0	0
1	F	323	2451	1569	420	446	16	0	0	0
1	G	323	2455	1569	424	446	16	0	0	0
1	H	323	2439	1564	417	442	16	0	0	0
1	I	322	2427	1556	412	443	16	0	0	0
1	J	323	2443	1565	417	445	16	0	0	0
1	K	323	2460	1573	424	447	16	0	0	0

There are 11 discrepancies between the modelled and reference sequences:


Chain	Residue	Modelled	Actual	Comment	Reference
A	244	ASP	ASN	variant	UNP O95154
B	244	ASP	ASN	variant	UNP O95154
C	244	ASP	ASN	variant	UNP O95154
D	244	ASP	ASN	variant	UNP O95154
E	244	ASP	ASN	variant	UNP O95154
F	244	ASP	ASN	variant	UNP O95154
G	244	ASP	ASN	variant	UNP O95154

Continued on next page...

Continued from previous page...

Chain	Residue	Modelled	Actual	Comment	Reference
H	244	ASP	ASN	variant	UNP O95154
I	244	ASP	ASN	variant	UNP O95154
J	244	ASP	ASN	variant	UNP O95154
K	244	ASP	ASN	variant	UNP O95154

- Molecule 2 is NADPH DIHYDRO-NICOTINAMIDE-ADENINE-DINUCLEOTIDE PHOSPHATE (three-letter code: NDP) (formula: C₂₁H₃₀N₇O₁₇P₃).



Mol	Chain	Residues	Atoms					ZeroOcc	AltConf
			Total	C	N	O	P		
2	A	1	Total 48	C 21	N 7	O 17	P 3	0	0
2	B	1	Total 48	C 21	N 7	O 17	P 3	0	0
2	C	1	Total 48	C 21	N 7	O 17	P 3	0	0
2	D	1	Total 48	C 21	N 7	O 17	P 3	0	0
2	E	1	Total 48	C 21	N 7	O 17	P 3	0	0
2	F	1	Total 48	C 21	N 7	O 17	P 3	0	0
2	G	1	Total 48	C 21	N 7	O 17	P 3	0	0
2	H	1	Total 48	C 21	N 7	O 17	P 3	0	0
2	I	1	Total 48	C 21	N 7	O 17	P 3	0	0

Continued on next page...

Continued from previous page...

Mol	Chain	Residues	Atoms					ZeroOcc	AltConf
2	J	1	Total	C	N	O	P	0	0
			48	21	7	17	3		
2	K	1	Total	C	N	O	P	0	0
			48	21	7	17	3		

- Molecule 3 is CALCIUM ION (three-letter code: CA) (formula: Ca).

Mol	Chain	Residues	Atoms		ZeroOcc	AltConf
3	A	1	Total	Ca	0	0
			1	1		
3	C	1	Total	Ca	0	0
			1	1		
3	E	1	Total	Ca	0	0
			1	1		
3	G	1	Total	Ca	0	0
			1	1		

- Molecule 4 is water.

Mol	Chain	Residues	Atoms		ZeroOcc	AltConf
4	A	2	Total	O	0	0
			2	2		
4	B	2	Total	O	0	0
			2	2		
4	D	1	Total	O	0	0
			1	1		
4	E	2	Total	O	0	0
			2	2		
4	F	2	Total	O	0	0
			2	2		
4	G	1	Total	O	0	0
			1	1		
4	H	1	Total	O	0	0
			1	1		
4	K	1	Total	O	0	0
			1	1		

MolProbity failed to run properly - this section is therefore empty.

3 Data and refinement statistics

Property	Value	Source
Space group	P 32 2 1	Depositor
Cell constants a, b, c, α , β , γ	126.96Å 126.96Å 490.50Å 90.00° 90.00° 120.00°	Depositor
Resolution (Å)	164.40 – 3.00 59.18 – 3.00	Depositor EDS
% Data completeness (in resolution range)	99.8 (164.40-3.00) 99.7 (59.18-3.00)	Depositor EDS
R_{merge}	0.09	Depositor
R_{sym}	(Not available)	Depositor
$\langle I/\sigma(I) \rangle$ ¹	2.34 (at 3.01Å)	Xtrriage
Refinement program	REFMAC 5.2.0019	Depositor
R, R_{free}	0.239 , 0.253 0.243 , 0.255	Depositor DCC
R_{free} test set	4628 reflections (4.99%)	wwPDB-VP
Wilson B-factor (Å ²)	54.2	Xtrriage
Anisotropy	0.047	Xtrriage
Bulk solvent k_{sol} (e/Å ³), B_{sol} (Å ²)	0.25 , 19.7	EDS
L-test for twinning ²	$\langle L \rangle = 0.39$, $\langle L^2 \rangle = 0.22$	Xtrriage
Estimated twinning fraction	0.097 for -h,-k,l	Xtrriage
F_o, F_c correlation	0.89	EDS
Total number of atoms	27441	wwPDB-VP
Average B, all atoms (Å ²)	55.0	wwPDB-VP

Xtrriage's analysis on translational NCS is as follows: *The largest off-origin peak in the Patterson function is 2.08% of the height of the origin peak. No significant pseudotranslation is detected.*

¹Intensities estimated from amplitudes.

²Theoretical values of $\langle |L| \rangle$, $\langle L^2 \rangle$ for acentric reflections are 0.5, 0.333 respectively for untwinned datasets, and 0.375, 0.2 for perfectly twinned datasets.

4 Model quality [i](#)

4.1 Standard geometry [i](#)

MolProbity failed to run properly - this section is therefore empty.

4.2 Too-close contacts [i](#)

MolProbity failed to run properly - this section is therefore empty.

4.3 Torsion angles [i](#)

4.3.1 Protein backbone [i](#)

MolProbity failed to run properly - this section is therefore empty.

4.3.2 Protein sidechains [i](#)

MolProbity failed to run properly - this section is therefore empty.

4.3.3 RNA [i](#)

MolProbity failed to run properly - this section is therefore empty.

4.4 Non-standard residues in protein, DNA, RNA chains [i](#)

There are no non-standard protein/DNA/RNA residues in this entry.

4.5 Carbohydrates [i](#)

There are no monosaccharides in this entry.

4.6 Ligand geometry [i](#)

Of 15 ligands modelled in this entry, 4 are monoatomic - leaving 11 for Mogul analysis.

In the following table, the Counts columns list the number of bonds (or angles) for which Mogul statistics could be retrieved, the number of bonds (or angles) that are observed in the model and the number of bonds (or angles) that are defined in the Chemical Component Dictionary. The Link column lists molecule types, if any, to which the group is linked. The Z score for a bond

length (or angle) is the number of standard deviations the observed value is removed from the expected value. A bond length (or angle) with $|Z| > 2$ is considered an outlier worth inspection. RMSZ is the root-mean-square of all Z scores of the bond lengths (or angles).

Mol	Type	Chain	Res	Link	Bond lengths			Bond angles		
					Counts	RMSZ	# Z > 2	Counts	RMSZ	# Z > 2
2	NDP	F	1361	-	45,52,52	1.52	4 (8%)	53,80,80	1.38	7 (13%)
2	NDP	G	1361	-	45,52,52	1.54	5 (11%)	53,80,80	1.54	6 (11%)
2	NDP	H	1361	-	45,52,52	1.60	5 (11%)	53,80,80	1.39	6 (11%)
2	NDP	J	1361	-	45,52,52	1.60	4 (8%)	53,80,80	1.29	5 (9%)
2	NDP	E	1361	-	45,52,52	1.59	4 (8%)	53,80,80	1.18	3 (5%)
2	NDP	K	1361	-	45,52,52	1.62	4 (8%)	53,80,80	1.32	3 (5%)
2	NDP	I	1361	-	45,52,52	1.60	4 (8%)	53,80,80	1.24	2 (3%)
2	NDP	B	1361	-	45,52,52	1.64	4 (8%)	53,80,80	1.31	7 (13%)
2	NDP	A	1361	-	45,52,52	1.58	4 (8%)	53,80,80	1.17	5 (9%)
2	NDP	C	1361	-	45,52,52	1.49	4 (8%)	53,80,80	1.22	5 (9%)
2	NDP	D	1361	-	45,52,52	1.59	4 (8%)	53,80,80	1.14	2 (3%)

In the following table, the Chirals column lists the number of chiral outliers, the number of chiral centers analysed, the number of these observed in the model and the number defined in the Chemical Component Dictionary. Similar counts are reported in the Torsion and Rings columns. '-' means no outliers of that kind were identified.

Mol	Type	Chain	Res	Link	Chirals	Torsions	Rings
2	NDP	F	1361	-	-	5/30/77/77	0/5/5/5
2	NDP	G	1361	-	-	7/30/77/77	0/5/5/5
2	NDP	H	1361	-	-	5/30/77/77	0/5/5/5
2	NDP	J	1361	-	-	8/30/77/77	0/5/5/5
2	NDP	E	1361	-	-	3/30/77/77	0/5/5/5
2	NDP	K	1361	-	-	4/30/77/77	0/5/5/5
2	NDP	I	1361	-	-	7/30/77/77	0/5/5/5
2	NDP	B	1361	-	-	4/30/77/77	0/5/5/5
2	NDP	A	1361	-	-	11/30/77/77	0/5/5/5
2	NDP	C	1361	-	-	8/30/77/77	0/5/5/5
2	NDP	D	1361	-	-	2/30/77/77	0/5/5/5

All (46) bond length outliers are listed below:

Mol	Chain	Res	Type	Atoms	Z	Observed(Å)	Ideal(Å)
2	D	1361	NDP	O7N-C7N	7.14	1.41	1.24
2	E	1361	NDP	O7N-C7N	7.13	1.41	1.24
2	K	1361	NDP	O7N-C7N	7.06	1.41	1.24
2	B	1361	NDP	O7N-C7N	7.04	1.41	1.24
2	H	1361	NDP	O7N-C7N	7.03	1.41	1.24
2	I	1361	NDP	O7N-C7N	6.98	1.41	1.24
2	A	1361	NDP	O7N-C7N	6.87	1.40	1.24
2	J	1361	NDP	O7N-C7N	6.84	1.40	1.24
2	F	1361	NDP	O7N-C7N	6.74	1.40	1.24
2	C	1361	NDP	O7N-C7N	6.66	1.40	1.24
2	G	1361	NDP	O7N-C7N	6.50	1.39	1.24
2	A	1361	NDP	C2A-N3A	4.53	1.39	1.32
2	D	1361	NDP	C2A-N3A	4.50	1.39	1.32
2	J	1361	NDP	C2A-N3A	4.40	1.39	1.32
2	I	1361	NDP	C2A-N3A	4.38	1.39	1.32
2	E	1361	NDP	C2A-N3A	4.35	1.39	1.32
2	B	1361	NDP	C2A-N3A	4.30	1.39	1.32
2	K	1361	NDP	C2A-N3A	4.30	1.39	1.32
2	H	1361	NDP	C2A-N3A	4.19	1.38	1.32
2	G	1361	NDP	C2A-N3A	4.11	1.38	1.32
2	F	1361	NDP	C2A-N3A	4.00	1.38	1.32
2	B	1361	NDP	C6N-C5N	3.91	1.40	1.33
2	K	1361	NDP	C6N-C5N	3.78	1.40	1.33
2	H	1361	NDP	C6N-C5N	3.74	1.40	1.33
2	J	1361	NDP	C6N-C5N	3.62	1.39	1.33
2	E	1361	NDP	C6N-C5N	3.44	1.39	1.33
2	I	1361	NDP	C6N-C5N	3.43	1.39	1.33
2	C	1361	NDP	C2A-N3A	3.39	1.37	1.32
2	A	1361	NDP	C6N-C5N	3.36	1.39	1.33
2	G	1361	NDP	C6N-C5N	3.32	1.39	1.33
2	A	1361	NDP	C2A-N1A	3.25	1.40	1.33
2	F	1361	NDP	C2A-N1A	3.15	1.39	1.33
2	C	1361	NDP	C6N-C5N	3.12	1.38	1.33
2	F	1361	NDP	C6N-C5N	3.10	1.38	1.33
2	D	1361	NDP	C2A-N1A	2.87	1.39	1.33
2	J	1361	NDP	C2A-N1A	2.82	1.39	1.33
2	D	1361	NDP	C6N-C5N	2.78	1.38	1.33
2	I	1361	NDP	C2A-N1A	2.76	1.39	1.33
2	K	1361	NDP	C2A-N1A	2.73	1.39	1.33
2	E	1361	NDP	C2A-N1A	2.70	1.38	1.33
2	B	1361	NDP	C2A-N1A	2.55	1.38	1.33
2	C	1361	NDP	C2A-N1A	2.54	1.38	1.33
2	H	1361	NDP	C2A-N1A	2.51	1.38	1.33

Continued on next page...

Continued from previous page...

Mol	Chain	Res	Type	Atoms	Z	Observed(Å)	Ideal(Å)
2	G	1361	NDP	C2A-N1A	2.51	1.38	1.33
2	H	1361	NDP	O4D-C4D	-2.19	1.40	1.45
2	G	1361	NDP	PN-O2N	-2.08	1.45	1.55

All (51) bond angle outliers are listed below:

Mol	Chain	Res	Type	Atoms	Z	Observed(°)	Ideal(°)
2	I	1361	NDP	N3A-C2A-N1A	-6.07	119.20	128.68
2	J	1361	NDP	N3A-C2A-N1A	-5.63	119.88	128.68
2	E	1361	NDP	N3A-C2A-N1A	-5.53	120.04	128.68
2	C	1361	NDP	N3A-C2A-N1A	-5.47	120.13	128.68
2	F	1361	NDP	N3A-C2A-N1A	-5.47	120.13	128.68
2	H	1361	NDP	N3A-C2A-N1A	-5.32	120.37	128.68
2	G	1361	NDP	N3A-C2A-N1A	-5.24	120.50	128.68
2	K	1361	NDP	N3A-C2A-N1A	-5.22	120.53	128.68
2	D	1361	NDP	N3A-C2A-N1A	-5.10	120.71	128.68
2	B	1361	NDP	N3A-C2A-N1A	-4.96	120.92	128.68
2	H	1361	NDP	PN-O3-PA	-4.64	116.90	132.83
2	G	1361	NDP	PN-O3-PA	-4.63	116.94	132.83
2	A	1361	NDP	N3A-C2A-N1A	-4.53	121.60	128.68
2	K	1361	NDP	O2B-C2B-C3B	-3.64	98.49	111.68
2	G	1361	NDP	C3N-C7N-N7N	3.21	123.37	117.67
2	G	1361	NDP	O2B-C2B-C1B	3.17	121.52	110.10
2	J	1361	NDP	C1D-N1N-C2N	-3.04	116.06	121.11
2	B	1361	NDP	PN-O3-PA	-3.01	122.48	132.83
2	B	1361	NDP	O4B-C1B-C2B	-2.84	101.66	106.59
2	F	1361	NDP	C3N-C2N-N1N	-2.76	119.16	123.10
2	J	1361	NDP	PN-O3-PA	-2.73	123.45	132.83
2	I	1361	NDP	PN-O3-PA	-2.57	124.02	132.83
2	A	1361	NDP	C1D-N1N-C2N	-2.50	116.95	121.11
2	K	1361	NDP	C3D-C2D-C1D	2.46	106.10	101.43
2	C	1361	NDP	C3D-C2D-C1D	2.46	106.10	101.43
2	F	1361	NDP	O4D-C1D-N1N	-2.44	103.28	108.06
2	F	1361	NDP	PN-O3-PA	-2.44	124.46	132.83
2	F	1361	NDP	C2D-C3D-C4D	-2.43	97.91	102.64
2	B	1361	NDP	C2B-C3B-C4B	-2.43	96.72	101.99
2	A	1361	NDP	C4A-C5A-N7A	-2.42	106.88	109.40
2	G	1361	NDP	O2B-C2B-C3B	-2.38	103.05	111.68
2	E	1361	NDP	PN-O3-PA	-2.37	124.71	132.83
2	G	1361	NDP	O7N-C7N-C3N	-2.34	116.48	120.90
2	J	1361	NDP	O2B-C2B-C3B	-2.32	103.26	111.68
2	C	1361	NDP	O2N-PN-O1N	2.28	123.50	112.24

Continued on next page...

Continued from previous page...

Mol	Chain	Res	Type	Atoms	Z	Observed(°)	Ideal(°)
2	H	1361	NDP	O3B-C3B-C4B	2.25	117.54	111.05
2	A	1361	NDP	PN-O3-PA	-2.23	125.17	132.83
2	H	1361	NDP	C1D-N1N-C2N	-2.22	117.42	121.11
2	C	1361	NDP	C3N-C2N-N1N	-2.18	119.99	123.10
2	B	1361	NDP	O2N-PN-O1N	2.16	122.94	112.24
2	F	1361	NDP	O7N-C7N-C3N	-2.15	116.86	120.90
2	A	1361	NDP	O3X-P2B-O2X	2.10	115.66	107.64
2	B	1361	NDP	O3B-C3B-C4B	2.07	117.05	111.05
2	C	1361	NDP	C1D-N1N-C6N	-2.07	116.38	120.83
2	B	1361	NDP	C3B-C2B-C1B	2.06	106.76	102.89
2	E	1361	NDP	C4A-C5A-N7A	-2.06	107.25	109.40
2	H	1361	NDP	C4A-C5A-N7A	-2.05	107.26	109.40
2	D	1361	NDP	C4A-C5A-N7A	-2.04	107.27	109.40
2	H	1361	NDP	O4B-C1B-C2B	-2.04	103.05	106.59
2	J	1361	NDP	C4A-C5A-N7A	-2.03	107.28	109.40
2	F	1361	NDP	O2N-PN-O1N	2.02	122.25	112.24

There are no chirality outliers.

All (64) torsion outliers are listed below:

Mol	Chain	Res	Type	Atoms
2	A	1361	NDP	C2B-O2B-P2B-O2X
2	A	1361	NDP	C2N-C3N-C7N-N7N
2	B	1361	NDP	PN-O3-PA-O5B
2	C	1361	NDP	C2N-C3N-C7N-N7N
2	F	1361	NDP	C2B-O2B-P2B-O2X
2	G	1361	NDP	C1B-C2B-O2B-P2B
2	H	1361	NDP	PN-O3-PA-O5B
2	H	1361	NDP	C2N-C3N-C7N-N7N
2	I	1361	NDP	C2N-C3N-C7N-N7N
2	J	1361	NDP	PN-O3-PA-O5B
2	K	1361	NDP	C2B-O2B-P2B-O3X
2	G	1361	NDP	C3B-C4B-C5B-O5B
2	C	1361	NDP	C1B-C2B-O2B-P2B
2	J	1361	NDP	C1B-C2B-O2B-P2B
2	C	1361	NDP	C3B-C2B-O2B-P2B
2	J	1361	NDP	C3B-C2B-O2B-P2B
2	G	1361	NDP	O4B-C4B-C5B-O5B
2	H	1361	NDP	O4D-C1D-N1N-C2N
2	A	1361	NDP	PN-O3-PA-O5B
2	C	1361	NDP	PN-O3-PA-O5B
2	D	1361	NDP	PN-O3-PA-O5B

Continued on next page...

Continued from previous page...

Mol	Chain	Res	Type	Atoms
2	E	1361	NDP	PN-O3-PA-O5B
2	F	1361	NDP	PN-O3-PA-O5B
2	G	1361	NDP	PN-O3-PA-O5B
2	I	1361	NDP	PN-O3-PA-O5B
2	K	1361	NDP	PN-O3-PA-O5B
2	K	1361	NDP	O4D-C1D-N1N-C2N
2	A	1361	NDP	C2B-O2B-P2B-O3X
2	C	1361	NDP	C2B-O2B-P2B-O3X
2	I	1361	NDP	C2B-O2B-P2B-O2X
2	E	1361	NDP	O4D-C1D-N1N-C2N
2	F	1361	NDP	O4D-C1D-N1N-C2N
2	G	1361	NDP	O4D-C1D-N1N-C2N
2	I	1361	NDP	C4D-C5D-O5D-PN
2	F	1361	NDP	C2N-C3N-C7N-N7N
2	G	1361	NDP	C5B-O5B-PA-O1A
2	H	1361	NDP	O4D-C4D-C5D-O5D
2	D	1361	NDP	O4D-C1D-N1N-C2N
2	B	1361	NDP	C2D-C1D-N1N-C2N
2	A	1361	NDP	O4D-C1D-N1N-C2N
2	B	1361	NDP	O4D-C1D-N1N-C2N
2	C	1361	NDP	O4D-C1D-N1N-C2N
2	I	1361	NDP	O4D-C1D-N1N-C2N
2	J	1361	NDP	O4D-C1D-N1N-C2N
2	J	1361	NDP	O4D-C1D-N1N-C6N
2	A	1361	NDP	C2D-C1D-N1N-C6N
2	J	1361	NDP	C2D-C1D-N1N-C6N
2	J	1361	NDP	C4D-C5D-O5D-PN
2	E	1361	NDP	C2B-O2B-P2B-O1X
2	H	1361	NDP	C2B-O2B-P2B-O1X
2	A	1361	NDP	C2D-C1D-N1N-C2N
2	C	1361	NDP	C2D-C1D-N1N-C2N
2	A	1361	NDP	O4D-C1D-N1N-C6N
2	C	1361	NDP	C2B-O2B-P2B-O2X
2	F	1361	NDP	C2B-O2B-P2B-O3X
2	G	1361	NDP	C5B-O5B-PA-O3
2	I	1361	NDP	C2B-O2B-P2B-O3X
2	A	1361	NDP	C3B-C4B-C5B-O5B
2	A	1361	NDP	PN-O3-PA-O1A
2	B	1361	NDP	PA-O3-PN-O1N
2	I	1361	NDP	PA-O3-PN-O2N
2	K	1361	NDP	C3B-C2B-O2B-P2B
2	A	1361	NDP	C5B-O5B-PA-O1A

Continued on next page...


Continued from previous page...


Mol	Chain	Res	Type	Atoms
2	J	1361	NDP	C2N-C3N-C7N-N7N


There are no ring outliers.


No monomer is involved in short contacts.


The following is a two-dimensional graphical depiction of Mogul quality analysis of bond lengths, bond angles, torsion angles, and ring geometry for all instances of the Ligand of Interest. In addition, ligands with molecular weight > 250 and outliers as shown on the validation Tables will also be included. For torsion angles, if less than 5% of the Mogul distribution of torsion angles is within 10 degrees of the torsion angle in question, then that torsion angle is considered an outlier. Any bond that is central to one or more torsion angles identified as an outlier by Mogul will be highlighted in the graph. For rings, the root-mean-square deviation (RMSD) between the ring in question and similar rings identified by Mogul is calculated over all ring torsion angles. If the average RMSD is greater than 60 degrees and the minimal RMSD between the ring in question and any Mogul-identified rings is also greater than 60 degrees, then that ring is considered an outlier. The outliers are highlighted in purple. The color gray indicates Mogul did not find sufficient equivalents in the CSD to analyse the geometry.





























4.7 Other polymers [\(i\)](#)

There are no such residues in this entry.

4.8 Polymer linkage issues [\(i\)](#)

There are no chain breaks in this entry.

5 Fit of model and data

5.1 Protein, DNA and RNA chains

In the following table, the column labelled ‘#RSRZ> 2’ contains the number (and percentage) of RSRZ outliers, followed by percent RSRZ outliers for the chain as percentile scores relative to all X-ray entries and entries of similar resolution. The OWAB column contains the minimum, median, 95th percentile and maximum values of the occupancy-weighted average B-factor per residue. The column labelled ‘Q< 0.9’ lists the number of (and percentage) of residues with an average occupancy less than 0.9.

Mol	Chain	Analysed	<RSRZ>	#RSRZ>2	OWAB(Å ²)	Q<0.9
1	A	323/347 (93%)	-0.29	0 100 100	50, 56, 60, 66	0
1	B	323/347 (93%)	-0.17	1 (0%) 94 84	47, 56, 61, 64	0
1	C	323/347 (93%)	-0.26	1 (0%) 94 84	48, 56, 61, 65	0
1	D	323/347 (93%)	-0.27	0 100 100	47, 55, 61, 66	0
1	E	323/347 (93%)	-0.31	0 100 100	48, 55, 61, 66	0
1	F	323/347 (93%)	-0.28	0 100 100	47, 56, 60, 63	0
1	G	323/347 (93%)	-0.22	0 100 100	48, 56, 60, 69	0
1	H	323/347 (93%)	-0.06	3 (0%) 84 63	48, 56, 61, 63	0
1	I	322/347 (92%)	0.30	19 (5%) 22 7	51, 56, 59, 61	0
1	J	323/347 (93%)	0.22	12 (3%) 41 17	51, 56, 60, 61	0
1	K	323/347 (93%)	-0.26	0 100 100	47, 56, 62, 66	0
All	All	3552/3817 (93%)	-0.14	36 (1%) 82 59	47, 56, 61, 69	0

All (36) RSRZ outliers are listed below:

Mol	Chain	Res	Type	RSRZ
1	I	284	ALA	3.9
1	I	316	LEU	3.7
1	J	190	GLY	3.4
1	I	300	MET	3.4
1	B	97	SER	3.4
1	J	101	VAL	3.3
1	H	101	VAL	3.3
1	I	283	ALA	3.2
1	H	64	PHE	3.2
1	I	328	LEU	3.0
1	J	315	ILE	2.9
1	J	237	LYS	2.8

Continued on next page...

Continued from previous page...

Mol	Chain	Res	Type	RSRZ
1	I	331	ALA	2.7
1	J	297	LEU	2.7
1	J	314	VAL	2.6
1	I	273	GLY	2.6
1	I	281	LEU	2.5
1	J	238	TYR	2.5
1	J	296	THR	2.4
1	I	73	ASP	2.4
1	I	244	ASP	2.3
1	I	297	LEU	2.3
1	I	223	PHE	2.3
1	J	233	LEU	2.2
1	I	274	ILE	2.2
1	I	91	GLY	2.2
1	J	183	CYS	2.1
1	J	41	THR	2.1
1	H	46	MET	2.1
1	I	197	TYR	2.1
1	J	169	LEU	2.1
1	I	105	THR	2.1
1	I	270	HIS	2.1
1	I	280	ALA	2.0
1	C	43	LEU	2.0
1	I	311	GLY	2.0

5.2 Non-standard residues in protein, DNA, RNA chains [i](#)

There are no non-standard protein/DNA/RNA residues in this entry.

5.3 Carbohydrates [i](#)


There are no monosaccharides in this entry.

5.4 Ligands [i](#)

In the following table, the Atoms column lists the number of modelled atoms in the group and the number defined in the chemical component dictionary. The B-factors column lists the minimum, median, 95th percentile and maximum values of B factors of atoms in the group. The column labelled 'Q< 0.9' lists the number of atoms with occupancy less than 0.9.




Mol	Type	Chain	Res	Atoms	RSCC	RSR	B-factors(\AA^2)	Q<0.9
2	NDP	I	1361	48/48	0.91	0.28	63,71,88,88	0
3	CA	C	1362	1/1	0.92	0.19	41,41,41,41	0
2	NDP	J	1361	48/48	0.94	0.23	67,70,82,83	0
2	NDP	H	1361	48/48	0.94	0.15	52,57,67,68	0
2	NDP	B	1361	48/48	0.96	0.15	35,45,56,57	0
2	NDP	C	1361	48/48	0.96	0.14	27,40,55,57	0
2	NDP	A	1361	48/48	0.96	0.15	24,31,56,57	0
2	NDP	D	1361	48/48	0.97	0.14	28,40,54,55	0
2	NDP	E	1361	48/48	0.97	0.21	33,41,50,50	0
2	NDP	F	1361	48/48	0.97	0.12	27,35,44,45	0
2	NDP	K	1361	48/48	0.97	0.14	30,38,44,45	0
3	CA	A	1362	1/1	0.97	0.19	37,37,37,37	0
2	NDP	G	1361	48/48	0.97	0.12	26,34,44,44	0
3	CA	E	1362	1/1	0.97	0.13	35,35,35,35	0
3	CA	G	1362	1/1	0.97	0.18	30,30,30,30	0

The following is a graphical depiction of the model fit to experimental electron density of all instances of the Ligand of Interest. In addition, ligands with molecular weight > 250 and outliers as shown on the geometry validation Tables will also be included. Each fit is shown from different orientation to approximate a three-dimensional view.






Electron density around NDP J 1361:

$2mF_o-DF_c$ (at 0.7 rmsd) in gray
 mF_o-DF_c (at 3 rmsd) in purple (negative)
and green (positive)




**Electron density around NDP H 1361:**

$2mF_o-DF_c$ (at 0.7 rmsd) in gray
 mF_o-DF_c (at 3 rmsd) in purple (negative)
and green (positive)






Electron density around NDP B 1361:

$2mF_o-DF_c$ (at 0.7 rmsd) in gray
 mF_o-DF_c (at 3 rmsd) in purple (negative)
and green (positive)




**Electron density around NDP C 1361:**

$2mF_o-DF_c$ (at 0.7 rmsd) in gray
 mF_o-DF_c (at 3 rmsd) in purple (negative)
and green (positive)






Electron density around NDP A 1361:

$2mF_o-DF_c$ (at 0.7 rmsd) in gray
 mF_o-DF_c (at 3 rmsd) in purple (negative)
and green (positive)




**Electron density around NDP D 1361:**

$2mF_o-DF_c$ (at 0.7 rmsd) in gray
 mF_o-DF_c (at 3 rmsd) in purple (negative)
and green (positive)






Electron density around NDP E 1361:

$2mF_o-DF_c$ (at 0.7 rmsd) in gray
 mF_o-DF_c (at 3 rmsd) in purple (negative)
and green (positive)




**Electron density around NDP F 1361:**

$2mF_o-DF_c$ (at 0.7 rmsd) in gray
 mF_o-DF_c (at 3 rmsd) in purple (negative)
and green (positive)






Electron density around NDP K 1361:

$2mF_o-DF_c$ (at 0.7 rmsd) in gray
 mF_o-DF_c (at 3 rmsd) in purple (negative)
and green (positive)

**Electron density around NDP G 1361:**

$2mF_o-DF_c$ (at 0.7 rmsd) in gray
 mF_o-DF_c (at 3 rmsd) in purple (negative)
and green (positive)



5.5 Other polymers [i](#)

There are no such residues in this entry.