



# Full wwPDB X-ray Structure Validation Report ⓘ

Jun 11, 2024 – 06:40 PM EDT

PDB ID : 2PRG  
Title : LIGAND-BINDING DOMAIN OF THE HUMAN PEROXISOME PROLIF-  
ERATOR ACTIVATED RECEPTOR GAMMA  
Authors : Nolte, R.T.; Wisely, G.B.; Milburn, M.V.  
Deposited on : 1998-08-14  
Resolution : 2.30 Å(reported)

This is a Full wwPDB X-ray Structure Validation Report for a publicly released PDB entry.

We welcome your comments at [validation@mail.wwpdb.org](mailto:validation@mail.wwpdb.org)

A user guide is available at

<https://www.wwpdb.org/validation/2017/XrayValidationReportHelp>

with specific help available everywhere you see the ⓘ symbol.

The types of validation reports are described at

<http://www.wwpdb.org/validation/2017/FAQs#types>.

---

The following versions of software and data (see [references ⓘ](#)) were used in the production of this report:

MolProbity : 4.02b-467  
Mogul : 2022.3.0, CSD as543be (2022)  
Xtrriage (Phenix) : **NOT EXECUTED**  
EDS : **NOT EXECUTED**  
buster-report : 1.1.7 (2018)  
Percentile statistics : 20191225.v01 (using entries in the PDB archive December 25th 2019)  
Ideal geometry (proteins) : Engh & Huber (2001)  
Ideal geometry (DNA, RNA) : Parkinson et al. (1996)  
Validation Pipeline (wwPDB-VP) : 2.36.2


# 1 Overall quality at a glance

The following experimental techniques were used to determine the structure:

*X-RAY DIFFRACTION*

The reported resolution of this entry is 2.30 Å.

Percentile scores (ranging between 0-100) for global validation metrics of the entry are shown in the following graphic. The table shows the number of entries on which the scores are based.



Metric	Whole archive (#Entries)	Similar resolution (#Entries, resolution range(Å))
Clashscore	141614	5643 (2.30-2.30)
Ramachandran outliers	138981	5575 (2.30-2.30)
Sidechain outliers	138945	5575 (2.30-2.30)

The table below summarises the geometric issues observed across the polymeric chains and their fit to the electron density. The red, orange, yellow and green segments of the lower bar indicate the fraction of residues that contain outliers for  $\geq 3$ , 2, 1 and 0 types of geometric quality criteria respectively. A grey segment represents the fraction of residues that are not modelled. The numeric value for each fraction is indicated below the corresponding segment, with a dot representing fractions  $\leq 5\%$ .

Note EDS was not executed.

Mol	Chain	Length	Quality of chain
1	A	271	68% 30% .
1	B	271	57% 33% . 9%
2	C	88	16% 15% 6% 64%

The following table lists non-polymeric compounds, carbohydrate monomers and non-standard residues in protein, DNA, RNA chains that are outliers for geometric or electron-density-fit criteria:

Mol	Type	Chain	Res	Chirality	Geometry	Clashes	Electron density
3	BRL	B	2	-	X	-	-

## 2 Entry composition [i](#)

There are 4 unique types of molecules in this entry. The entry contains 5004 atoms, of which 0 are hydrogens and 0 are deuteriums.

In the tables below, the ZeroOcc column contains the number of atoms modelled with zero occupancy, the AltConf column contains the number of residues with at least one atom in alternate conformation and the Trace column contains the number of residues modelled with at most 2 atoms.


- Molecule 1 is a protein called PEROXISOME PROLIFERATOR ACTIVATED RECEPTOR GAMMA.

Mol	Chain	Residues	Atoms					ZeroOcc	AltConf	Trace
			Total	C	N	O	S			
1	A	271	Total 2178	C 1406	N 355	O 407	S 10	0	0	0
1	B	246	Total 1977	C 1277	N 322	O 369	S 9	0	0	0

- Molecule 2 is a protein called NUCLEAR RECEPTOR COACTIVATOR SRC-1.

Mol	Chain	Residues	Atoms				ZeroOcc	AltConf	Trace
			Total	C	N	O			
2	C	32	Total 258	C 160	N 49	O 49	0	0	0

- Molecule 3 is 2,4-THIAZOLIDINEDIONE, 5-[[4-[2-(METHYL-2-PYRIDINYLAMINO)ETHOXY]PHENYL]METHYL]-(9CL) (three-letter code: BRL) (formula: C<sub>18</sub>H<sub>19</sub>N<sub>3</sub>O<sub>3</sub>S).



Mol	Chain	Residues	Atoms					ZeroOcc	AltConf
3	A	1	Total	C	N	O	S	0	0
			25	18	3	3	1		
3	B	1	Total	C	N	O	S	0	0
			25	18	3	3	1		

- Molecule 4 is water.


Mol	Chain	Residues	Atoms		ZeroOcc	AltConf
4	A	296	Total	O	0	0
			296	296		
4	B	200	Total	O	0	0
			200	200		
4	C	45	Total	O	0	0
			45	45		

### 3 Residue-property plots i


These plots are drawn for all protein, RNA, DNA and oligosaccharide chains in the entry. The first graphic for a chain summarises the proportions of the various outlier classes displayed in the second graphic. The second graphic shows the sequence view annotated by issues in geometry. Residues are color-coded according to the number of geometric quality criteria for which they contain at least one outlier: green = 0, yellow = 1, orange = 2 and red = 3 or more. Stretches of 2 or more consecutive residues without any outlier are shown as a green connector. Residues present in the sample, but not in the model, are shown in grey.

Note EDS was not executed.


- Molecule 1: PEROXISOME PROLIFERATOR ACTIVATED RECEPTOR GAMMA



- Molecule 1: PEROXISOME PROLIFERATOR ACTIVATED RECEPTOR GAMMA



- Molecule 2: NUCLEAR RECEPTOR COACTIVATOR SRC-1



## 4 Data and refinement statistics

Xtrriage (Phenix) and EDS were not executed - this section is therefore incomplete.

Property	Value	Source
Space group	P 21 21 21	Depositor
Cell constants a, b, c, $\alpha$ , $\beta$ , $\gamma$	52.21Å 69.06Å 177.97Å 90.00° 90.00° 90.00°	Depositor
Resolution (Å)	20.00 – 2.30	Depositor
% Data completeness (in resolution range)	89.9 (20.00-2.30)	Depositor
$R_{merge}$	0.06	Depositor
$R_{sym}$	(Not available)	Depositor
Refinement program	CNS 0.3, X-PLOR	Depositor
R, $R_{free}$	0.207 , 0.264	Depositor
Estimated twinning fraction	No twinning to report.	Xtrriage
Total number of atoms	5004	wwPDB-VP
Average B, all atoms (Å <sup>2</sup> )	49.0	wwPDB-VP

## 5 Model quality [i](#)

### 5.1 Standard geometry [i](#)

Bond lengths and bond angles in the following residue types are not validated in this section: BRL

The Z score for a bond length (or angle) is the number of standard deviations the observed value is removed from the expected value. A bond length (or angle) with  $|Z| > 5$  is considered an outlier worth inspection. RMSZ is the root-mean-square of all Z scores of the bond lengths (or angles).

Mol	Chain	Bond lengths		Bond angles	
		RMSZ	# Z  >5	RMSZ	# Z  >5
1	A	0.35	0/2216	0.61	0/2985
1	B	0.33	0/2008	0.57	0/2704
2	C	0.28	0/260	0.57	0/349
All	All	0.34	0/4484	0.59	0/6038

There are no bond length outliers.

There are no bond angle outliers.

There are no chirality outliers.

There are no planarity outliers.

### 5.2 Too-close contacts [i](#)

In the following table, the Non-H and H(model) columns list the number of non-hydrogen atoms and hydrogen atoms in the chain respectively. The H(added) column lists the number of hydrogen atoms added and optimized by MolProbity. The Clashes column lists the number of clashes within the asymmetric unit, whereas Symm-Clashes lists symmetry-related clashes.

Mol	Chain	Non-H	H(model)	H(added)	Clashes	Symm-Clashes
1	A	2178	0	2241	79	0
1	B	1977	0	2033	96	0
2	C	258	0	268	27	0
3	A	25	0	19	2	0
3	B	25	0	19	2	0
4	A	296	0	0	9	0
4	B	200	0	0	6	0
4	C	45	0	0	3	0
All	All	5004	0	4580	184	0

The all-atom clashscore is defined as the number of clashes found per 1000 atoms (including

hydrogen atoms). The all-atom clashscore for this structure is 20.

All (184) close contacts within the same asymmetric unit are listed below, sorted by their clash magnitude.

Atom-1	Atom-2	Interatomic distance (Å)	Clash overlap (Å)
1:B:358:LYS:HB2	1:B:359:PRO:HD3	1.43	1.01
1:B:275:LYS:HG3	1:B:357:ARG:HH21	1.37	0.87
1:B:293:VAL:HG22	1:B:322:VAL:HG11	1.58	0.85
1:A:456:ILE:HG23	1:A:460:GLU:HG3	1.61	0.82
2:C:635:GLN:O	2:C:639:THR:HG23	1.81	0.81
1:B:301:LYS:HB3	2:C:699:PRO:HG3	1.62	0.80
2:C:692:ARG:O	2:C:696:GLU:HG2	1.81	0.80
4:A:548:HOH:O	1:B:396:ASP:HB3	1.87	0.74
2:C:685:GLU:O	2:C:688:LYS:HG3	1.88	0.74
1:A:275:LYS:HE3	1:A:279:ILE:HD12	1.68	0.74
1:B:318:LEU:HD11	2:C:694:LEU:HD21	1.69	0.73
1:A:279:ILE:HG22	1:A:283:GLN:HE21	1.55	0.72
1:A:273:GLN:HA	1:A:280:ARG:HD3	1.71	0.72
4:A:525:HOH:O	1:B:444:GLN:HG2	1.89	0.71
1:B:318:LEU:O	1:B:322:VAL:HG23	1.93	0.69
1:A:230:LYS:O	1:A:234:ARG:HG2	1.93	0.68
1:A:318:LEU:O	1:A:322:VAL:HG23	1.94	0.66
1:B:256:MET:HA	1:B:256:MET:CE	2.26	0.66
1:A:365:GLU:O	1:A:369:GLU:HG3	1.95	0.66
1:A:298:GLU:HG2	4:A:632:HOH:O	1.95	0.65
1:B:358:LYS:CB	1:B:359:PRO:HD3	2.25	0.65
1:B:286:GLN:OE1	1:B:465:LEU:HD12	1.98	0.64
1:A:440:THR:HG22	1:B:440:THR:HG22	1.79	0.63
1:B:394:SER:HB3	1:B:396:ASP:OD1	1.99	0.62
2:C:698:SER:HB3	2:C:699:PRO:CD	2.30	0.61
1:B:280:ARG:HH11	1:B:280:ARG:HB2	1.64	0.61
1:B:276:GLU:O	1:B:280:ARG:HG3	2.01	0.61
1:A:260:ASP:O	1:A:264:PHE:HD1	1.84	0.59
1:B:325:ILE:HD13	1:B:388:ILE:HG23	1.85	0.59
1:A:325:ILE:HD11	1:A:392:ILE:CG1	2.34	0.58
1:B:358:LYS:HB2	1:B:359:PRO:CD	2.27	0.58
1:B:342:SER:O	1:B:345:GLN:HG2	2.03	0.58
1:B:379:LEU:HD11	1:B:435:LEU:HD13	1.86	0.57
1:A:334:MET:HG2	1:A:339:VAL:HB	1.86	0.57
1:B:249:ILE:HA	1:B:254:SER:HB3	1.86	0.57
1:B:252:MET:HE2	4:B:585:HOH:O	2.03	0.57
1:B:275:LYS:HE2	1:B:279:ILE:HD11	1.87	0.57
2:C:628:GLN:HG3	2:C:629:THR:N	2.21	0.56

*Continued on next page...*



*Continued from previous page...*

Atom-1	Atom-2	Interatomic distance (Å)	Clash overlap (Å)
1:A:404:LYS:HB3	1:A:405:PRO:HD3	1.87	0.55
1:B:329:MET:HE3	4:B:512:HOH:O	2.06	0.55
1:A:290:VAL:HG13	1:A:468:LEU:HD23	1.89	0.55
1:A:440:THR:HG22	1:B:440:THR:CG2	2.36	0.55
1:A:463:MET:O	1:A:464:SER:HB2	2.07	0.55
1:A:259:GLU:O	1:A:263:LYS:HG3	2.07	0.55
1:B:208:SER:O	1:B:212:ARG:HG2	2.07	0.55
2:C:699:PRO:O	2:C:700:SER:HB2	2.07	0.54
1:B:476:LEU:O	1:B:477:TYR:HB2	2.07	0.54
1:A:440:THR:CG2	1:B:440:THR:HG22	2.38	0.54
1:B:227:PRO:HG3	4:B:593:HOH:O	2.07	0.54
1:B:357:ARG:HH22	1:B:360:PHE:HE2	1.56	0.54
1:B:384:LEU:O	1:B:388:ILE:HD13	2.08	0.54
1:A:325:ILE:HD11	1:A:392:ILE:HG13	1.90	0.54
1:A:404:LYS:HE3	1:A:408:ASP:OD2	2.08	0.54
1:A:364:MET:SD	3:A:1:BRL:H11	2.48	0.53
1:B:277:VAL:HA	1:B:280:ARG:HD3	1.90	0.53
1:A:241:THR:HG23	1:A:241:THR:O	2.09	0.53
1:B:256:MET:HA	1:B:256:MET:HE3	1.89	0.53
1:B:456:ILE:CG2	1:B:463:MET:HE1	2.39	0.53
1:A:402:ASN:O	1:A:405:PRO:HD2	2.09	0.53
1:A:450:VAL:O	1:A:454:GLN:HG2	2.08	0.53
1:A:325:ILE:HD13	1:A:388:ILE:HG23	1.91	0.52
2:C:688:LYS:HB3	2:C:688:LYS:NZ	2.24	0.52
1:A:273:GLN:HB2	4:A:524:HOH:O	2.08	0.52
1:B:294:GLN:O	1:B:298:GLU:HG3	2.10	0.52
1:A:289:SER:O	1:A:293:VAL:HG23	2.10	0.51
1:B:342:SER:HB2	1:B:345:GLN:HB2	1.91	0.51
1:B:368:PHE:O	1:B:372:VAL:HG23	2.10	0.51
1:B:318:LEU:HD12	2:C:694:LEU:HD11	1.93	0.51
1:A:466:HIS:ND1	1:A:467:PRO:HD2	2.26	0.51
1:A:242:THR:HG23	1:A:242:THR:O	2.10	0.51
1:A:275:LYS:HG3	1:A:276:GLU:N	2.26	0.51
1:B:338:GLY:O	1:B:368:PHE:HE1	1.94	0.51
1:B:471:GLU:HG3	2:C:685:GLU:N	2.26	0.51
1:B:280:ARG:HB2	1:B:280:ARG:NH1	2.26	0.51
1:B:456:ILE:HG23	1:B:463:MET:HE1	1.91	0.51
1:B:237:LEU:HD21	1:B:340:LEU:HG	1.93	0.50
1:B:234:ARG:HD3	4:B:623:HOH:O	2.11	0.50
1:B:333:LEU:HB3	1:B:340:LEU:HB2	1.92	0.50
1:B:428:SER:OG	1:B:431:LEU:HB2	2.11	0.50

*Continued on next page...*

*Continued from previous page...*

Atom-1	Atom-2	Interatomic distance (Å)	Clash overlap (Å)
1:A:320:TYR:CE2	1:A:476:LEU:HD12	2.45	0.50
1:A:456:ILE:HG23	1:A:460:GLU:CG	2.39	0.50
1:B:220:ASP:O	1:B:224:LYS:HG3	2.11	0.50
1:B:471:GLU:CD	2:C:687:HIS:HA	2.32	0.49
1:A:384:LEU:O	1:A:388:ILE:HG12	2.13	0.49
1:B:279:ILE:O	1:B:283:GLN:HG2	2.12	0.49
1:B:440:THR:HG23	4:B:490:HOH:O	2.11	0.49
1:B:342:SER:CB	1:B:345:GLN:HB2	2.43	0.49
1:A:271:GLN:HE21	1:A:271:GLN:HA	1.78	0.49
1:B:273:GLN:O	1:B:277:VAL:HG23	2.12	0.49
1:B:357:ARG:NH2	1:B:360:PHE:HE2	2.11	0.49
1:A:291:GLU:O	1:A:295:GLU:HG3	2.13	0.49
1:A:477:TYR:HE2	4:A:667:HOH:O	1.96	0.49
1:B:281:ILE:HG23	3:B:2:BRL:H21	1.94	0.49
1:B:275:LYS:HG3	1:B:357:ARG:NH2	2.16	0.48
1:B:404:LYS:HB3	1:B:405:PRO:HD3	1.95	0.48
1:A:281:ILE:HG23	3:A:1:BRL:H21	1.96	0.48
1:B:280:ARG:NH1	1:B:280:ARG:CB	2.77	0.48
1:A:446:VAL:CG1	1:A:477:TYR:HE1	2.26	0.48
1:A:237:LEU:HD21	1:A:340:LEU:HG	1.95	0.48
1:A:457:LYS:HD3	1:A:457:LYS:C	2.35	0.47
1:B:275:LYS:HB2	1:B:357:ARG:HE	1.79	0.47
1:A:477:TYR:C	1:A:477:TYR:CD1	2.88	0.47
1:B:248:VAL:HA	1:B:347:PHE:O	2.15	0.47
1:B:325:ILE:HD11	1:B:392:ILE:HG13	1.97	0.47
1:B:336:LYS:HG3	1:B:337:ASP:OD1	2.15	0.47
1:B:334:MET:HG2	1:B:339:VAL:HB	1.97	0.47
1:A:322:VAL:O	1:A:326:ILE:HG13	2.15	0.47
1:B:291:GLU:O	1:B:295:GLU:HG3	2.15	0.47
1:B:313:ASP:O	1:B:317:LEU:HG	2.16	0.47
2:C:697:GLY:HA3	4:C:240:HOH:O	2.14	0.46
1:B:348:MET:SD	1:B:353:LEU:HD21	2.55	0.46
1:B:230:LYS:O	1:B:234:ARG:HG2	2.15	0.46
1:B:335:ASN:OD1	1:B:337:ASP:N	2.47	0.46
1:B:275:LYS:O	1:B:279:ILE:HG13	2.16	0.46
1:A:275:LYS:CE	1:A:279:ILE:HD12	2.41	0.46
1:A:357:ARG:HH22	1:A:460:GLU:CD	2.18	0.46
1:A:379:LEU:HD11	1:A:435:LEU:HD13	1.98	0.46
1:A:292:ALA:O	1:A:296:ILE:HG13	2.16	0.45
1:A:273:GLN:O	1:A:274:SER:CB	2.63	0.45
1:A:325:ILE:O	1:A:329:MET:HG2	2.16	0.45

*Continued on next page...*

*Continued from previous page...*

Atom-1	Atom-2	Interatomic distance (Å)	Clash overlap (Å)
1:A:271:GLN:HA	1:A:271:GLN:NE2	2.30	0.45
1:A:477:TYR:C	1:A:477:TYR:HD1	2.20	0.45
1:A:471:GLU:OE1	2:C:630:SER:HA	2.16	0.45
1:B:307:VAL:HG11	2:C:699:PRO:CG	2.46	0.45
1:B:450:VAL:O	1:B:454:GLN:HG3	2.17	0.45
1:A:293:VAL:HG22	1:A:322:VAL:HG11	1.99	0.45
1:A:440:THR:HA	1:B:440:THR:HG22	1.99	0.45
1:B:301:LYS:NZ	2:C:697:GLY:O	2.44	0.45
1:B:441:ASP:O	1:B:445:ILE:HG12	2.16	0.45
1:A:272:GLU:O	1:A:273:GLN:O	2.35	0.44
1:A:338:GLY:HA3	1:A:347:PHE:CZ	2.53	0.44
1:B:216:LYS:O	1:B:216:LYS:HD3	2.16	0.44
1:A:325:ILE:HD13	1:A:388:ILE:CG2	2.46	0.44
1:B:364:MET:SD	3:B:2:BRL:H11	2.56	0.44
1:A:450:VAL:HG21	1:A:477:TYR:O	2.17	0.44
2:C:629:THR:HB	2:C:631:HIS:CD2	2.53	0.44
1:B:357:ARG:HH11	1:B:357:ARG:HG2	1.83	0.44
1:B:405:PRO:O	1:B:409:ILE:HG13	2.18	0.44
1:B:461:THR:HG22	1:B:462:ASP:N	2.33	0.44
1:B:476:LEU:O	1:B:477:TYR:CB	2.65	0.44
1:A:319:LYS:NZ	1:A:471:GLU:O	2.50	0.44
1:B:471:GLU:O	1:B:474:LYS:HB3	2.17	0.43
1:A:265:LYS:HE2	4:A:744:HOH:O	2.16	0.43
1:A:358:LYS:HB3	1:A:359:PRO:HD3	2.01	0.43
2:C:686:ARG:HB3	4:C:529:HOH:O	2.18	0.43
1:B:248:VAL:HG13	1:B:248:VAL:O	2.18	0.43
1:A:282:PHE:O	1:A:286:GLN:HG3	2.19	0.43
1:A:230:LYS:HG3	1:A:234:ARG:HD3	2.00	0.43
1:A:275:LYS:CG	1:A:276:GLU:N	2.81	0.43
1:A:357:ARG:O	1:A:359:PRO:HD2	2.19	0.43
1:A:402:ASN:HB3	4:A:732:HOH:O	2.17	0.43
1:A:452:LEU:O	1:A:456:ILE:HG13	2.18	0.43
1:B:307:VAL:HG11	2:C:699:PRO:HG2	2.01	0.43
1:B:471:GLU:CG	2:C:687:HIS:HA	2.49	0.43
1:A:243:ASP:O	1:A:244:LYS:HB3	2.19	0.42
1:B:226:PHE:HA	1:B:227:PRO:HD3	1.72	0.42
1:B:301:LYS:HE2	2:C:698:SER:HA	2.01	0.42
1:B:301:LYS:CE	2:C:698:SER:HA	2.49	0.42
1:B:404:LYS:HE2	4:B:648:HOH:O	2.18	0.42
1:B:430:GLN:O	1:B:434:LYS:HG3	2.19	0.42
1:A:275:LYS:CG	1:A:276:GLU:H	2.32	0.42

*Continued on next page...*

Continued from previous page...

Atom-1	Atom-2	Interatomic distance (Å)	Clash overlap (Å)
1:A:467:PRO:HB2	2:C:632:LYS:NZ	2.34	0.42
1:B:320:TYR:CE1	1:B:476:LEU:HD12	2.54	0.41
1:B:433:ALA:O	1:B:437:GLN:HG3	2.20	0.41
1:A:299:TYR:OH	1:A:385:ALA:O	2.29	0.41
1:A:411:ASP:OD1	1:A:415:GLN:NE2	2.50	0.41
1:B:320:TYR:HE1	1:B:477:TYR:N	2.18	0.41
1:A:237:LEU:HG	1:A:340:LEU:HD11	2.02	0.41
1:A:363:PHE:HB3	1:A:452:LEU:HD21	2.01	0.41
2:C:628:GLN:HG3	2:C:629:THR:H	1.86	0.41
1:B:325:ILE:CD1	1:B:388:ILE:HG23	2.49	0.41
1:A:454:GLN:O	1:A:458:LYS:HG3	2.21	0.41
1:A:275:LYS:HG3	1:A:276:GLU:H	1.84	0.41
1:A:402:ASN:HB2	4:A:534:HOH:O	2.20	0.41
1:A:440:THR:HG22	1:B:440:THR:HA	2.01	0.41
1:B:212:ARG:HD2	1:B:212:ARG:HA	1.82	0.41
2:C:685:GLU:N	4:C:451:HOH:O	2.52	0.41
1:B:256:MET:HA	1:B:256:MET:HE2	2.02	0.40
1:A:248:VAL:HG12	4:A:584:HOH:O	2.21	0.40
1:A:397:ARG:HA	1:A:398:PRO:HD3	1.90	0.40
2:C:698:SER:HB3	2:C:699:PRO:HD2	2.02	0.40
1:B:465:LEU:HD23	1:B:470:GLN:HG2	2.03	0.40
2:C:628:GLN:C	2:C:629:THR:HG1	2.25	0.40
1:B:319:LYS:NZ	1:B:474:LYS:O	2.49	0.40

There are no symmetry-related clashes.

## 5.3 Torsion angles [i](#)

### 5.3.1 Protein backbone [i](#)

In the following table, the Percentiles column shows the percent Ramachandran outliers of the chain as a percentile score with respect to all X-ray entries followed by that with respect to entries of similar resolution.

The Analysed column shows the number of residues for which the backbone conformation was analysed, and the total number of residues.

Mol	Chain	Analysed	Favoured	Allowed	Outliers	Percentiles
1	A	269/271 (99%)	253 (94%)	8 (3%)	8 (3%)	<b>4</b> <b>2</b>
1	B	240/271 (89%)	228 (95%)	11 (5%)	1 (0%)	<b>34</b> <b>42</b>

Continued on next page...

*Continued from previous page...*

Mol	Chain	Analysed	Favoured	Allowed	Outliers	Percentiles	
2	C	28/88 (32%)	20 (71%)	3 (11%)	5 (18%)	0	0
All	All	537/630 (85%)	501 (93%)	22 (4%)	14 (3%)	5	4

All (14) Ramachandran outliers are listed below:

Mol	Chain	Res	Type
1	A	241	THR
1	A	273	GLN
1	A	274	SER
1	A	358	LYS
1	B	358	LYS
2	C	696	GLU
2	C	699	PRO
1	A	240	LYS
2	C	629	THR
1	A	243	ASP
2	C	697	GLY
1	A	269	PRO
2	C	700	SER
1	A	359	PRO

### 5.3.2 Protein sidechains [i](#)

In the following table, the Percentiles column shows the percent sidechain outliers of the chain as a percentile score with respect to all X-ray entries followed by that with respect to entries of similar resolution.

The Analysed column shows the number of residues for which the sidechain conformation was analysed, and the total number of residues.

Mol	Chain	Analysed	Rotameric	Outliers	Percentiles	
1	A	244/244 (100%)	242 (99%)	2 (1%)	81	91
1	B	221/244 (91%)	219 (99%)	2 (1%)	78	89
2	C	31/80 (39%)	31 (100%)	0	100	100
All	All	496/568 (87%)	492 (99%)	4 (1%)	81	91

All (4) residues with a non-rotameric sidechain are listed below:

Mol	Chain	Res	Type
1	A	453	LEU

*Continued on next page...*

*Continued from previous page...*

Mol	Chain	Res	Type
1	A	477	TYR
1	B	256	MET
1	B	363	PHE

Sometimes sidechains can be flipped to improve hydrogen bonding and reduce clashes. All (10) such sidechains are listed below:

Mol	Chain	Res	Type
1	A	271	GLN
1	A	273	GLN
1	A	283	GLN
1	A	286	GLN
1	A	402	ASN
1	A	451	GLN
1	B	283	GLN
1	B	451	GLN
2	C	631	HIS
2	C	687	HIS

### 5.3.3 RNA [i](#)

There are no RNA molecules in this entry.

## 5.4 Non-standard residues in protein, DNA, RNA chains [i](#)

There are no non-standard protein/DNA/RNA residues in this entry.

## 5.5 Carbohydrates [i](#)

There are no monosaccharides in this entry.

## 5.6 Ligand geometry [i](#)

2 ligands are modelled in this entry.

In the following table, the Counts columns list the number of bonds (or angles) for which Mogul statistics could be retrieved, the number of bonds (or angles) that are observed in the model and the number of bonds (or angles) that are defined in the Chemical Component Dictionary. The Link column lists molecule types, if any, to which the group is linked. The Z score for a bond length (or angle) is the number of standard deviations the observed value is removed from the

expected value. A bond length (or angle) with  $|Z| > 2$  is considered an outlier worth inspection. RMSZ is the root-mean-square of all Z scores of the bond lengths (or angles).

Mol	Type	Chain	Res	Link	Bond lengths			Bond angles		
					Counts	RMSZ	# Z  > 2	Counts	RMSZ	# Z  > 2
3	BRL	A	1	-	27,27,27	3.34	17 (62%)	36,36,36	3.65	18 (50%)
3	BRL	B	2	-	27,27,27	3.30	18 (66%)	36,36,36	3.31	20 (55%)

In the following table, the Chirals column lists the number of chiral outliers, the number of chiral centers analysed, the number of these observed in the model and the number defined in the Chemical Component Dictionary. Similar counts are reported in the Torsion and Rings columns. '-' means no outliers of that kind were identified.

Mol	Type	Chain	Res	Link	Chirals	Torsions	Rings
3	BRL	A	1	-	-	1/14/26/26	0/3/3/3
3	BRL	B	2	-	-	1/14/26/26	0/3/3/3

All (35) bond length outliers are listed below:

Mol	Chain	Res	Type	Atoms	Z	Observed(Å)	Ideal(Å)
3	A	1	BRL	C17-N16	9.08	1.59	1.37
3	B	2	BRL	C17-N16	8.94	1.59	1.37
3	A	1	BRL	C2-S1	6.65	1.81	1.76
3	A	1	BRL	C16-N16	4.97	1.54	1.46
3	B	2	BRL	C11-C10	4.66	1.47	1.38
3	B	2	BRL	C16-N16	4.51	1.53	1.46
3	A	1	BRL	C11-C10	4.44	1.47	1.38
3	B	2	BRL	C2-N3	-4.27	1.31	1.36
3	B	2	BRL	C2-S1	-3.85	1.73	1.76
3	A	1	BRL	C22-C17	3.81	1.48	1.39
3	B	2	BRL	C4-N3	-3.79	1.32	1.37
3	A	1	BRL	C8-C7	3.73	1.46	1.38
3	B	2	BRL	C22-C17	3.66	1.47	1.39
3	B	2	BRL	C8-C7	3.47	1.45	1.38
3	A	1	BRL	C9-C10	3.36	1.45	1.38
3	B	2	BRL	C12-C11	3.27	1.44	1.38
3	A	1	BRL	C2-N3	-3.20	1.32	1.36
3	B	2	BRL	C12-C7	3.20	1.45	1.38
3	A	1	BRL	C12-C7	3.06	1.45	1.38
3	B	2	BRL	C21-C22	3.06	1.44	1.38
3	A	1	BRL	C21-C22	3.00	1.44	1.38
3	A	1	BRL	C12-C11	2.91	1.43	1.38
3	B	2	BRL	C9-C10	2.84	1.44	1.38
3	B	2	BRL	C21-C20	2.78	1.44	1.38

*Continued on next page...*

Continued from previous page...

Mol	Chain	Res	Type	Atoms	Z	Observed(Å)	Ideal(Å)
3	B	2	BRL	C9-C8	2.75	1.43	1.38
3	A	1	BRL	C9-C8	2.69	1.43	1.38
3	B	2	BRL	C17-N18	2.68	1.40	1.34
3	B	2	BRL	C20-C19	2.66	1.45	1.37
3	A	1	BRL	C20-C19	2.59	1.45	1.37
3	A	1	BRL	C4-N3	-2.46	1.34	1.37
3	A	1	BRL	C21-C20	2.46	1.43	1.38
3	A	1	BRL	C17-N18	2.34	1.39	1.34
3	A	1	BRL	C15-N16	2.18	1.53	1.46
3	B	2	BRL	C15-N16	2.10	1.53	1.46
3	B	2	BRL	C5-S1	-2.09	1.78	1.82

All (38) bond angle outliers are listed below:

Mol	Chain	Res	Type	Atoms	Z	Observed(°)	Ideal(°)
3	A	1	BRL	S1-C2-N3	10.38	117.74	110.44
3	A	1	BRL	C5-S1-C2	-9.92	86.52	92.77
3	B	2	BRL	C4-N3-C2	-8.32	112.64	118.20
3	B	2	BRL	S1-C2-N3	7.57	115.76	110.44
3	A	1	BRL	C4-N3-C2	-6.38	113.94	118.20
3	B	2	BRL	C6-C5-C4	5.89	120.94	111.32
3	A	1	BRL	C14-O13-C10	5.60	132.48	117.93
3	A	1	BRL	C19-N18-C17	5.36	124.59	116.81
3	B	2	BRL	C19-N18-C17	5.28	124.47	116.81
3	B	2	BRL	C5-S1-C2	-5.25	89.47	92.77
3	A	1	BRL	O2-C2-N3	-5.04	120.63	125.76
3	B	2	BRL	C15-N16-C17	4.60	127.31	120.71
3	B	2	BRL	C14-O13-C10	4.52	129.69	117.93
3	A	1	BRL	C15-N16-C17	4.31	126.89	120.71
3	B	2	BRL	C14-C15-N16	4.26	120.77	112.44
3	B	2	BRL	O2-C2-N3	-4.13	121.56	125.76
3	A	1	BRL	C14-C15-N16	3.95	120.15	112.44
3	A	1	BRL	C22-C17-N18	-3.62	116.31	123.46
3	B	2	BRL	C22-C17-N18	-3.53	116.50	123.46
3	A	1	BRL	C7-C6-C5	3.53	118.41	113.35
3	A	1	BRL	O2-C2-S1	-3.31	121.62	124.61
3	B	2	BRL	C5-C4-N3	3.29	114.77	111.99
3	A	1	BRL	N18-C17-N16	3.26	121.77	116.62
3	B	2	BRL	N18-C17-N16	3.24	121.74	116.62
3	B	2	BRL	C7-C6-C5	3.07	117.76	113.35
3	B	2	BRL	C16-N16-C15	-3.02	107.55	115.56
3	A	1	BRL	C16-N16-C15	-2.80	108.15	115.56

Continued on next page...



Continued from previous page...

Mol	Chain	Res	Type	Atoms	Z	Observed(°)	Ideal(°)
3	B	2	BRL	C16-N16-C17	2.78	124.92	120.09
3	A	1	BRL	C16-N16-C17	2.66	124.71	120.09
3	A	1	BRL	C5-C4-N3	2.45	114.06	111.99
3	B	2	BRL	C21-C22-C17	2.37	120.88	117.61
3	B	2	BRL	O13-C10-C11	2.31	131.41	120.01
3	B	2	BRL	O4-C4-N3	-2.31	122.21	124.93
3	A	1	BRL	C21-C22-C17	2.29	120.76	117.61
3	B	2	BRL	O2-C2-S1	-2.25	122.58	124.61
3	A	1	BRL	C6-C5-C4	2.25	115.00	111.32
3	A	1	BRL	C6-C7-C12	-2.17	116.86	120.90
3	B	2	BRL	O13-C10-C9	-2.02	110.06	120.01

There are no chirality outliers.

All (2) torsion outliers are listed below:


Mol	Chain	Res	Type	Atoms
3	A	1	BRL	C14-C15-N16-C16
3	B	2	BRL	C14-C15-N16-C16

There are no ring outliers.

2 monomers are involved in 4 short contacts:

Mol	Chain	Res	Type	Clashes	Symm-Clashes
3	A	1	BRL	2	0
3	B	2	BRL	2	0

The following is a two-dimensional graphical depiction of Mogul quality analysis of bond lengths, bond angles, torsion angles, and ring geometry for all instances of the Ligand of Interest. In addition, ligands with molecular weight > 250 and outliers as shown on the validation Tables will also be included. For torsion angles, if less than 5% of the Mogul distribution of torsion angles is within 10 degrees of the torsion angle in question, then that torsion angle is considered an outlier. Any bond that is central to one or more torsion angles identified as an outlier by Mogul will be highlighted in the graph. For rings, the root-mean-square deviation (RMSD) between the ring in question and similar rings identified by Mogul is calculated over all ring torsion angles. If the average RMSD is greater than 60 degrees and the minimal RMSD between the ring in question and any Mogul-identified rings is also greater than 60 degrees, then that ring is considered an outlier. The outliers are highlighted in purple. The color gray indicates Mogul did not find sufficient equivalents in the CSD to analyse the geometry.



## 5.7 Other polymers [\(i\)](#)

There are no such residues in this entry.

## 5.8 Polymer linkage issues

There are no chain breaks in this entry.

## 6 Fit of model and data [i](#)

### 6.1 Protein, DNA and RNA chains [i](#)

EDS was not executed - this section is therefore empty.

### 6.2 Non-standard residues in protein, DNA, RNA chains [i](#)

EDS was not executed - this section is therefore empty.

### 6.3 Carbohydrates [i](#)

EDS was not executed - this section is therefore empty.

### 6.4 Ligands [i](#)

EDS was not executed - this section is therefore empty.

### 6.5 Other polymers [i](#)

EDS was not executed - this section is therefore empty.