



# Full wwPDB X-ray Structure Validation Report ⓘ

Dec 16, 2023 – 10:03 AM EST

PDB ID : 4P7T  
Title : Structural insights into higher-order assembly and function of the bacterial microcompartment protein PduA  
Authors : Pickersgill, R.W.; Frank, S.; Pang, A.; Warren, M.J.  
Deposited on : 2014-03-27  
Resolution : 1.72 Å(reported)

This is a Full wwPDB X-ray Structure Validation Report for a publicly released PDB entry.

We welcome your comments at [validation@mail.wwpdb.org](mailto:validation@mail.wwpdb.org)

A user guide is available at

<https://www.wwpdb.org/validation/2017/XrayValidationReportHelp>

with specific help available everywhere you see the ⓘ symbol.

The types of validation reports are described at

<http://www.wwpdb.org/validation/2017/FAQs#types>.

---

The following versions of software and data (see [references ⓘ](#)) were used in the production of this report:

MolProbity : 4.02b-467  
Xtriage (Phenix) : 1.13  
EDS : 2.36  
Percentile statistics : 20191225.v01 (using entries in the PDB archive December 25th 2019)  
Refmac : 5.8.0158  
CCP4 : 7.0.044 (Gargrove)  
Ideal geometry (proteins) : Engh & Huber (2001)  
Ideal geometry (DNA, RNA) : Parkinson et al. (1996)  
Validation Pipeline (wwPDB-VP) : 2.36


# 1 Overall quality at a glance

The following experimental techniques were used to determine the structure:

*X-RAY DIFFRACTION*

The reported resolution of this entry is 1.72 Å.

Percentile scores (ranging between 0-100) for global validation metrics of the entry are shown in the following graphic. The table shows the number of entries on which the scores are based.




Metric	Whole archive (#Entries)	Similar resolution (#Entries, resolution range(Å))
$R_{free}$	130704	5722 (1.74-1.70)
Clashscore	141614	6152 (1.74-1.70)
Ramachandran outliers	138981	6051 (1.74-1.70)
Sidechain outliers	138945	6051 (1.74-1.70)
RSRZ outliers	127900	5629 (1.74-1.70)

The table below summarises the geometric issues observed across the polymeric chains and their fit to the electron density. The red, orange, yellow and green segments of the lower bar indicate the fraction of residues that contain outliers for  $\geq 3$ , 2, 1 and 0 types of geometric quality criteria respectively. A grey segment represents the fraction of residues that are not modelled. The numeric value for each fraction is indicated below the corresponding segment, with a dot representing fractions  $\leq 5\%$ . The upper red bar (where present) indicates the fraction of residues that have poor fit to the electron density. The numeric value is given above the bar.

Mol	Chain	Length	Quality of chain
1	A	115	 2% 50% 22% 26%
1	B	115	 64% 10% 25%
1	C	115	 53% 11% 36%
1	D	115	 54% 18% 25%
1	E	115	 58% 15% 25%

*Continued on next page...*

*Continued from previous page...*

Mol	Chain	Length	Quality of chain
1	F	115	 60% 11% 27%

## 2 Entry composition

There are 2 unique types of molecules in this entry. The entry contains 3837 atoms, of which 0 are hydrogens and 0 are deuteriums.

In the tables below, the ZeroOcc column contains the number of atoms modelled with zero occupancy, the AltConf column contains the number of residues with at least one atom in alternate conformation and the Trace column contains the number of residues modelled with at most 2 atoms.

- Molecule 1 is a protein called Polyhedral bodies.

Mol	Chain	Residues	Atoms					ZeroOcc	AltConf	Trace
			Total	C	N	O	S			
1	A	85	600	373	106	118	3	0	0	0
1	B	86	606	379	106	118	3	0	0	0
1	C	74	512	319	91	99	3	0	0	0
1	D	86	606	379	106	118	3	0	0	0
1	E	86	606	379	106	118	3	0	0	0
1	F	84	590	369	104	114	3	0	0	0

There are 144 discrepancies between the modelled and reference sequences:

Chain	Residue	Modelled	Actual	Comment	Reference
A	-1	GLY	-	expression tag	UNP B1VB62
A	0	SER	-	expression tag	UNP B1VB62
A	26	ASP	LYS	engineered mutation	UNP B1VB62
A	93	ARG	-	expression tag	UNP B1VB62
A	94	LEU	-	expression tag	UNP B1VB62
A	95	VAL	-	expression tag	UNP B1VB62
A	96	LYS	-	expression tag	UNP B1VB62
A	97	ASP	-	expression tag	UNP B1VB62
A	98	PRO	-	expression tag	UNP B1VB62
A	99	ALA	-	expression tag	UNP B1VB62
A	100	ALA	-	expression tag	UNP B1VB62
A	101	ASN	-	expression tag	UNP B1VB62
A	102	LYS	-	expression tag	UNP B1VB62
A	103	ALA	-	expression tag	UNP B1VB62
A	104	ARG	-	expression tag	UNP B1VB62
A	105	LYS	-	expression tag	UNP B1VB62
A	106	GLU	-	expression tag	UNP B1VB62

*Continued on next page...*

*Continued from previous page...*

Chain	Residue	Modelled	Actual	Comment	Reference
A	107	ALA	-	expression tag	UNP B1VB62
A	108	GLU	-	expression tag	UNP B1VB62
A	109	LEU	-	expression tag	UNP B1VB62
A	110	ALA	-	expression tag	UNP B1VB62
A	111	ALA	-	expression tag	UNP B1VB62
A	112	ALA	-	expression tag	UNP B1VB62
A	113	THR	-	expression tag	UNP B1VB62
B	-1	GLY	-	expression tag	UNP B1VB62
B	0	SER	-	expression tag	UNP B1VB62
B	26	ASP	LYS	engineered mutation	UNP B1VB62
B	93	ARG	-	expression tag	UNP B1VB62
B	94	LEU	-	expression tag	UNP B1VB62
B	95	VAL	-	expression tag	UNP B1VB62
B	96	LYS	-	expression tag	UNP B1VB62
B	97	ASP	-	expression tag	UNP B1VB62
B	98	PRO	-	expression tag	UNP B1VB62
B	99	ALA	-	expression tag	UNP B1VB62
B	100	ALA	-	expression tag	UNP B1VB62
B	101	ASN	-	expression tag	UNP B1VB62
B	102	LYS	-	expression tag	UNP B1VB62
B	103	ALA	-	expression tag	UNP B1VB62
B	104	ARG	-	expression tag	UNP B1VB62
B	105	LYS	-	expression tag	UNP B1VB62
B	106	GLU	-	expression tag	UNP B1VB62
B	107	ALA	-	expression tag	UNP B1VB62
B	108	GLU	-	expression tag	UNP B1VB62
B	109	LEU	-	expression tag	UNP B1VB62
B	110	ALA	-	expression tag	UNP B1VB62
B	111	ALA	-	expression tag	UNP B1VB62
B	112	ALA	-	expression tag	UNP B1VB62
B	113	THR	-	expression tag	UNP B1VB62
C	-1	GLY	-	expression tag	UNP B1VB62
C	0	SER	-	expression tag	UNP B1VB62
C	26	ASP	LYS	engineered mutation	UNP B1VB62
C	93	ARG	-	expression tag	UNP B1VB62
C	94	LEU	-	expression tag	UNP B1VB62
C	95	VAL	-	expression tag	UNP B1VB62
C	96	LYS	-	expression tag	UNP B1VB62
C	97	ASP	-	expression tag	UNP B1VB62
C	98	PRO	-	expression tag	UNP B1VB62
C	99	ALA	-	expression tag	UNP B1VB62
C	100	ALA	-	expression tag	UNP B1VB62

*Continued on next page...*

*Continued from previous page...*

Chain	Residue	Modelled	Actual	Comment	Reference
C	101	ASN	-	expression tag	UNP B1VB62
C	102	LYS	-	expression tag	UNP B1VB62
C	103	ALA	-	expression tag	UNP B1VB62
C	104	ARG	-	expression tag	UNP B1VB62
C	105	LYS	-	expression tag	UNP B1VB62
C	106	GLU	-	expression tag	UNP B1VB62
C	107	ALA	-	expression tag	UNP B1VB62
C	108	GLU	-	expression tag	UNP B1VB62
C	109	LEU	-	expression tag	UNP B1VB62
C	110	ALA	-	expression tag	UNP B1VB62
C	111	ALA	-	expression tag	UNP B1VB62
C	112	ALA	-	expression tag	UNP B1VB62
C	113	THR	-	expression tag	UNP B1VB62
D	-1	GLY	-	expression tag	UNP B1VB62
D	0	SER	-	expression tag	UNP B1VB62
D	26	ASP	LYS	engineered mutation	UNP B1VB62
D	93	ARG	-	expression tag	UNP B1VB62
D	94	LEU	-	expression tag	UNP B1VB62
D	95	VAL	-	expression tag	UNP B1VB62
D	96	LYS	-	expression tag	UNP B1VB62
D	97	ASP	-	expression tag	UNP B1VB62
D	98	PRO	-	expression tag	UNP B1VB62
D	99	ALA	-	expression tag	UNP B1VB62
D	100	ALA	-	expression tag	UNP B1VB62
D	101	ASN	-	expression tag	UNP B1VB62
D	102	LYS	-	expression tag	UNP B1VB62
D	103	ALA	-	expression tag	UNP B1VB62
D	104	ARG	-	expression tag	UNP B1VB62
D	105	LYS	-	expression tag	UNP B1VB62
D	106	GLU	-	expression tag	UNP B1VB62
D	107	ALA	-	expression tag	UNP B1VB62
D	108	GLU	-	expression tag	UNP B1VB62
D	109	LEU	-	expression tag	UNP B1VB62
D	110	ALA	-	expression tag	UNP B1VB62
D	111	ALA	-	expression tag	UNP B1VB62
D	112	ALA	-	expression tag	UNP B1VB62
D	113	THR	-	expression tag	UNP B1VB62
E	-1	GLY	-	expression tag	UNP B1VB62
E	0	SER	-	expression tag	UNP B1VB62
E	26	ASP	LYS	engineered mutation	UNP B1VB62
E	93	ARG	-	expression tag	UNP B1VB62
E	94	LEU	-	expression tag	UNP B1VB62

*Continued on next page...*

*Continued from previous page...*

Chain	Residue	Modelled	Actual	Comment	Reference
E	95	VAL	-	expression tag	UNP B1VB62
E	96	LYS	-	expression tag	UNP B1VB62
E	97	ASP	-	expression tag	UNP B1VB62
E	98	PRO	-	expression tag	UNP B1VB62
E	99	ALA	-	expression tag	UNP B1VB62
E	100	ALA	-	expression tag	UNP B1VB62
E	101	ASN	-	expression tag	UNP B1VB62
E	102	LYS	-	expression tag	UNP B1VB62
E	103	ALA	-	expression tag	UNP B1VB62
E	104	ARG	-	expression tag	UNP B1VB62
E	105	LYS	-	expression tag	UNP B1VB62
E	106	GLU	-	expression tag	UNP B1VB62
E	107	ALA	-	expression tag	UNP B1VB62
E	108	GLU	-	expression tag	UNP B1VB62
E	109	LEU	-	expression tag	UNP B1VB62
E	110	ALA	-	expression tag	UNP B1VB62
E	111	ALA	-	expression tag	UNP B1VB62
E	112	ALA	-	expression tag	UNP B1VB62
E	113	THR	-	expression tag	UNP B1VB62
F	-1	GLY	-	expression tag	UNP B1VB62
F	0	SER	-	expression tag	UNP B1VB62
F	26	ASP	LYS	engineered mutation	UNP B1VB62
F	93	ARG	-	expression tag	UNP B1VB62
F	94	LEU	-	expression tag	UNP B1VB62
F	95	VAL	-	expression tag	UNP B1VB62
F	96	LYS	-	expression tag	UNP B1VB62
F	97	ASP	-	expression tag	UNP B1VB62
F	98	PRO	-	expression tag	UNP B1VB62
F	99	ALA	-	expression tag	UNP B1VB62
F	100	ALA	-	expression tag	UNP B1VB62
F	101	ASN	-	expression tag	UNP B1VB62
F	102	LYS	-	expression tag	UNP B1VB62
F	103	ALA	-	expression tag	UNP B1VB62
F	104	ARG	-	expression tag	UNP B1VB62
F	105	LYS	-	expression tag	UNP B1VB62
F	106	GLU	-	expression tag	UNP B1VB62
F	107	ALA	-	expression tag	UNP B1VB62
F	108	GLU	-	expression tag	UNP B1VB62
F	109	LEU	-	expression tag	UNP B1VB62
F	110	ALA	-	expression tag	UNP B1VB62
F	111	ALA	-	expression tag	UNP B1VB62
F	112	ALA	-	expression tag	UNP B1VB62

*Continued on next page...*

*Continued from previous page...*

Chain	Residue	Modelled	Actual	Comment	Reference
F	113	THR	-	expression tag	UNP B1VB62

- Molecule 2 is water.

Mol	Chain	Residues	Atoms	ZeroOcc	AltConf
2	A	52	Total O 52 52	0	0
2	B	41	Total O 41 41	0	0
2	C	35	Total O 35 35	0	0
2	D	53	Total O 53 53	0	0
2	E	76	Total O 76 76	0	0
2	F	60	Total O 60 60	0	0







## 4 Data and refinement statistics

Property	Value	Source
Space group	P 1 21 1	Depositor
Cell constants a, b, c, $\alpha$ , $\beta$ , $\gamma$	45.24Å 93.30Å 63.05Å 90.00° 105.03° 90.00°	Depositor
Resolution (Å)	60.89 – 1.72 60.89 – 1.72	Depositor EDS
% Data completeness (in resolution range)	99.3 (60.89-1.72) 99.3 (60.89-1.72)	Depositor EDS
$R_{merge}$	0.06	Depositor
$R_{sym}$	(Not available)	Depositor
$\langle I/\sigma(I) \rangle$ <sup>1</sup>	2.22 (at 1.72Å)	Xtrriage
Refinement program	REFMAC 5.6.0117	Depositor
R, $R_{free}$	0.180 , 0.230 0.178 , 0.228	Depositor DCC
$R_{free}$ test set	2706 reflections (5.08%)	wwPDB-VP
Wilson B-factor (Å <sup>2</sup> )	26.2	Xtrriage
Anisotropy	0.111	Xtrriage
Bulk solvent $k_{sol}$ (e/Å <sup>3</sup> ), $B_{sol}$ (Å <sup>2</sup> )	0.39 , 52.6	EDS
L-test for twinning <sup>2</sup>	$\langle  L  \rangle = 0.49$ , $\langle L^2 \rangle = 0.32$	Xtrriage
Estimated twinning fraction	No twinning to report.	Xtrriage
$F_o, F_c$ correlation	0.97	EDS
Total number of atoms	3837	wwPDB-VP
Average B, all atoms (Å <sup>2</sup> )	29.0	wwPDB-VP

Xtrriage's analysis on translational NCS is as follows: *The largest off-origin peak in the Patterson function is 6.86% of the height of the origin peak. No significant pseudotranslation is detected.*

<sup>1</sup>Intensities estimated from amplitudes.

<sup>2</sup>Theoretical values of  $\langle |L| \rangle$ ,  $\langle L^2 \rangle$  for acentric reflections are 0.5, 0.333 respectively for untwinned datasets, and 0.375, 0.2 for perfectly twinned datasets.

## 5 Model quality i

### 5.1 Standard geometry i

The Z score for a bond length (or angle) is the number of standard deviations the observed value is removed from the expected value. A bond length (or angle) with  $|Z| > 5$  is considered an outlier worth inspection. RMSZ is the root-mean-square of all Z scores of the bond lengths (or angles).

Mol	Chain	Bond lengths		Bond angles	
		RMSZ	# Z  >5	RMSZ	# Z  >5
1	A	1.18	0/604	1.25	6/819 (0.7%)
1	B	1.17	0/611	1.19	2/830 (0.2%)
1	C	1.06	0/514	1.22	1/696 (0.1%)
1	D	1.27	1/611 (0.2%)	1.46	4/830 (0.5%)
1	E	1.36	2/611 (0.3%)	1.31	6/830 (0.7%)
1	F	1.36	1/594 (0.2%)	1.50	7/806 (0.9%)
All	All	1.24	4/3545 (0.1%)	1.33	26/4811 (0.5%)

All (4) bond length outliers are listed below:

Mol	Chain	Res	Type	Atoms	Z	Observed(Å)	Ideal(Å)
1	F	10	GLU	CG-CD	5.58	1.60	1.51
1	D	27	SER	CB-OG	5.56	1.49	1.42
1	E	4	GLU	N-CA	5.55	1.57	1.46
1	E	10	GLU	CG-CD	5.46	1.60	1.51

All (26) bond angle outliers are listed below:

Mol	Chain	Res	Type	Atoms	Z	Observed(°)	Ideal(°)
1	D	24	MET	CG-SD-CE	-22.84	63.66	100.20
1	C	24	MET	CG-SD-CE	-12.93	79.51	100.20
1	A	24	MET	CG-SD-CE	-12.23	80.63	100.20
1	F	31	MET	CG-SD-CE	-11.98	81.03	100.20
1	F	24	MET	CG-SD-CE	-11.98	81.04	100.20
1	B	24	MET	CG-SD-CE	-8.51	86.59	100.20
1	D	8	MET	CG-SD-CE	-7.99	87.42	100.20
1	D	6	LEU	CB-CG-CD1	-6.98	99.13	111.00
1	A	32	LEU	CB-CG-CD2	-6.48	99.98	111.00
1	F	79	ARG	NE-CZ-NH2	-6.38	117.11	120.30
1	E	66	ARG	NE-CZ-NH1	6.32	123.46	120.30
1	E	48	ARG	NE-CZ-NH2	-6.16	117.22	120.30
1	E	48	ARG	NE-CZ-NH1	6.11	123.36	120.30
1	A	26	ASP	CB-CG-OD2	-5.88	113.01	118.30

*Continued on next page...*

Continued from previous page...

Mol	Chain	Res	Type	Atoms	Z	Observed(°)	Ideal(°)
1	F	79	ARG	NE-CZ-NH1	5.87	123.23	120.30
1	F	26	ASP	CB-CG-OD1	-5.79	113.09	118.30
1	E	51	VAL	CG1-CB-CG2	-5.70	101.77	110.90
1	B	86	LYS	CD-CE-NZ	-5.66	98.69	111.70
1	A	14	LEU	CB-CG-CD1	5.42	120.22	111.00
1	F	5	ALA	N-CA-CB	5.26	117.47	110.10
1	F	71	VAL	CG1-CB-CG2	-5.25	102.50	110.90
1	A	12	LYS	C-N-CA	-5.19	111.39	122.30
1	A	50	ASP	CB-CG-OD1	5.16	122.94	118.30
1	E	66	ARG	NE-CZ-NH2	-5.10	117.75	120.30
1	E	14	LEU	CB-CG-CD1	5.05	119.59	111.00
1	D	66	ARG	NE-CZ-NH2	-5.04	117.78	120.30

There are no chirality outliers.

There are no planarity outliers.

## 5.2 Too-close contacts [i](#)

In the following table, the Non-H and H(model) columns list the number of non-hydrogen atoms and hydrogen atoms in the chain respectively. The H(added) column lists the number of hydrogen atoms added and optimized by MolProbity. The Clashes column lists the number of clashes within the asymmetric unit, whereas Symm-Clashes lists symmetry-related clashes.

Mol	Chain	Non-H	H(model)	H(added)	Clashes	Symm-Clashes
1	A	600	0	620	38	0
1	B	606	0	630	12	0
1	C	512	0	537	20	0
1	D	606	0	630	36	0
1	E	606	0	630	22	0
1	F	590	0	617	17	0
2	A	52	0	0	10	0
2	B	41	0	0	2	0
2	C	35	0	0	7	0
2	D	53	0	0	5	0
2	E	76	0	0	7	1
2	F	60	0	0	3	1
All	All	3837	0	3664	126	1

The all-atom clashscore is defined as the number of clashes found per 1000 atoms (including hydrogen atoms). The all-atom clashscore for this structure is 18.

All (126) close contacts within the same asymmetric unit are listed below, sorted by their clash

magnitude.

Atom-1	Atom-2	Interatomic distance (Å)	Clash overlap (Å)
1:D:6:LEU:HD23	1:D:48:ARG:CD	1.66	1.25
1:E:24:MET:CE	1:E:58:THR:HA	1.70	1.19
1:B:15:THR:HG23	1:C:8:MET:CE	1.74	1.18
1:A:87:ILE:HD12	1:A:87:ILE:O	1.42	1.17
1:E:24:MET:HE2	1:E:58:THR:CA	1.84	1.07
1:D:6:LEU:CD2	1:D:48:ARG:CD	2.34	1.05
1:D:6:LEU:HD23	1:D:48:ARG:HD2	1.36	1.05
1:B:31:MET:HE2	2:B:217:HOH:O	1.56	1.04
1:D:6:LEU:CD2	1:D:48:ARG:HD3	1.87	1.04
1:A:58:THR:HB	2:A:250:HOH:O	0.85	1.03
1:B:15:THR:CG2	1:C:8:MET:HE3	1.91	1.01
1:B:15:THR:HG23	1:C:8:MET:HE3	0.99	0.99
1:F:5:ALA:N	2:F:258:HOH:O	1.97	0.96
1:A:48:ARG:CZ	2:A:251:HOH:O	2.15	0.91
1:E:24:MET:HE2	1:E:58:THR:HA	0.90	0.89
1:A:8:MET:HG2	1:A:46:ILE:HD13	1.56	0.87
1:C:32:LEU:HD11	1:C:45:VAL:HG13	1.59	0.85
1:D:6:LEU:HD21	1:D:48:ARG:HD3	1.57	0.84
1:D:48:ARG:HG3	2:D:241:HOH:O	1.77	0.83
1:E:9:VAL:HG21	1:E:24:MET:HE3	1.62	0.80
1:A:25:VAL:HG23	2:E:240:HOH:O	1.82	0.79
1:D:36:GLU:HG2	1:D:89:PRO:HG3	1.64	0.79
1:C:8:MET:HG3	2:C:234:HOH:O	1.83	0.79
1:E:51:VAL:HG12	1:E:55:LYS:HE3	1.67	0.77
1:E:4:GLU:N	2:E:267:HOH:O	2.19	0.75
1:A:6:LEU:HD13	1:A:48:ARG:HH11	1.50	0.75
1:D:81:HIS:CD2	2:E:251:HOH:O	2.39	0.75
1:D:81:HIS:HD2	2:E:251:HOH:O	1.70	0.74
1:E:9:VAL:HG23	1:E:24:MET:HE1	1.71	0.73
1:C:8:MET:HE2	2:C:234:HOH:O	1.89	0.72
1:F:75:HIS:NE2	1:F:77:ILE:HD11	2.04	0.71
1:A:6:LEU:HB2	1:A:48:ARG:NH1	2.06	0.71
1:A:87:ILE:O	1:A:87:ILE:CD1	2.32	0.71
1:E:9:VAL:CG2	1:E:24:MET:CE	2.70	0.70
1:A:87:ILE:C	2:A:229:HOH:O	2.32	0.68
1:A:58:THR:HG23	2:A:241:HOH:O	1.93	0.67
1:A:58:THR:HG21	1:A:76:VAL:CG2	2.25	0.66
1:F:5:ALA:N	2:F:230:HOH:O	2.27	0.66
1:A:3:GLN:HB3	1:A:50:ASP:HA	1.77	0.66
1:E:9:VAL:CG2	1:E:24:MET:HE3	2.26	0.65
1:A:79:ARG:NE	2:A:201:HOH:O	2.30	0.65

*Continued on next page...*

*Continued from previous page...*

Atom-1	Atom-2	Interatomic distance (Å)	Clash overlap (Å)
1:A:81:HIS:HE1	2:C:207:HOH:O	1.80	0.65
1:D:33:VAL:CG2	1:D:48:ARG:HG2	2.28	0.64
1:D:6:LEU:HD23	1:D:48:ARG:NE	2.13	0.64
1:C:79:ARG:C	2:C:214:HOH:O	2.37	0.63
1:B:24:MET:HG2	1:B:57:ALA:O	1.98	0.62
1:B:15:THR:CG2	1:C:8:MET:CE	2.65	0.61
1:A:87:ILE:HD13	1:C:35:TYR:CE2	2.36	0.61
1:E:9:VAL:HG23	1:E:24:MET:CE	2.30	0.61
1:D:6:LEU:CD2	1:D:48:ARG:NE	2.63	0.61
1:D:25:VAL:HG12	1:F:81:HIS:CD2	2.36	0.60
1:E:9:VAL:CG2	1:E:24:MET:HE1	2.31	0.60
1:A:3:GLN:HG2	2:A:208:HOH:O	2.02	0.60
1:A:48:ARG:NE	2:A:251:HOH:O	2.30	0.59
1:E:86:LYS:HD3	2:E:212:HOH:O	2.02	0.59
1:A:81:HIS:HD2	1:A:83:ASP:H	1.51	0.59
1:D:25:VAL:HG11	1:F:81:HIS:ND1	2.19	0.58
1:D:75:HIS:NE2	1:D:77:ILE:HD11	2.19	0.58
2:B:236:HOH:O	1:C:79:ARG:HB3	2.04	0.57
2:D:231:HOH:O	1:F:77:ILE:HD12	2.04	0.57
1:F:12:LYS:HD3	2:F:254:HOH:O	2.04	0.57
1:A:33:VAL:CG2	1:A:48:ARG:HG2	2.35	0.57
1:A:75:HIS:NE2	1:A:77:ILE:HD11	2.20	0.56
1:D:19:GLU:OE1	1:F:77:ILE:HD11	2.04	0.56
1:C:8:MET:HG2	1:C:46:ILE:HG12	1.89	0.54
1:D:51:VAL:HG23	2:D:237:HOH:O	2.07	0.53
1:A:83:ASP:HA	1:A:86:LYS:HE3	1.90	0.53
1:E:24:MET:HG2	1:E:57:ALA:O	2.08	0.53
1:C:8:MET:CG	2:C:234:HOH:O	2.50	0.53
1:D:20:ALA:O	1:D:24:MET:HG3	2.09	0.52
1:D:75:HIS:NE2	1:D:77:ILE:CD1	2.73	0.52
1:D:77:ILE:HD11	1:E:19:GLU:OE1	2.09	0.52
1:E:24:MET:HE1	1:E:58:THR:HG22	1.90	0.52
1:D:25:VAL:O	2:D:222:HOH:O	2.19	0.52
1:C:32:LEU:CD1	1:C:45:VAL:HG13	2.37	0.52
1:A:87:ILE:HD12	1:A:87:ILE:C	2.26	0.52
1:A:58:THR:HG21	1:A:76:VAL:HG23	1.92	0.51
1:D:38:ILE:HG13	1:E:41:GLY:HA2	1.92	0.51
1:A:75:HIS:CD2	1:A:77:ILE:HD11	2.47	0.50
1:F:75:HIS:NE2	1:F:77:ILE:CD1	2.74	0.50
1:B:18:ILE:HD13	1:B:35:TYR:OH	2.12	0.50
1:B:18:ILE:HD13	1:B:35:TYR:CZ	2.47	0.49

*Continued on next page...*

*Continued from previous page...*

Atom-1	Atom-2	Interatomic distance (Å)	Clash overlap (Å)
1:E:4:GLU:N	2:E:252:HOH:O	2.45	0.49
1:A:8:MET:HG2	1:A:46:ILE:CD1	2.36	0.48
1:D:25:VAL:CG1	1:F:81:HIS:CE1	2.97	0.48
1:D:77:ILE:CD1	1:E:19:GLU:OE1	2.62	0.47
1:D:25:VAL:HG11	1:F:81:HIS:CG	2.50	0.47
1:D:25:VAL:CG1	1:F:81:HIS:CG	2.98	0.47
1:D:48:ARG:NH1	1:D:85:GLU:OE1	2.40	0.46
1:A:33:VAL:HG21	1:A:48:ARG:HG2	1.97	0.46
1:E:86:LYS:HD3	2:E:209:HOH:O	2.15	0.46
1:A:38:ILE:HG22	1:C:37:LYS:HD3	1.97	0.46
1:A:79:ARG:NH2	2:A:201:HOH:O	2.49	0.46
1:A:77:ILE:HD11	1:C:19:GLU:OE1	2.16	0.46
1:D:62:ALA:O	1:D:66:ARG:HG3	2.15	0.46
1:D:33:VAL:HG21	1:D:48:ARG:HG2	1.99	0.45
1:C:79:ARG:HD2	1:C:79:ARG:HA	1.48	0.45
1:C:51:VAL:HG23	2:C:215:HOH:O	2.17	0.45
1:A:3:GLN:HB3	1:A:50:ASP:CA	2.44	0.44
1:C:78:PRO:O	1:C:79:ARG:HB3	2.18	0.44
1:C:78:PRO:O	1:C:79:ARG:CB	2.65	0.44
1:A:58:THR:CG2	2:A:241:HOH:O	2.60	0.44
1:A:14:LEU:HD11	1:A:18:ILE:HD11	1.99	0.44
1:D:25:VAL:HG11	1:F:81:HIS:CE1	2.53	0.44
1:D:75:HIS:CD2	1:D:77:ILE:HD11	2.51	0.44
1:A:54:VAL:O	1:A:58:THR:HG22	2.19	0.43
1:A:4:GLU:OE2	1:A:79:ARG:HG2	2.18	0.43
1:B:31:MET:CE	1:B:48:ARG:HH11	2.31	0.43
1:D:82:THR:O	1:D:85:GLU:HG2	2.18	0.43
1:F:20:ALA:O	1:F:24:MET:HG3	2.19	0.43
1:F:24:MET:HG2	1:F:57:ALA:O	2.19	0.42
1:E:16:ALA:HA	1:E:68:VAL:CG2	2.49	0.42
1:D:4:GLU:HG2	2:D:245:HOH:O	2.20	0.42
1:E:72:LYS:HA	1:E:72:LYS:HD2	1.84	0.42
1:D:5:ALA:HB2	1:D:51:VAL:HG22	2.03	0.41
1:B:87:ILE:HD12	1:F:18:ILE:HD13	2.02	0.41
1:C:21:ALA:HB2	1:C:45:VAL:HG11	2.01	0.41
1:A:77:ILE:HD12	2:C:216:HOH:O	2.20	0.41
1:A:79:ARG:CZ	2:A:201:HOH:O	2.67	0.41
1:A:75:HIS:NE2	1:A:77:ILE:CD1	2.83	0.41
1:B:31:MET:CE	1:B:48:ARG:HD2	2.51	0.41
1:D:42:LEU:CD2	1:D:72:LYS:HG3	2.50	0.41
1:B:54:VAL:O	1:B:58:THR:HG23	2.21	0.40

*Continued on next page...*



Continued from previous page...

Atom-1	Atom-2	Interatomic distance (Å)	Clash overlap (Å)
1:A:62:ALA:O	1:A:66:ARG:HG3	2.21	0.40
1:E:8:MET:HE1	1:E:77:ILE:HD12	2.03	0.40
1:D:25:VAL:CG1	1:F:81:HIS:CD2	3.04	0.40

All (1) symmetry-related close contacts are listed below. The label for Atom-2 includes the symmetry operator and encoded unit-cell translations to be applied.

Atom-1	Atom-2	Interatomic distance (Å)	Clash overlap (Å)
2:E:232:HOH:O	2:F:204:HOH:O[2_756]	2.17	0.03

## 5.3 Torsion angles [i](#)

### 5.3.1 Protein backbone [i](#)

In the following table, the Percentiles column shows the percent Ramachandran outliers of the chain as a percentile score with respect to all X-ray entries followed by that with respect to entries of similar resolution.

The Analysed column shows the number of residues for which the backbone conformation was analysed, and the total number of residues.

Mol	Chain	Analysed	Favoured	Allowed	Outliers	Percentiles	
1	A	83/115 (72%)	82 (99%)	1 (1%)	0	100	100
1	B	84/115 (73%)	84 (100%)	0	0	100	100
1	C	72/115 (63%)	72 (100%)	0	0	100	100
1	D	84/115 (73%)	84 (100%)	0	0	100	100
1	E	84/115 (73%)	83 (99%)	1 (1%)	0	100	100
1	F	82/115 (71%)	81 (99%)	1 (1%)	0	100	100
All	All	489/690 (71%)	486 (99%)	3 (1%)	0	100	100

There are no Ramachandran outliers to report.

### 5.3.2 Protein sidechains [i](#)

In the following table, the Percentiles column shows the percent sidechain outliers of the chain as a percentile score with respect to all X-ray entries followed by that with respect to entries of similar resolution.

The Analysed column shows the number of residues for which the sidechain conformation was analysed, and the total number of residues.

Mol	Chain	Analysed	Rotameric	Outliers	Percentiles	
1	A	60/81 (74%)	59 (98%)	1 (2%)	60	44
1	B	61/81 (75%)	60 (98%)	1 (2%)	62	47
1	C	50/81 (62%)	49 (98%)	1 (2%)	55	37
1	D	61/81 (75%)	61 (100%)	0	100	100
1	E	61/81 (75%)	61 (100%)	0	100	100
1	F	59/81 (73%)	58 (98%)	1 (2%)	60	44
All	All	352/486 (72%)	348 (99%)	4 (1%)	73	62

All (4) residues with a non-rotameric sidechain are listed below:

Mol	Chain	Res	Type
1	A	87	ILE
1	B	83	ASP
1	C	40	SER
1	F	82	THR

Sometimes sidechains can be flipped to improve hydrogen bonding and reduce clashes. All (3) such sidechains are listed below:

Mol	Chain	Res	Type
1	A	81	HIS
1	B	81	HIS
1	C	67	ASN

### 5.3.3 RNA [i](#)

There are no RNA molecules in this entry.

## 5.4 Non-standard residues in protein, DNA, RNA chains [i](#)

There are no non-standard protein/DNA/RNA residues in this entry.

## 5.5 Carbohydrates [i](#)

There are no monosaccharides in this entry.

## 5.6 Ligand geometry [i](#)

There are no ligands in this entry.

## 5.7 Other polymers [i](#)

There are no such residues in this entry.

## 5.8 Polymer linkage issues [i](#)

There are no chain breaks in this entry.

## 6 Fit of model and data [i](#)

### 6.1 Protein, DNA and RNA chains [i](#)

In the following table, the column labelled '#RSRZ > 2' contains the number (and percentage) of RSRZ outliers, followed by percent RSRZ outliers for the chain as percentile scores relative to all X-ray entries and entries of similar resolution. The OWAB column contains the minimum, median, 95<sup>th</sup> percentile and maximum values of the occupancy-weighted average B-factor per residue. The column labelled 'Q < 0.9' lists the number of (and percentage) of residues with an average occupancy less than 0.9.

Mol	Chain	Analysed	<RSRZ>	#RSRZ>2	OWAB(Å <sup>2</sup> )	Q<0.9
1	A	85/115 (73%)	-0.09	2 (2%) 59 63	19, 27, 47, 78	0
1	B	86/115 (74%)	-0.16	0 100 100	20, 27, 47, 54	0
1	C	74/115 (64%)	-0.15	0 100 100	21, 31, 45, 59	0
1	D	86/115 (74%)	-0.12	1 (1%) 79 83	16, 23, 43, 54	0
1	E	86/115 (74%)	-0.34	0 100 100	16, 22, 32, 39	0
1	F	84/115 (73%)	-0.27	0 100 100	15, 20, 36, 50	0
All	All	501/690 (72%)	-0.19	3 (0%) 89 91	15, 25, 44, 78	0

All (3) RSRZ outliers are listed below:

Mol	Chain	Res	Type	RSRZ
1	A	86	LYS	4.1
1	A	87	ILE	3.4
1	D	89	PRO	2.3

### 6.2 Non-standard residues in protein, DNA, RNA chains [i](#)

There are no non-standard protein/DNA/RNA residues in this entry.

### 6.3 Carbohydrates [i](#)

There are no monosaccharides in this entry.

### 6.4 Ligands [i](#)

There are no ligands in this entry.

## 6.5 Other polymers [i](#)

There are no such residues in this entry.