



Full wwPDB EM Validation Report ⓘ

May 5, 2025 – 10:00 AM EDT

PDB ID : 7NAN / pdb_00007nan
EMDB ID : EMD-24275
Title : Human 20S proteasome core particle
Authors : Zhao, J.; Makhija, S.; Huang, B.; Cheng, Y.
Deposited on : 2021-06-22
Resolution : 2.80 Å(reported)

This is a Full wwPDB EM Validation Report for a publicly released PDB entry.

We welcome your comments at validation@mail.wwpdb.org

A user guide is available at

<https://www.wwpdb.org/validation/2017/EMValidationReportHelp>

with specific help available everywhere you see the ⓘ symbol.

The types of validation reports are described at

<http://www.wwpdb.org/validation/2017/FAQs#types>.

The following versions of software and data (see [references ⓘ](#)) were used in the production of this report:

EMDB validation analysis : 0.0.1.dev118
MolProbity : 4-5-2 with Phenix2.0rc1
Percentile statistics : 20231227.v01 (using entries in the PDB archive December 27th 2023)
MapQ : 1.9.13
Ideal geometry (proteins) : Engh & Huber (2001)
Ideal geometry (DNA, RNA) : Parkinson et al. (1996)
Validation Pipeline (wwPDB-VP) : 2.43.1


1 Overall quality at a glance

The following experimental techniques were used to determine the structure:

ELECTRON MICROSCOPY

The reported resolution of this entry is 2.80 Å.

Percentile scores (ranging between 0-100) for global validation metrics of the entry are shown in the following graphic. The table shows the number of entries on which the scores are based.









Metric	Whole archive (#Entries)	EM structures (#Entries)
Clashscore	210492	15764
Ramachandran outliers	207382	16835
Sidechain outliers	206894	16415

The table below summarises the geometric issues observed across the polymeric chains and their fit to the map. The red, orange, yellow and green segments of the bar indicate the fraction of residues that contain outliers for ≥ 3 , 2, 1 and 0 types of geometric quality criteria respectively. A grey segment represents the fraction of residues that are not modelled. The numeric value for each fraction is indicated below the corresponding segment, with a dot representing fractions $\leq 5\%$. The upper red bar (where present) indicates the fraction of residues that have poor fit to the EM map (all-atom inclusion $< 40\%$). The numeric value is given above the bar.

Mol	Chain	Length	Quality of chain
1	A	234	
1	O	234	
2	B	261	
2	P	261	
3	C	248	
3	Q	248	
4	D	241	
4	R	241	

Continued on next page...

Continued from previous page...

Mol	Chain	Length	Quality of chain
5	E	263	
5	S	263	
6	F	255	
6	T	255	
7	G	246	
7	U	246	
8	H	277	
8	V	277	
9	I	205	
9	W	205	
10	J	201	
10	X	201	
11	K	263	
11	Y	263	
12	L	241	
12	Z	241	
13	M	264	
13	a	264	
14	N	239	
14	b	239	

2 Entry composition

There are 14 unique types of molecules in this entry. The entry contains 46360 atoms, of which 0 are hydrogens and 0 are deuteriums.

In the tables below, the AltConf column contains the number of residues with at least one atom in alternate conformation and the Trace column contains the number of residues modelled with at most 2 atoms.

- Molecule 1 is a protein called Proteasome subunit alpha type-2.

Mol	Chain	Residues	Atoms					AltConf	Trace
1	A	229	Total	C	N	O	S	0	0
			1665	1083	288	288	6		
1	O	229	Total	C	N	O	S	0	0
			1694	1097	296	295	6		

- Molecule 2 is a protein called Proteasome subunit alpha type-4.

Mol	Chain	Residues	Atoms					AltConf	Trace
2	B	250	Total	C	N	O	S	0	0
			1795	1146	322	317	10		
2	P	251	Total	C	N	O	S	0	0
			1850	1177	329	334	10		

- Molecule 3 is a protein called Proteasome subunit alpha type-7.

Mol	Chain	Residues	Atoms					AltConf	Trace
3	C	235	Total	C	N	O	S	0	0
			1694	1077	317	295	5		
3	Q	236	Total	C	N	O	S	0	0
			1719	1093	319	302	5		

- Molecule 4 is a protein called Proteasome subunit alpha type-5.

Mol	Chain	Residues	Atoms					AltConf	Trace
4	D	235	Total	C	N	O	S	0	0
			1699	1079	292	317	11		
4	R	235	Total	C	N	O	S	0	0
			1688	1073	292	312	11		

- Molecule 5 is a protein called Proteasome subunit alpha type-1.

Mol	Chain	Residues	Atoms					AltConf	Trace
5	E	238	Total	C	N	O	S	0	0
			1794	1134	330	319	11		
5	S	237	Total	C	N	O	S	0	0
			1759	1120	329	299	11		

- Molecule 6 is a protein called Proteasome subunit alpha type-3.

Mol	Chain	Residues	Atoms					AltConf	Trace
6	F	240	Total	C	N	O	S	0	0
			1783	1145	315	313	10		
6	T	239	Total	C	N	O	S	0	0
			1784	1144	315	315	10		

- Molecule 7 is a protein called Proteasome subunit alpha type-6.

Mol	Chain	Residues	Atoms					AltConf	Trace
7	G	243	Total	C	N	O	S	0	0
			1781	1138	308	323	12		
7	U	243	Total	C	N	O	S	0	0
			1781	1139	307	323	12		

- Molecule 8 is a protein called Proteasome subunit beta type-7.

Mol	Chain	Residues	Atoms					AltConf	Trace
8	H	222	Total	C	N	O	S	0	0
			1604	1020	276	297	11		
8	V	222	Total	C	N	O	S	0	0
			1618	1027	275	306	10		

- Molecule 9 is a protein called Proteasome subunit beta type-3.

Mol	Chain	Residues	Atoms					AltConf	Trace
9	I	204	Total	C	N	O	S	0	0
			1563	1001	264	279	19		
9	W	204	Total	C	N	O	S	0	0
			1559	1000	264	277	18		

- Molecule 10 is a protein called Proteasome subunit beta type-2.

Mol	Chain	Residues	Atoms					AltConf	Trace
10	J	197	Total	C	N	O	S	0	0
			1541	996	265	271	9		

Continued on next page...

Continued from previous page...

Mol	Chain	Residues	Atoms					AltConf	Trace
10	X	196	Total	C	N	O	S	0	0
			1531	988	264	271	8		

- Molecule 11 is a protein called Proteasome subunit beta type-5.

Mol	Chain	Residues	Atoms					AltConf	Trace
11	K	200	Total	C	N	O	S	0	0
			1525	968	273	275	9		
11	Y	200	Total	C	N	O	S	0	0
			1522	966	272	275	9		

- Molecule 12 is a protein called Proteasome subunit beta type-1.

Mol	Chain	Residues	Atoms					AltConf	Trace
12	L	213	Total	C	N	O	S	0	0
			1604	1025	280	289	10		
12	Z	213	Total	C	N	O	S	0	0
			1593	1022	281	280	10		

- Molecule 13 is a protein called Proteasome subunit beta type-4.

Mol	Chain	Residues	Atoms					AltConf	Trace
13	M	215	Total	C	N	O	S	0	0
			1635	1038	288	297	12		
13	a	214	Total	C	N	O	S	0	0
			1624	1033	288	291	12		


- Molecule 14 is a protein called Proteasome subunit beta type-6.

Mol	Chain	Residues	Atoms					AltConf	Trace
14	N	202	Total	C	N	O	S	0	0
			1485	935	258	281	11		
14	b	202	Total	C	N	O	S	0	0
			1470	929	257	272	12		

3 Residue-property plots [i](#)

These plots are drawn for all protein, RNA, DNA and oligosaccharide chains in the entry. The first graphic for a chain summarises the proportions of the various outlier classes displayed in the second graphic. The second graphic shows the sequence view annotated by issues in geometry and atom inclusion in map density. Residues are color-coded according to the number of geometric quality criteria for which they contain at least one outlier: green = 0, yellow = 1, orange = 2 and red = 3 or more. A red diamond above a residue indicates a poor fit to the EM map for this residue (all-atom inclusion < 40%). Stretches of 2 or more consecutive residues without any outlier are shown as a green connector. Residues present in the sample, but not in the model, are shown in grey.

- Molecule 1: Proteasome subunit alpha type-2

Chain A:  94%



- Molecule 1: Proteasome subunit alpha type-2

Chain O:  93% 5%



- Molecule 2: Proteasome subunit alpha type-4

Chain B:  91% 5%



- Molecule 2: Proteasome subunit alpha type-4

Chain P:  90% 6%




- Molecule 3: Proteasome subunit alpha type-7

Chain C:  88% 7% 5%



- Molecule 3: Proteasome subunit alpha type-7


MET	S2	T8	Q23	K28	V42	L65	M71	H94	V98	Q116	T119	Q120	Q146	T147	D148	A158	N159	L172	T183	T187	V191	L208	I225	E237	GLU	ASN	GLU	GLU	LVS	LVS	LVS	GLN	LVS	LVS	ALA	SER
-----	----	----	-----	-----	-----	-----	-----	-----	-----	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----

- Chain D:  90% 7% .


MET
PHE
LEU
THR
ARG
SER
E7
A37
T42
G45
V50
E60
S63
C76
A77
I82
A85
R93
T96
A128
G131
A132
M133
V139
L170
L217
L234
L241

- Chain R: 93% ..

Amino Acid	Information Content (bits)
MET	0.00
PHE	0.00
LEU	0.00
THR	0.00
ARG	0.00
SER	0.00
E7	0.00
M99	0.00
I64	0.00
A83	0.00
T113	0.00
V116	0.00
S117	0.00
N118	0.00
Q122	0.00
A128	0.35
K209	0.00
N214	0.00
I241	0.00

- Chain E:  83% 7% 10%


Two bar charts showing the percentage of amino acids in the top 1000 residues of the protein. The top chart shows the distribution of amino acids in the top 1000 residues, with MET (1.0%), PHE (0.8%), HIS (0.7%), VAL (0.6%), THR (0.5%), LEU (0.4%), ILE (0.3%), SER (0.2%), GLY (0.1%), and ASP (0.1%). The bottom chart shows the distribution of amino acids in the top 1000 residues, with MET (1.0%), PHE (0.8%), HIS (0.7%), VAL (0.6%), THR (0.5%), LEU (0.4%), ILE (0.3%), SER (0.2%), GLY (0.1%), and ASP (0.1%).

- Chain S:  84% 6% 10%

NET	PHE	M4	V47	K61	R62	L63	L64	I72	R82	M88	Q117	T120	L195	P200	Q203	D225	V229	R239	P240	GLN	ARG	LYS	ALA	ALA	GLN	GLX	PRO	PRO	ALA	ALA	GLN	PRO	PRO	ALA	ALA	LYS	GLU	GLY	ALA	ASP	GLU	GLY	ASP	GLU	ASP	PRO	PRO	MET	GLY	GLU
-----	-----	----	-----	-----	-----	-----	-----	-----	-----	-----	------	------	------	------	------	------	------	------	------	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----

- Chain F: 85% 9% 6%

MET	SER	SER	ILE	GLY	T5	D8	R19	E24	S34	I37	G38	I39	E50	K56	D70	V73	L87	H120	C133	M136	Q170	T174	C186	V190	V193	W215	V227	K244	GLU	GLU	ASP	GLU	SER	ASP	ASP	ASP	ASN	MET
-----	-----	-----	-----	-----	----	----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	------	------	------	------	------	------	------	------	------	------	------	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----

- Chain T:  87% 7% 6%

[illegible]

- Molecule 7: Proteasome subunit alpha type-6

Chain G:  90% 9%





- Molecule 7: Proteasome subunit alpha type-6

Chain U:  90% 9%




- Molecule 8: Proteasome subunit beta type-7

Chain H:  75% 5% 20%



- Molecule 8: Proteasome subunit beta type-7

Chain V:  75% 5% 20%




- Molecule 9: Proteasome subunit beta type-3

Chain I:  90% 9%



- Molecule 9: Proteasome subunit beta type-3

Chain W:  95%



- Molecule 10: Proteasome subunit beta type-2

Chain J:  91% 7% .




- Molecule 10: Proteasome subunit beta type-2

Chain X:  92% 6% .




- Molecule 11: Proteasome subunit beta type-5

Chain K:  73% 24% .



- Molecule 11: Proteasome subunit beta type-5

Chain Y:  71% 5% 24% .




- Molecule 12: Proteasome subunit beta type-1

Chain L:  82% 6% 12% .





- Molecule 12: Proteasome subunit beta type-1


Chain Z:  80% 8% 12% .





- Molecule 13: Proteasome subunit beta type-4





● Molecule 13: Proteasome subunit beta type-4



● Molecule 14: Proteasome subunit beta type-6



● Molecule 14: Proteasome subunit beta type-6



4 Experimental information

Property	Value	Source
EM reconstruction method	SINGLE PARTICLE	Depositor
Imposed symmetry	POINT, C1	Depositor
Number of particles used	499629	Depositor
Resolution determination method	FSC 0.143 CUT-OFF	Depositor
CTF correction method	PHASE FLIPPING AND AMPLITUDE CORRECTION	Depositor
Microscope	FEI POLARA 300	Depositor
Voltage (kV)	300	Depositor
Electron dose ($e^-/\text{\AA}^2$)	40	Depositor
Minimum defocus (nm)	Not provided	
Maximum defocus (nm)	Not provided	
Magnification	Not provided	
Image detector	GATAN K2 SUMMIT (4k x 4k)	Depositor
Maximum map value	30.094	Depositor
Minimum map value	-13.549	Depositor
Average map value	0.000	Depositor
Map value standard deviation	1.000	Depositor
Recommended contour level	4	Depositor
Map size (Å)	388.992, 388.992, 388.992	wwPDB
Map dimensions	320, 320, 320	wwPDB
Map angles (°)	90.0, 90.0, 90.0	wwPDB
Pixel spacing (Å)	1.2156, 1.2156, 1.2156	Depositor

5 Model quality [i](#)

5.1 Standard geometry [i](#)

The Z score for a bond length (or angle) is the number of standard deviations the observed value is removed from the expected value. A bond length (or angle) with $|Z| > 5$ is considered an outlier worth inspection. RMSZ is the root-mean-square of all Z scores of the bond lengths (or angles).

Mol	Chain	Bond lengths		Bond angles	
		RMSZ	# Z >5	RMSZ	# Z >5
1	A	0.38	0/1704	0.40	0/2322
1	O	0.39	0/1733	0.41	0/2358
2	B	0.36	0/1824	0.37	0/2482
2	P	0.37	0/1879	0.39	0/2550
3	C	0.38	0/1719	0.40	0/2341
3	Q	0.37	0/1745	0.44	0/2375
4	D	0.36	0/1725	0.38	0/2342
4	R	0.36	0/1714	0.38	0/2327
5	E	0.39	0/1829	0.41	0/2484
5	S	0.38	0/1794	0.43	0/2436
6	F	0.39	0/1818	0.42	0/2461
6	T	0.39	0/1819	0.41	0/2462
7	G	0.38	0/1813	0.39	0/2464
7	U	0.37	0/1813	0.38	0/2464
8	H	0.43	0/1631	0.44	0/2217
8	V	0.44	0/1645	0.43	0/2235
9	I	0.45	0/1592	0.45	0/2149
9	W	0.46	0/1588	0.44	0/2144
10	J	0.45	0/1574	0.42	0/2134
10	X	0.47	0/1563	0.43	0/2119
11	K	0.46	0/1556	0.42	0/2104
11	Y	0.44	0/1553	0.47	2/2102 (0.1%)
12	L	0.44	0/1634	0.43	0/2206
12	Z	0.43	0/1623	0.42	0/2192
13	M	0.46	0/1668	0.43	0/2263
13	a	0.44	0/1657	0.43	0/2248
14	N	0.45	0/1511	0.37	0/2049
14	b	0.46	0/1496	0.37	0/2029
All	All	0.41	0/47220	0.41	2/64059 (0.0%)

There are no bond length outliers.

All (2) bond angle outliers are listed below:

Mol	Chain	Res	Type	Atoms	Z	Observed(°)	Ideal(°)
11	Y	45	MET	CA-C-N	7.99	139.06	121.81
11	Y	45	MET	C-N-CA	7.99	139.06	121.81

There are no chirality outliers.

There are no planarity outliers.

5.2 Too-close contacts

In the following table, the Non-H and H(model) columns list the number of non-hydrogen atoms and hydrogen atoms in the chain respectively. The H(added) column lists the number of hydrogen atoms added and optimized by MolProbity. The Clashes column lists the number of clashes within the asymmetric unit, whereas Symm-Clashes lists symmetry-related clashes.

Mol	Chain	Non-H	H(model)	H(added)	Clashes	Symm-Clashes
1	A	1665	0	1599	5	0
1	O	1694	0	1642	8	0
2	B	1795	0	1703	7	0
2	P	1850	0	1788	10	0
3	C	1694	0	1612	11	0
3	Q	1719	0	1653	13	0
4	D	1699	0	1645	11	0
4	R	1688	0	1621	6	0
5	E	1794	0	1743	12	0
5	S	1759	0	1716	8	0
6	F	1783	0	1721	14	0
6	T	1784	0	1725	13	0
7	G	1781	0	1726	12	0
7	U	1781	0	1707	13	0
8	H	1604	0	1603	10	0
8	V	1618	0	1612	10	0
9	I	1563	0	1580	14	0
9	W	1559	0	1575	6	0
10	J	1541	0	1536	10	0
10	X	1531	0	1523	7	0
11	K	1525	0	1490	5	0
11	Y	1522	0	1475	8	0
12	L	1604	0	1596	12	0
12	Z	1593	0	1595	12	0
13	M	1635	0	1596	7	0
13	a	1624	0	1589	12	0
14	N	1485	0	1450	10	0
14	b	1470	0	1433	10	0

Continued on next page...

Continued from previous page...

Mol	Chain	Non-H	H(model)	H(added)	Clashes	Symm-Clashes
All	All	46360	0	45254	248	0

The all-atom clashscore is defined as the number of clashes found per 1000 atoms (including hydrogen atoms). The all-atom clashscore for this structure is 3.

All (248) close contacts within the same asymmetric unit are listed below, sorted by their clash magnitude.

Atom-1	Atom-2	Interatomic distance (Å)	Clash overlap (Å)
12:Z:148:LEU:HD23	12:Z:178:VAL:HG12	1.51	0.92
12:L:148:LEU:HD23	12:L:178:VAL:HG12	1.62	0.82
12:L:13:LEU:HD11	12:L:149:LEU:HD11	1.65	0.78
4:R:117:SER:OG	5:S:82:ARG:NH2	2.23	0.71
5:E:6:TYR:OH	6:F:8:ASP:OD2	2.06	0.71
6:F:39:ILE:HD12	6:F:193:VAL:HG22	1.73	0.70
14:b:3:ILE:HD12	14:b:99:ILE:HG22	1.75	0.68
14:b:46:SER:OG	14:b:97:GLY:O	2.11	0.68
14:N:46:SER:OG	14:N:97:GLY:O	2.13	0.67
3:C:137:ASP:OD1	3:C:141:THR:N	2.28	0.66
12:Z:13:LEU:HD11	12:Z:149:LEU:HD11	1.78	0.66
5:E:212:ILE:HD12	5:E:229:VAL:HG23	1.79	0.65
9:I:57:THR:O	10:J:85:ARG:NH2	2.30	0.65
14:b:14:LEU:HD22	14:b:44:CYS:SG	2.37	0.64
11:K:29:GLN:OE1	9:W:202:ARG:NH1	2.31	0.64
2:P:76:VAL:HG11	2:P:83:ALA:HB2	1.80	0.64
3:C:94:HIS:O	3:C:98:VAL:HG22	1.98	0.63
14:N:144:ARG:NH1	14:N:147:MET:SD	2.71	0.63
3:C:116:GLN:O	3:C:119:THR:OG1	2.12	0.63
5:E:157:ARG:NH2	6:F:56:LYS:O	2.32	0.62
2:P:119:GLN:O	2:P:122:THR:OG1	2.13	0.61
7:G:155:ASP:OD1	7:G:159:TYR:N	2.34	0.61
2:B:6:ASP:OD2	3:C:5:ARG:NH2	2.34	0.60
10:X:52:ASP:OD1	11:Y:88:TYR:OH	2.14	0.60
1:A:142:ARG:NH1	1:A:143:PRO:O	2.33	0.60
3:Q:8:THR:OG1	3:Q:119:THR:O	2.12	0.59
11:K:180:ARG:NH1	11:K:182:ASP:OD1	2.36	0.59
13:M:96:MET:HE2	13:M:110:MET:HE1	1.85	0.59
7:U:155:ASP:OD1	7:U:159:TYR:N	2.36	0.59
3:Q:65:LEU:HD21	3:Q:71:MET:SD	2.43	0.58
9:W:29:ILE:HG22	9:W:30:GLN:H	1.68	0.58
7:U:131:MET:SD	7:U:131:MET:N	2.76	0.58
2:P:10:THR:HG23	2:P:122:THR:O	2.03	0.58

Continued on next page...

Continued from previous page...

Atom-1	Atom-2	Interatomic distance (Å)	Clash overlap (Å)
10:X:14:LEU:HD21	10:X:160:LEU:HD22	1.84	0.57
7:G:121:ILE:O	7:G:124:VAL:HG22	2.04	0.57
9:I:121:CYS:SG	9:I:122:SER:N	2.77	0.57
8:V:174:ASP:OD2	8:V:187:ARG:NH1	2.37	0.57
13:M:70:MET:HE1	13:M:91:TRP:NE1	2.20	0.57
8:V:29:LYS:NZ	9:W:150:GLU:OE2	2.38	0.56
1:A:159:ALA:HB1	1:A:173:LEU:HD21	1.88	0.56
12:L:168:LEU:HD11	12:L:197:ILE:HD11	1.86	0.56
7:U:165:ALA:HB1	7:U:179:LEU:HD21	1.86	0.56
3:Q:116:GLN:O	3:Q:119:THR:OG1	2.22	0.56
10:J:78:THR:HG22	10:J:116:TYR:OH	2.06	0.56
3:C:91:CYS:HA	3:C:102:VAL:HG21	1.88	0.55
10:J:168:GLN:NE2	10:J:175:LEU:O	2.39	0.55
12:Z:5:TYR:OH	12:Z:103:PRO:O	2.15	0.55
6:F:37:ILE:C	6:F:136:MET:HE1	2.32	0.55
1:A:33:PRO:O	1:A:47:THR:OG1	2.20	0.55
9:I:61:THR:OG1	10:J:85:ARG:NH2	2.39	0.54
9:W:47:ARG:NH2	9:W:191:LYS:O	2.41	0.54
13:a:96:MET:HE2	13:a:110:MET:HE1	1.89	0.54
10:J:14:LEU:HD21	10:J:160:LEU:HD22	1.90	0.54
8:V:215:LYS:NZ	8:V:217:THR:OG1	2.41	0.54
10:X:168:GLN:NE2	10:X:175:LEU:O	2.42	0.54
4:D:42:THR:OG1	4:D:45:GLY:O	2.21	0.53
12:L:21:ALA:HB3	12:L:198:VAL:CG1	2.39	0.53
2:P:76:VAL:HG11	2:P:83:ALA:CB	2.39	0.53
12:L:148:LEU:HD23	12:L:178:VAL:CG1	2.37	0.53
8:H:209:THR:HG21	9:I:167:SER:OG	2.09	0.52
12:L:5:TYR:OH	12:L:103:PRO:O	2.20	0.52
14:b:14:LEU:HD21	14:b:101:ALA:HB3	1.90	0.52
1:A:83:ARG:NH1	7:G:120:ASP:OD1	2.42	0.52
10:J:102:LEU:O	10:J:132:HIS:NE2	2.42	0.52
14:b:138:TYR:O	14:b:142:THR:HG22	2.09	0.52
2:B:232:GLU:N	2:B:232:GLU:OE1	2.42	0.52
5:E:40:SER:OG	5:E:180:MET:O	2.24	0.52
12:L:168:LEU:CD1	12:L:197:ILE:HD11	2.39	0.52
5:S:72:ILE:HG21	5:S:88:MET:HE1	1.92	0.52
4:D:133:MET:SD	4:D:133:MET:N	2.83	0.52
10:X:94:SER:OG	10:X:95:ARG:N	2.44	0.51
4:D:85:ALA:HB2	4:D:139:VAL:HG21	1.92	0.51
11:Y:34:VAL:HG11	11:Y:177:TYR:CE1	2.45	0.51
8:V:124:TYR:HE1	8:V:135:MET:HE1	1.76	0.51

Continued on next page...

Continued from previous page...

Atom-1	Atom-2	Interatomic distance (Å)	Clash overlap (Å)
3:Q:158:ALA:HB1	3:Q:172:LEU:HD11	1.93	0.51
7:U:161:CYS:SG	7:U:162:GLY:N	2.84	0.51
9:I:29:ILE:HG22	9:I:30:GLN:H	1.77	0.50
8:H:135:MET:HE2	13:a:179:ARG:CZ	2.41	0.50
4:R:59:MET:SD	4:R:64:ILE:HD11	2.51	0.50
11:Y:182:ASP:OD1	11:Y:183:GLY:N	2.45	0.50
4:D:37:ALA:HB3	4:D:170:ILE:CG1	2.42	0.50
10:J:5:ILE:CG2	10:J:16:ALA:HB3	2.42	0.50
14:b:5:ALA:HB3	14:b:99:ILE:HD11	1.95	0.49
13:M:110:MET:SD	13:M:110:MET:N	2.86	0.49
14:b:14:LEU:HD21	14:b:101:ALA:CB	2.43	0.49
5:S:203:GLN:O	5:S:239:ARG:NH1	2.45	0.49
13:M:179:ARG:CZ	8:V:135:MET:HE2	2.43	0.49
8:H:129:SER:OG	8:H:166:ASP:OD2	2.24	0.49
9:I:51:GLY:N	9:I:107:VAL:O	2.42	0.49
7:G:22:LEU:O	7:G:25:VAL:HG12	2.12	0.48
7:G:170:VAL:HG13	7:G:171:LYS:HG2	1.95	0.48
7:U:122:SER:OG	7:U:156:PRO:O	2.28	0.48
3:C:23:GLN:NE2	3:C:148:ASP:OD2	2.44	0.48
14:N:3:ILE:HD12	14:N:99:ILE:HG22	1.95	0.48
14:N:17:ASP:OD1	14:N:33:LYS:NZ	2.47	0.48
14:b:5:ALA:HB2	14:b:14:LEU:HD23	1.95	0.48
7:U:200:THR:O	7:U:204:THR:HG23	2.13	0.48
6:T:120:HIS:NE2	7:U:86:ASP:OD1	2.45	0.48
7:U:84:THR:O	7:U:87:SER:OG	2.28	0.48
11:Y:160:ILE:HG21	11:Y:174:VAL:HG12	1.95	0.48
9:I:144:GLN:OE1	9:I:144:GLN:N	2.45	0.48
4:R:118:ASN:O	4:R:122:GLN:NE2	2.46	0.47
2:P:15:GLU:O	3:Q:28:LYS:NZ	2.44	0.47
3:Q:183:THR:O	3:Q:187:THR:HG23	2.15	0.47
7:U:170:VAL:HG13	7:U:171:LYS:HG2	1.96	0.47
14:b:99:ILE:HD12	14:b:126:ALA:HB3	1.97	0.47
10:J:52:ASP:OD1	11:K:88:TYR:OH	2.17	0.47
6:T:87:LEU:HD13	6:T:135:PHE:CE1	2.49	0.47
6:T:87:LEU:HD12	6:T:133:CYS:SG	2.54	0.47
4:D:217:LEU:HB3	4:D:234:LEU:HD21	1.97	0.47
7:G:49:VAL:HG12	7:G:219:VAL:HG12	1.95	0.47
1:O:28:VAL:HG23	1:O:76:SER:O	2.14	0.47
2:P:206:LEU:O	2:P:237:ILE:HD13	2.15	0.47
3:Q:42:VAL:HG11	3:Q:191:VAL:HG11	1.96	0.47
6:T:215:TRP:CZ3	6:T:227:VAL:HG13	2.49	0.47

Continued on next page...

Continued from previous page...

Atom-1	Atom-2	Interatomic distance (Å)	Clash overlap (Å)
12:Z:114:ASP:OD1	12:Z:118:LYS:N	2.48	0.47
12:L:60:ASP:OD1	13:M:97:TYR:OH	2.29	0.47
2:B:133:SER:OG	2:B:150:SER:O	2.23	0.47
6:F:34:SER:OG	6:F:50:GLU:O	2.26	0.47
8:H:24:MET:HE1	12:Z:33:PHE:CE1	2.51	0.47
9:I:168:GLN:NE2	12:Z:157:ASN:O	2.47	0.47
3:C:94:HIS:ND1	3:C:102:VAL:HG22	2.30	0.46
7:G:161:CYS:SG	7:G:162:GLY:N	2.88	0.46
4:R:113:THR:HA	4:R:116:VAL:HG12	1.98	0.46
6:F:87:LEU:HD12	6:F:133:CYS:SG	2.55	0.46
6:T:69:VAL:HG23	6:T:73:VAL:HG13	1.98	0.46
13:a:27:LEU:HD11	13:a:34:ALA:HB1	1.97	0.46
11:K:161:TYR:O	11:K:164:THR:OG1	2.30	0.46
6:F:215:TRP:CE3	6:F:227:VAL:HG22	2.51	0.46
2:P:3:ARG:O	2:P:8:ARG:NH2	2.48	0.46
9:I:141:CYS:SG	9:I:145:MET:HE3	2.56	0.46
11:Y:186:ARG:NH2	11:Y:189:SER:OG	2.48	0.46
3:C:40:ILE:HD11	3:C:210:VAL:HG21	1.98	0.46
1:O:123:SER:OG	1:O:124:GLY:N	2.49	0.46
3:Q:94:HIS:O	3:Q:98:VAL:HG22	2.16	0.46
13:a:96:MET:SD	13:a:110:MET:HE1	2.56	0.45
10:J:174:ASN:N	10:X:172:ILE:O	2.46	0.45
13:M:166:ARG:NH2	13:M:200:GLU:OE1	2.44	0.45
9:W:44:MET:O	9:W:70:LEU:HD21	2.15	0.45
8:V:19:ARG:O	8:V:33:LYS:NZ	2.44	0.45
3:Q:146:GLN:OE1	3:Q:159:ASN:ND2	2.50	0.45
8:V:110:LEU:HD21	8:V:125:VAL:HG22	1.99	0.45
8:V:209:THR:HG21	9:W:167:SER:OG	2.16	0.45
12:Z:137:ALA:N	12:Z:146:GLN:OE1	2.50	0.45
7:U:72:ILE:HD11	7:U:78:CYS:SG	2.57	0.45
11:Y:50:ALA:HB2	12:Z:127:VAL:HG13	1.99	0.45
12:Z:60:ASP:OD1	13:a:97:TYR:OH	2.27	0.45
14:N:51:ASP:O	14:N:55:VAL:HG22	2.17	0.45
5:E:47:VAL:HG12	5:E:195:LEU:HD22	1.98	0.44
5:E:72:ILE:HG22	5:E:134:ILE:HD13	1.98	0.44
6:F:38:GLY:N	6:F:136:MET:HE1	2.31	0.44
1:O:173:LEU:CD2	1:O:193:THR:HG21	2.48	0.44
13:a:193:THR:OG1	13:a:194:GLU:N	2.49	0.44
14:b:99:ILE:CD1	14:b:126:ALA:HB3	2.47	0.44
5:E:139:ASP:OD1	5:E:140:MET:N	2.51	0.44
5:S:63:ILE:C	5:S:64:LEU:HD22	2.43	0.44

Continued on next page...

Continued from previous page...

Atom-1	Atom-2	Interatomic distance (Å)	Clash overlap (Å)
5:E:196:ARG:NH1	5:E:237:GLU:O	2.51	0.44
5:S:225:ASP:O	5:S:229:VAL:HG13	2.17	0.44
13:a:25:ASP:OD1	13:a:41:ARG:NH2	2.44	0.44
14:N:5:ALA:HB3	14:N:99:ILE:HD11	2.00	0.44
12:Z:174:LEU:O	12:Z:178:VAL:HG13	2.17	0.43
6:F:186:CYS:O	6:F:190:VAL:HG13	2.17	0.43
12:L:125:ASP:OD1	12:L:129:SER:N	2.50	0.43
12:Z:21:ALA:HB3	12:Z:198:VAL:CG1	2.48	0.43
9:I:170:MET:O	9:I:174:VAL:HG22	2.19	0.43
12:L:21:ALA:O	12:L:198:VAL:HG12	2.19	0.43
6:F:39:ILE:HD12	6:F:193:VAL:CG2	2.46	0.43
2:B:207:SER:O	2:B:208:ALA:HB3	2.19	0.43
8:H:124:TYR:CE1	8:H:135:MET:HE1	2.54	0.43
1:O:83:ARG:NH1	7:U:120:ASP:OD1	2.48	0.43
14:N:14:LEU:HD21	14:N:101:ALA:HB3	2.00	0.43
9:I:134:ASP:OD1	9:I:134:ASP:N	2.51	0.42
7:G:200:THR:O	7:G:204:THR:HG23	2.19	0.42
9:I:29:ILE:N	9:I:32:GLN:O	2.52	0.42
4:R:209:LYS:O	4:R:214:ASN:ND2	2.52	0.42
13:a:166:ARG:NH2	13:a:200:GLU:OE1	2.48	0.42
2:B:68:LEU:HD21	2:B:74:CYS:SG	2.59	0.42
6:F:19:ARG:NH2	6:F:24:GLU:OE1	2.51	0.42
1:O:173:LEU:HD21	1:O:193:THR:HG21	2.01	0.42
4:D:93:ARG:O	4:D:96:THR:OG1	2.34	0.42
12:L:197:ILE:HG23	12:L:197:ILE:O	2.19	0.42
6:T:170:GLN:O	6:T:174:THR:HG23	2.19	0.42
11:Y:160:ILE:CG2	11:Y:174:VAL:HG12	2.50	0.42
4:D:60:GLU:O	4:D:63:SER:OG	2.31	0.42
8:H:187:ARG:HB3	8:H:188:PRO:HD3	2.02	0.42
2:P:163:CYS:SG	2:P:164:ILE:N	2.92	0.42
2:P:197:LEU:HA	2:P:200:THR:HG22	2.01	0.42
5:S:117:GLN:O	5:S:120:THR:HG22	2.20	0.42
10:X:43:LEU:HD12	10:X:183:ILE:HD11	2.01	0.42
5:E:72:ILE:HG22	5:E:134:ILE:CD1	2.50	0.42
6:F:170:GLN:O	6:F:174:THR:HG23	2.20	0.42
7:G:72:ILE:HD11	7:G:78:CYS:SG	2.60	0.42
2:P:90:LEU:HG	2:P:114:LEU:HD13	2.01	0.42
6:T:11:ALA:HB1	6:T:123:THR:O	2.20	0.42
10:X:5:ILE:CG2	10:X:16:ALA:HB3	2.50	0.42
6:T:135:PHE:CE2	6:T:151:ILE:HD13	2.55	0.42
1:A:110:VAL:HA	1:A:113:VAL:HG22	2.01	0.41

Continued on next page...

Continued from previous page...

Atom-1	Atom-2	Interatomic distance (Å)	Clash overlap (Å)
9:I:11:MET:HE2	9:I:170:MET:HG2	2.02	0.41
8:V:59:ILE:HD12	8:V:82:MET:HB3	2.01	0.41
8:H:124:TYR:HE1	8:H:135:MET:HE1	1.85	0.41
6:T:54:LEU:H	6:T:54:LEU:HD23	1.85	0.41
11:Y:1:THR:OG1	11:Y:2:THR:N	2.53	0.41
4:D:42:THR:OG1	4:D:45:GLY:N	2.46	0.41
7:G:56:VAL:HG23	7:G:56:VAL:O	2.21	0.41
5:S:47:VAL:HG12	5:S:195:LEU:HD22	2.03	0.41
6:T:69:VAL:CG2	6:T:73:VAL:HG13	2.49	0.41
3:C:38:ARG:NH2	3:C:178:ASP:O	2.53	0.41
8:H:59:ILE:HD12	8:H:82:MET:HB3	2.02	0.41
14:N:12:VAL:HG21	14:N:101:ALA:HB1	2.03	0.41
14:N:38:HIS:ND1	14:N:39:ASP:OD1	2.54	0.41
12:Z:90:ALA:O	12:Z:93:SER:OG	2.31	0.41
2:B:71:ASP:HA	2:B:223:THR:HG21	2.03	0.41
13:a:96:MET:HE3	13:a:127:MET:HA	2.02	0.41
3:C:184:ASP:O	3:C:187:THR:OG1	2.31	0.41
6:F:120:HIS:NE2	7:G:86:ASP:OD1	2.50	0.41
3:C:91:CYS:SG	3:C:107:ILE:HD13	2.60	0.41
4:D:82:ILE:H	4:D:82:ILE:HD12	1.86	0.41
3:Q:116:GLN:HG3	4:R:83:ALA:HB1	2.02	0.41
14:N:199:VAL:HG21	13:a:186:ARG:NH1	2.36	0.41
13:a:96:MET:CE	13:a:110:MET:HE1	2.51	0.41
8:H:3:ILE:HD12	8:H:99:VAL:HG12	2.03	0.41
8:H:174:ASP:O	8:H:175:LEU:HD22	2.21	0.41
12:L:72:LEU:HD23	12:L:83:MET:SD	2.61	0.41
13:M:70:MET:HE1	13:M:91:TRP:CE2	2.56	0.41
6:T:70:ASP:HB3	6:T:73:VAL:HG12	2.03	0.41
13:a:150:LEU:O	13:a:154:LEU:HD23	2.21	0.41
5:E:35:THR:OG1	5:E:47:VAL:O	2.32	0.41
5:E:63:ILE:C	5:E:64:LEU:HD22	2.46	0.41
5:E:162:GLY:C	5:E:165:SER:HG	2.28	0.41
5:S:200:PRO:O	5:S:239:ARG:NH1	2.51	0.41
7:U:166:THR:HG22	7:U:167:ALA:N	2.36	0.41
8:V:124:TYR:CE1	8:V:135:MET:HE1	2.53	0.41
1:O:55:LEU:HD21	7:U:180:GLU:HA	2.03	0.40
2:B:140:ASP:O	2:B:144:GLY:N	2.52	0.40
6:T:181:MET:SD	6:T:181:MET:N	2.90	0.40
9:I:156:ASN:ND2	9:I:156:ASN:O	2.54	0.40
10:J:37:LYS:C	10:J:38:MET:HE2	2.46	0.40
11:K:83:LEU:HD11	11:K:97:MET:HE1	2.02	0.40

Continued on next page...

Continued from previous page...

Atom-1	Atom-2	Interatomic distance (Å)	Clash overlap (Å)
3:Q:23:GLN:NE2	3:Q:148:ASP:OD2	2.54	0.40
4:D:37:ALA:HB2	4:D:50:VAL:HG23	2.04	0.40
4:D:76:CYS:SG	4:D:77:ALA:N	2.95	0.40
6:F:70:ASP:HB3	6:F:73:VAL:HG12	2.03	0.40
1:O:67:ILE:CD1	1:O:86:VAL:HG23	2.51	0.40
1:O:132:SER:O	1:O:162:MET:HE1	2.21	0.40
6:T:50:GLU:OE2	6:T:201:HIS:ND1	2.49	0.40
7:G:195:VAL:HG12	7:G:199:ILE:HD12	2.03	0.40
3:Q:116:GLN:NE2	3:Q:120:GLN:OE1	2.55	0.40
3:Q:208:LEU:HB3	3:Q:225:ILE:HD11	2.02	0.40

There are no symmetry-related clashes.

5.3 Torsion angles ⓘ

5.3.1 Protein backbone ⓘ

In the following table, the Percentiles column shows the percent Ramachandran outliers of the chain as a percentile score with respect to all PDB entries followed by that with respect to all EM entries.

The Analysed column shows the number of residues for which the backbone conformation was analysed, and the total number of residues.

Mol	Chain	Analysed	Favoured	Allowed	Outliers	Percentiles	
1	A	227/234 (97%)	226 (100%)	1 (0%)	0	100	100
1	O	227/234 (97%)	227 (100%)	0	0	100	100
2	B	248/261 (95%)	245 (99%)	3 (1%)	0	100	100
2	P	249/261 (95%)	246 (99%)	3 (1%)	0	100	100
3	C	233/248 (94%)	229 (98%)	4 (2%)	0	100	100
3	Q	234/248 (94%)	229 (98%)	5 (2%)	0	100	100
4	D	233/241 (97%)	227 (97%)	6 (3%)	0	100	100
4	R	233/241 (97%)	227 (97%)	6 (3%)	0	100	100
5	E	236/263 (90%)	232 (98%)	4 (2%)	0	100	100
5	S	235/263 (89%)	228 (97%)	6 (3%)	1 (0%)	30	61
6	F	238/255 (93%)	236 (99%)	2 (1%)	0	100	100
6	T	237/255 (93%)	232 (98%)	5 (2%)	0	100	100

Continued on next page...

Continued from previous page...

Mol	Chain	Analysed	Favoured	Allowed	Outliers	Percentiles	
7	G	241/246 (98%)	235 (98%)	6 (2%)	0	100	100
7	U	241/246 (98%)	236 (98%)	5 (2%)	0	100	100
8	H	220/277 (79%)	213 (97%)	7 (3%)	0	100	100
8	V	220/277 (79%)	215 (98%)	5 (2%)	0	100	100
9	I	202/205 (98%)	193 (96%)	9 (4%)	0	100	100
9	W	202/205 (98%)	197 (98%)	5 (2%)	0	100	100
10	J	195/201 (97%)	192 (98%)	3 (2%)	0	100	100
10	X	194/201 (96%)	190 (98%)	4 (2%)	0	100	100
11	K	198/263 (75%)	193 (98%)	5 (2%)	0	100	100
11	Y	198/263 (75%)	196 (99%)	2 (1%)	0	100	100
12	L	211/241 (88%)	206 (98%)	5 (2%)	0	100	100
12	Z	211/241 (88%)	209 (99%)	2 (1%)	0	100	100
13	M	213/264 (81%)	207 (97%)	6 (3%)	0	100	100
13	a	212/264 (80%)	205 (97%)	7 (3%)	0	100	100
14	N	200/239 (84%)	197 (98%)	3 (2%)	0	100	100
14	b	200/239 (84%)	199 (100%)	1 (0%)	0	100	100
All	All	6188/6876 (90%)	6067 (98%)	120 (2%)	1 (0%)	100	100

All (1) Ramachandran outliers are listed below:

Mol	Chain	Res	Type
5	S	61	LYS

5.3.2 Protein sidechains ⓘ

In the following table, the Percentiles column shows the percent sidechain outliers of the chain as a percentile score with respect to all PDB entries followed by that with respect to all EM entries.

The Analysed column shows the number of residues for which the sidechain conformation was analysed, and the total number of residues.

Mol	Chain	Analysed	Rotameric	Outliers	Percentiles	
1	A	151/191 (79%)	151 (100%)	0	100	100
1	O	158/191 (83%)	158 (100%)	0	100	100

Continued on next page...

Continued from previous page...

Mol	Chain	Analysed	Rotameric	Outliers	Percentiles	
2	B	159/221 (72%)	159 (100%)	0	100	100
2	P	173/221 (78%)	173 (100%)	0	100	100
3	C	149/211 (71%)	149 (100%)	0	100	100
3	Q	156/211 (74%)	156 (100%)	0	100	100
4	D	167/203 (82%)	167 (100%)	0	100	100
4	R	162/203 (80%)	162 (100%)	0	100	100
5	E	179/224 (80%)	179 (100%)	0	100	100
5	S	169/224 (75%)	169 (100%)	0	100	100
6	F	166/212 (78%)	166 (100%)	0	100	100
6	T	168/212 (79%)	168 (100%)	0	100	100
7	G	174/210 (83%)	174 (100%)	0	100	100
7	U	171/210 (81%)	171 (100%)	0	100	100
8	H	164/228 (72%)	164 (100%)	0	100	100
8	V	167/228 (73%)	167 (100%)	0	100	100
9	I	164/174 (94%)	164 (100%)	0	100	100
9	W	162/174 (93%)	162 (100%)	0	100	100
10	J	156/171 (91%)	156 (100%)	0	100	100
10	X	155/171 (91%)	155 (100%)	0	100	100
11	K	146/202 (72%)	146 (100%)	0	100	100
11	Y	144/202 (71%)	144 (100%)	0	100	100
12	L	163/199 (82%)	163 (100%)	0	100	100
12	Z	160/199 (80%)	160 (100%)	0	100	100
13	M	164/215 (76%)	164 (100%)	0	100	100
13	a	161/215 (75%)	161 (100%)	0	100	100
14	N	148/181 (82%)	148 (100%)	0	100	100
14	b	143/181 (79%)	143 (100%)	0	100	100
All	All	4499/5684 (79%)	4499 (100%)	0	100	100

There are no protein residues with a non-rotameric sidechain to report.

Sometimes sidechains can be flipped to improve hydrogen bonding and reduce clashes. All (36) such sidechains are listed below:

Mol	Chain	Res	Type
2	B	20	GLN
2	B	102	GLN
2	B	167	ASN
5	E	21	GLN
5	E	183	ASN
7	G	75	ASN
8	H	57	GLN
12	L	58	HIS
13	M	47	ASN
13	M	147	GLN
13	M	188	GLN
14	N	77	HIS
14	N	110	GLN
14	N	187	GLN
2	P	142	HIS
2	P	167	ASN
3	Q	54	GLN
3	Q	116	GLN
4	R	204	GLN
4	R	227	HIS
5	S	20	HIS
5	S	59	HIS
7	U	92	GLN
7	U	100	ASN
8	V	30	ASN
8	V	80	ASN
9	W	172	ASN
9	W	187	HIS
10	X	87	ASN
12	Z	77	HIS
12	Z	151	ASN
12	Z	157	ASN
14	b	7	GLN
14	b	53	GLN
14	b	123	GLN
14	b	187	GLN

5.3.3 RNA ⓘ

There are no RNA molecules in this entry.

5.4 Non-standard residues in protein, DNA, RNA chains [i](#)

There are no non-standard protein/DNA/RNA residues in this entry.

5.5 Carbohydrates [i](#)

There are no oligosaccharides in this entry.

5.6 Ligand geometry [i](#)

There are no ligands in this entry.

5.7 Other polymers [i](#)

There are no such residues in this entry.

5.8 Polymer linkage issues [i](#)

There are no chain breaks in this entry.


6 Map visualisation [i](#)

This section contains visualisations of the EMDB entry EMD-24275. These allow visual inspection of the internal detail of the map and identification of artifacts.


No raw map or half-maps were deposited for this entry and therefore no images, graphs, etc. pertaining to the raw map can be shown.

6.1 Orthogonal projections [i](#)


6.1.1 Primary map



X



Y




Z


The images above show the map projected in three orthogonal directions.

6.2 Central slices [i](#)


6.2.1 Primary map



X Index: 160



Y Index: 160




Z Index: 160


The images above show central slices of the map in three orthogonal directions.

6.3 Largest variance slices [i](#)


6.3.1 Primary map



X Index: 180



Y Index: 179



Z Index: 197


The images above show the largest variance slices of the map in three orthogonal directions.

6.4 Orthogonal standard-deviation projections (False-color) [i](#)


6.4.1 Primary map



X



Y



Z

The images above show the map standard deviation projections with false color in three orthogonal directions. Minimum values are shown in green, max in blue, and dark to light orange shades represent small to large values respectively.

6.5 Orthogonal surface views [i](#)

6.5.1 Primary map



The images above show the 3D surface view of the map at the recommended contour level 4.0. These images, in conjunction with the slice images, may facilitate assessment of whether an appropriate contour level has been provided.


6.6 Mask visualisation [i](#)

This section was not generated. No masks/segmentation were deposited.

7 Map analysis [i](#)


This section contains the results of statistical analysis of the map.

7.1 Map-value distribution [i](#)



The map-value distribution is plotted in 128 intervals along the x-axis. The y-axis is logarithmic. A spike in this graph at zero usually indicates that the volume has been masked.


7.2 Volume estimate [i](#)



The volume at the recommended contour level is 408 nm^3 ; this corresponds to an approximate mass of 369 kDa.

The volume estimate graph shows how the enclosed volume varies with the contour level. The recommended contour level is shown as a vertical line and the intersection between the line and the curve gives the volume of the enclosed surface at the given level.

7.3 Rotationally averaged power spectrum ⓘ




*Reported resolution corresponds to spatial frequency of 0.357 Å⁻¹

8 Fourier-Shell correlation [i](#)

Fourier-Shell Correlation (FSC) is the most commonly used method to estimate the resolution of single-particle and subtomogram-averaged maps. The shape of the curve depends on the imposed symmetry, mask and whether or not the two 3D reconstructions used were processed from a common reference. The reported resolution is shown as a black line. A curve is displayed for the half-bit criterion in addition to lines showing the 0.143 gold standard cut-off and 0.5 cut-off.

8.1 FSC [i](#)



*Reported resolution corresponds to spatial frequency of 0.357 Å⁻¹

8.2 Resolution estimates [i](#)


Resolution estimate (Å)	Estimation criterion (FSC cut-off)		
	0.143	0.5	Half-bit
Reported by author	2.80	-	-
Author-provided FSC curve	2.80	3.12	2.84
Unmasked-calculated*	-	-	-

*Resolution estimate based on FSC curve calculated by comparison of deposited half-maps.


9 Map-model fit [i](#)

This section contains information regarding the fit between EMDB map EMD-24275 and PDB model 7NAN. Per-residue inclusion information can be found in [section 3](#) on [page 7](#).


9.1 Map-model overlay [i](#)



X




Y



Z


The images above show the 3D surface view of the map at the recommended contour level 4.0 at 50% transparency in yellow overlaid with a ribbon representation of the model coloured in blue. These images allow for the visual assessment of the quality of fit between the atomic model and the map.

9.2 Q-score mapped to coordinate model [i](#)




The images above show the model with each residue coloured according to its Q-score. This shows their resolvability in the map with higher Q-score values reflecting better resolvability. Please note: Q-score is calculating the resolvability of atoms, and thus high values are only expected at resolutions at which atoms can be resolved. Low Q-score values may therefore be expected for many entries.

9.3 Atom inclusion mapped to coordinate model [i](#)



The images above show the model with each residue coloured according to its atom inclusion. This shows to what extent they are inside the map at the recommended contour level (4).

9.4 Atom inclusion ⓘ



At the recommended contour level, 99% of all backbone atoms, 94% of all non-hydrogen atoms, are inside the map.

9.5 Map-model fit summary ⓘ

The table lists the average atom inclusion at the recommended contour level (4) and Q-score for the entire model and for each chain.

Chain	Atom inclusion	Q-score
All	 0.9420	 0.5310
A	 0.9550	 0.5270
B	 0.9430	 0.5210
C	 0.9480	 0.5120
D	 0.9170	 0.5180
E	 0.9390	 0.5190
F	 0.9450	 0.5180
G	 0.9420	 0.5200
H	 0.9420	 0.5380
I	 0.9330	 0.5430
J	 0.9380	 0.5430
K	 0.9530	 0.5500
L	 0.9400	 0.5410
M	 0.9470	 0.5420
N	 0.9390	 0.5490
O	 0.9510	 0.5290
P	 0.9280	 0.5160
Q	 0.9430	 0.5140
R	 0.9170	 0.5160
S	 0.9500	 0.5240
T	 0.9440	 0.5200
U	 0.9450	 0.5200
V	 0.9380	 0.5350
W	 0.9410	 0.5490
X	 0.9390	 0.5510
Y	 0.9510	 0.5420
Z	 0.9360	 0.5430
a	 0.9510	 0.5520
b	 0.9530	 0.5500

