



Full wwPDB X-ray Structure Validation Report ⓘ

Sep 23, 2024 – 12:51 AM EDT

PDB ID : 7TPD
Title : Integrin alpha IIB beta3 complex with EF5154
Authors : Zhu, J.; Lin, F.-Y.; Zhu, J.; Springer, T.A.
Deposited on : 2022-01-25
Resolution : 2.60 Å(reported)

This is a Full wwPDB X-ray Structure Validation Report for a publicly released PDB entry.

We welcome your comments at validation@mail.wwpdb.org

A user guide is available at

<https://www.wwpdb.org/validation/2017/XrayValidationReportHelp>

with specific help available everywhere you see the ⓘ symbol.

The types of validation reports are described at

<http://www.wwpdb.org/validation/2017/FAQs#types>.

The following versions of software and data (see [references ⓘ](#)) were used in the production of this report:

MolProbity : 4.02b-467
Mogul : 2022.3.0, CSD as543be (2022)
Xtriage (Phenix) : 1.20.1
EDS : 3.0
buster-report : 1.1.7 (2018)
Percentile statistics : 20231227.v01 (using entries in the PDB archive December 27th 2023)
CCP4 : 9.0.002 (Gargrove)
Density-Fitness : 1.0.11
Ideal geometry (proteins) : Engh & Huber (2001)
Ideal geometry (DNA, RNA) : Parkinson et al. (1996)
Validation Pipeline (wwPDB-VP) : 2.38.3


1 Overall quality at a glance

The following experimental techniques were used to determine the structure:

X-RAY DIFFRACTION

The reported resolution of this entry is 2.60 Å.

Percentile scores (ranging between 0-100) for global validation metrics of the entry are shown in the following graphic. The table shows the number of entries on which the scores are based.










Metric	Whole archive (#Entries)	Similar resolution (#Entries, resolution range(Å))
R_{free}	164625	3775 (2.60-2.60)
Clashscore	180529	4181 (2.60-2.60)
Ramachandran outliers	177936	4129 (2.60-2.60)
Sidechain outliers	177891	4129 (2.60-2.60)
RSRZ outliers	164620	3775 (2.60-2.60)

The table below summarises the geometric issues observed across the polymeric chains and their fit to the electron density. The red, orange, yellow and green segments of the lower bar indicate the fraction of residues that contain outliers for ≥ 3 , 2, 1 and 0 types of geometric quality criteria respectively. A grey segment represents the fraction of residues that are not modelled. The numeric value for each fraction is indicated below the corresponding segment, with a dot representing fractions $\leq 5\%$. The upper red bar (where present) indicates the fraction of residues that have poor fit to the electron density. The numeric value is given above the bar.

Mol	Chain	Length	Quality of chain
1	A	457	
1	C	457	
2	B	471	
2	D	471	
3	E	216	

Continued on next page...

Continued from previous page...

Mol	Chain	Length	Quality of chain
3	H	216	 14% 96%
4	F	214	 21% 96%
4	L	214	 7% 98%
5	G	5	 40% 20% 40%
6	I	2	 50% 50%
6	K	2	 50% 50%
7	J	4	 50% 50%

2 Entry composition i

There are 13 unique types of molecules in this entry. The entry contains 22205 atoms, of which 0 are hydrogens and 0 are deuteriums.

In the tables below, the ZeroOcc column contains the number of atoms modelled with zero occupancy, the AltConf column contains the number of residues with at least one atom in alternate conformation and the Trace column contains the number of residues modelled with at most 2 atoms.

- Molecule 1 is a protein called Integrin alpha-IIb heavy chain.

Mol	Chain	Residues	Atoms					ZeroOcc	AltConf	Trace
			Total	C	N	O	S			
1	A	457	Total	C	N	O	S	0	7	0
			3542	2251	611	672	8			
1	C	453	Total	C	N	O	S	0	4	0
			3502	2224	604	666	8			

- Molecule 2 is a protein called Integrin beta-3.

Mol	Chain	Residues	Atoms					ZeroOcc	AltConf	Trace
			Total	C	N	O	S			
2	B	466	Total	C	N	O	S	4	9	0
			3650	2273	622	721	34			
2	D	471	Total	C	N	O	S	3	6	0
			3666	2285	626	720	35			


- Molecule 3 is a protein called Fab heavy chain.

Mol	Chain	Residues	Atoms					ZeroOcc	AltConf	Trace
			Total	C	N	O	S			
3	E	214	Total	C	N	O	S	0	0	0
			1631	1035	264	326	6			
3	H	216	Total	C	N	O	S	0	0	0
			1642	1041	266	329	6			

- Molecule 4 is a protein called Fab light chain.

Mol	Chain	Residues	Atoms					ZeroOcc	AltConf	Trace
			Total	C	N	O	S			
4	F	214	Total	C	N	O	S	0	0	0
			1637	1019	268	341	9			
4	L	214	Total	C	N	O	S	0	0	0
			1637	1019	268	341	9			

- Molecule 5 is an oligosaccharide called beta-D-mannopyranose-(1-3)-[beta-D-mannopyranos e-(1-6)]beta-D-mannopyranose-(1-4)-2-acetamido-2-deoxy-beta-D-glucopyranose-(1-4)-2-ace tamido-2-deoxy-beta-D-glucopyranose.



Mol	Chain	Residues	Atoms				ZeroOcc	AltConf	Trace
			Total	C	N	O			
5	G	5	61	34	2	25	0	0	0

- Molecule 6 is an oligosaccharide called 2-acetamido-2-deoxy-beta-D-glucopyranose-(1-4)-2-acetamido-2-deoxy-beta-D-glucopyranose.



Mol	Chain	Residues	Atoms				ZeroOcc	AltConf	Trace
			Total	C	N	O			
6	I	2	28	16	2	10	0	0	0
6	K	2	28	16	2	10	0	0	0

- Molecule 7 is an oligosaccharide called beta-D-mannopyranose-(1-3)-beta-D-mannopyranose-(1-4)-2-acetamido-2-deoxy-beta-D-glucopyranose-(1-4)-2-acetamido-2-deoxy-beta-D-glucopyranose.



Mol	Chain	Residues	Atoms				ZeroOcc	AltConf	Trace
			Total	C	N	O			
7	J	4	50	28	2	20	0	0	0

- Molecule 8 is CALCIUM ION (three-letter code: CA) (formula: Ca).


Mol	Chain	Residues	Atoms		ZeroOcc	AltConf
8	A	4	Total	Ca	0	0
			4	4		
8	B	2	Total	Ca	0	0
			2	2		
8	C	4	Total	Ca	0	0
			4	4		

Continued on next page...

Continued from previous page...

Mol	Chain	Residues	Atoms	ZeroOcc	AltConf
8	D	2	Total Ca 2 2	0	0

- Molecule 9 is SULFATE ION (three-letter code: SO4) (formula: O₄S).




Mol	Chain	Residues	Atoms	ZeroOcc	AltConf
9	A	1	Total O S 5 4 1	0	0
9	A	1	Total O S 5 4 1	0	0
9	A	1	Total O S 5 4 1	0	0
9	C	1	Total O S 5 4 1	0	0
9	C	1	Total O S 5 4 1	0	0

- Molecule 10 is MAGNESIUM ION (three-letter code: MG) (formula: Mg).

Mol	Chain	Residues	Atoms	ZeroOcc	AltConf
10	B	1	Total Mg 1 1	0	0
10	D	1	Total Mg 1 1	0	0


- Molecule 11 is 2-acetamido-2-deoxy-beta-D-glucopyranose (three-letter code: NAG)

(formula: $C_8H_{15}NO_6$).



Mol	Chain	Residues	Atoms				ZeroOcc	AltConf
			Total	C	N	O		
11	B	1	14	8	1	5	0	0
11	D	1	14	8	1	5	0	0

- Molecule 12 is (4-{[2-oxo-4-(piperidin-4-yl)piperazin-1-yl]acetyl}phenoxy)acetic acid (three-letter code: IR7) (formula: $C_{19}H_{25}N_3O_5$) (labeled as "Ligand of Interest" by depositor).



Mol	Chain	Residues	Atoms				ZeroOcc	AltConf
12	B	1	Total	C	N	O	0	0
			27	19	3	5		
12	D	1	Total	C	N	O	0	0
			27	19	3	5		


- Molecule 13 is water.

Mol	Chain	Residues	Atoms		ZeroOcc	AltConf
13	A	374	Total	O	0	0
			374	374		
13	B	190	Total	O	0	0
			190	190		
13	C	233	Total	O	0	0
			233	233		
13	D	132	Total	O	0	0
			132	132		
13	E	13	Total	O	0	0
			13	13		
13	F	6	Total	O	0	0
			6	6		
13	H	21	Total	O	0	0
			21	21		
13	L	41	Total	O	0	0
			41	41		


3 Residue-property plots [i](#)

These plots are drawn for all protein, RNA, DNA and oligosaccharide chains in the entry. The first graphic for a chain summarises the proportions of the various outlier classes displayed in the second graphic. The second graphic shows the sequence view annotated by issues in geometry and electron density. Residues are color-coded according to the number of geometric quality criteria for which they contain at least one outlier: green = 0, yellow = 1, orange = 2 and red = 3 or more. A red dot above a residue indicates a poor fit to the electron density ($RSRZ > 2$). Stretches of 2 or more consecutive residues without any outlier are shown as a green connector. Residues present in the sample, but not in the model, are shown in grey.


- Molecule 1: Integrin alpha-IIb heavy chain



- Molecule 1: Integrin alpha-IIb heavy chain




- Molecule 2: Integrin beta-3




- Molecule 2: Integrin beta-3







- Molecule 3: Fab heavy chain




- Molecule 3: Fab heavy chain



- Molecule 4: Fab light chain



- Molecule 4: Fab light chain



- Molecule 5: beta-D-mannopyranose-(1-3)-[beta-D-mannopyranose-(1-6)]beta-D-mannopyranose-(1-4)-2-acetamido-2-deoxy-beta-D-glucopyranose-(1-4)-2-acetamido-2-deoxy-beta-D-glucopyranose

Chain G: 



- Molecule 6: 2-acetamido-2-deoxy-beta-D-glucopyranose-(1-4)-2-acetamido-2-deoxy-beta-D-glucopyranose

Chain I: 



- Molecule 6: 2-acetamido-2-deoxy-beta-D-glucopyranose-(1-4)-2-acetamido-2-deoxy-beta-D-glucopyranose

Chain K: 



- Molecule 7: beta-D-mannopyranose-(1-3)-beta-D-mannopyranose-(1-4)-2-acetamido-2-deoxy-beta-D-glucopyranose-(1-4)-2-acetamido-2-deoxy-beta-D-glucopyranose

Chain J: 



4 Data and refinement statistics

Property	Value	Source
Space group	P 21 21 2	Depositor
Cell constants a, b, c, α , β , γ	260.18Å 144.34Å 104.31Å 90.00° 90.00° 90.00°	Depositor
Resolution (Å)	48.32 – 2.60 48.32 – 2.60	Depositor EDS
% Data completeness (in resolution range)	99.9 (48.32-2.60) 99.8 (48.32-2.60)	Depositor EDS
R_{merge}	0.09	Depositor
R_{sym}	(Not available)	Depositor
$\langle I/\sigma(I) \rangle$ ¹	2.48 (at 2.61Å)	Xtrriage
Refinement program	PHENIX 1.19.2_4158	Depositor
R, R_{free}	0.165 , 0.194 0.166 , 0.196	Depositor DCC
R_{free} test set	1022 reflections (0.84%)	wwPDB-VP
Wilson B-factor (Å ²)	38.8	Xtrriage
Anisotropy	0.000	Xtrriage
Bulk solvent k_{sol} (e/Å ³), B_{sol} (Å ²)	0.32 , 63.0	EDS
L-test for twinning ²	$\langle L \rangle = 0.48$, $\langle L^2 \rangle = 0.31$	Xtrriage
Estimated twinning fraction	No twinning to report.	Xtrriage
F_o, F_c correlation	0.93	EDS
Total number of atoms	22205	wwPDB-VP
Average B, all atoms (Å ²)	63.0	wwPDB-VP

Xtrriage's analysis on translational NCS is as follows: *The largest off-origin peak in the Patterson function is 2.23% of the height of the origin peak. No significant pseudotranslation is detected.*

¹Intensities estimated from amplitudes.

²Theoretical values of $\langle |L| \rangle$, $\langle L^2 \rangle$ for acentric reflections are 0.5, 0.333 respectively for untwinned datasets, and 0.375, 0.2 for perfectly twinned datasets.

5 Model quality [i](#)

5.1 Standard geometry [i](#)

Bond lengths and bond angles in the following residue types are not validated in this section: NAG, CA, MG, IR7, SO4, BMA

The Z score for a bond length (or angle) is the number of standard deviations the observed value is removed from the expected value. A bond length (or angle) with $|Z| > 5$ is considered an outlier worth inspection. RMSZ is the root-mean-square of all Z scores of the bond lengths (or angles).

Mol	Chain	Bond lengths		Bond angles	
		RMSZ	# Z >5	RMSZ	# Z >5
1	A	0.27	0/3657	0.55	0/4982
1	C	0.26	0/3605	0.53	0/4912
2	B	0.25	0/3729	0.49	0/5055
2	D	0.25	0/3748	0.49	0/5082
3	E	0.24	0/1673	0.47	0/2290
3	H	0.24	0/1684	0.48	0/2305
4	F	0.25	0/1673	0.46	0/2269
4	L	0.25	0/1673	0.49	0/2269
All	All	0.25	0/21442	0.50	0/29164

There are no bond length outliers.

There are no bond angle outliers.

There are no chirality outliers.

There are no planarity outliers.

5.2 Too-close contacts [i](#)

In the following table, the Non-H and H(model) columns list the number of non-hydrogen atoms and hydrogen atoms in the chain respectively. The H(added) column lists the number of hydrogen atoms added and optimized by MolProbity. The Clashes column lists the number of clashes within the asymmetric unit, whereas Symm-Clashes lists symmetry-related clashes.

Mol	Chain	Non-H	H(model)	H(added)	Clashes	Symm-Clashes
1	A	3542	0	3391	15	0
1	C	3502	0	3334	18	0
2	B	3650	0	3572	13	0
2	D	3666	0	3584	16	0
3	E	1631	0	1590	3	0

Continued on next page...

Continued from previous page...

Mol	Chain	Non-H	H(model)	H(added)	Clashes	Symm-Clashes
3	H	1642	0	1600	4	0
4	F	1637	0	1553	4	0
4	L	1637	0	1553	3	0
5	G	61	0	52	1	0
6	I	28	0	25	0	0
6	K	28	0	25	1	0
7	J	50	0	43	0	0
8	A	4	0	0	0	0
8	B	2	0	0	0	0
8	C	4	0	0	0	0
8	D	2	0	0	0	0
9	A	15	0	0	1	0
9	C	10	0	0	0	0
10	B	1	0	0	0	0
10	D	1	0	0	0	0
11	B	14	0	13	0	0
11	D	14	0	13	0	0
12	B	27	0	0	0	0
12	D	27	0	0	1	0
13	A	374	0	0	5	1
13	B	190	0	0	0	0
13	C	233	0	0	3	1
13	D	132	0	0	3	0
13	E	13	0	0	0	0
13	F	6	0	0	0	0
13	H	21	0	0	1	0
13	L	41	0	0	1	0
All	All	22205	0	20348	74	1

The all-atom clashscore is defined as the number of clashes found per 1000 atoms (including hydrogen atoms). The all-atom clashscore for this structure is 2.

All (74) close contacts within the same asymmetric unit are listed below, sorted by their clash magnitude.

Atom-1	Atom-2	Interatomic distance (Å)	Clash overlap (Å)
2:B:123[B]:SER:OG	2:B:251:ASP:OD2	2.07	0.71
1:A:15[B]:ASN:ND2	13:A:605:HOH:O	2.26	0.69
1:A:159[A]:ASP:OD2	13:A:602:HOH:O	2.11	0.67
2:B:456:GLU:OE2	2:B:461:ARG:NH1	2.31	0.63
1:C:73:ARG:NH1	13:C:604:HOH:O	2.30	0.63
4:L:185:GLU:OE1	13:L:301:HOH:O	2.15	0.63

Continued on next page...

Continued from previous page...

Atom-1	Atom-2	Interatomic distance (Å)	Clash overlap (Å)
9:A:505:SO4:O4	13:A:601:HOH:O	2.11	0.62
1:C:436:ILE:HG22	1:C:447:VAL:HG22	1.88	0.56
2:D:306:LEU:HB3	2:D:328:THR:HG22	1.88	0.55
2:D:319[A]:GLN:OE1	13:D:2101:HOH:O	2.17	0.55
1:A:192:LEU:HD11	1:A:231:PHE:CD1	2.43	0.54
2:D:123[B]:SER:OG	2:D:251:ASP:OD2	2.17	0.53
1:A:15[B]:ASN:ND2	13:A:612:HOH:O	2.41	0.53
4:F:4:MET:HE1	4:F:90:GLN:HB3	1.91	0.53
2:B:26:CYS:O	2:B:37:ARG:NH1	2.41	0.52
1:C:107:CYS:HA	1:C:130:CYS:HA	1.92	0.51
2:B:111:PRO:HB3	2:B:148:ASN:HB3	1.92	0.51
1:A:48:GLU:OE2	1:A:90[B]:ARG:NH1	2.38	0.50
1:A:262:TRP:HB3	2:B:317:LEU:HD13	1.93	0.50
2:B:139:ALA:HB2	2:B:200:VAL:HG11	1.94	0.50
1:C:46:SER:OG	13:C:601:HOH:O	2.20	0.49
2:B:130:SER:OG	2:B:336:ASP:O	2.27	0.49
2:B:39:ASP:OD1	2:B:40:LEU:N	2.41	0.49
1:C:192:LEU:HD11	1:C:231:PHE:CD1	2.49	0.48
1:C:390:LEU:HD23	1:C:403:PRO:HG3	1.96	0.48
1:C:400:ARG:HB2	13:C:709:HOH:O	2.14	0.48
2:D:400:GLU:HB2	6:K:1:NAG:H83	1.95	0.47
2:D:409:GLU:OE2	13:D:2102:HOH:O	2.20	0.47
2:B:12:SER:HB3	2:B:461:ARG:HD3	1.96	0.47
2:D:178:TYR:CG	2:D:179:ASP:N	2.83	0.46
1:A:9:THR:HB	1:A:447:VAL:HB	1.96	0.46
3:H:125:PRO:HB3	3:H:151:TYR:HB3	1.97	0.46
2:D:365:GLU:OE2	2:D:412:LYS:NZ	2.50	0.45
1:A:27:LYS:HG2	1:A:33:VAL:HG22	1.99	0.45
1:A:40:PRO:HA	1:A:93:LEU:O	2.17	0.45
1:A:394:GLY:HA2	1:A:399:LEU:HD23	1.98	0.45
1:A:3:LEU:O	1:A:5:PRO:HD3	2.17	0.45
5:G:3:BMA:H62	5:G:5:BMA:H2	1.71	0.44
2:D:117:LEU:HD11	2:D:225:ALA:HB1	2.00	0.44
3:H:12:VAL:HG21	3:H:86:LEU:HD13	1.98	0.44
1:C:83:THR:HB	1:C:116:LEU:HB2	1.99	0.44
2:D:121:SER:HB2	12:D:2005:IR7:C25	2.48	0.44
2:D:140:THR:OG1	13:D:2103:HOH:O	2.21	0.44
1:A:278[A]:HIS:NE2	13:A:603:HOH:O	2.24	0.44
1:C:192:LEU:HD11	1:C:231:PHE:HD1	1.83	0.43
1:C:78:ASN:O	4:F:32:ASN:ND2	2.52	0.43
2:B:249:THR:HA	2:B:309:ALA:O	2.18	0.43

Continued on next page...

Continued from previous page...

Atom-1	Atom-2	Interatomic distance (Å)	Clash overlap (Å)
1:C:394:GLY:HA2	1:C:399:LEU:HD23	2.00	0.43
4:F:13:VAL:HG11	4:F:19:VAL:HG11	1.99	0.43
3:H:163:GLY:O	13:H:301:HOH:O	2.21	0.43
2:B:187[B]:MET:SD	2:B:215:ASN:HB3	2.58	0.43
2:D:120:LEU:HD23	2:D:120:LEU:HA	1.87	0.43
1:A:192:LEU:HD11	1:A:231:PHE:HD1	1.82	0.43
1:C:215:HIS:CE1	3:E:32:THR:HG22	2.54	0.42
3:E:98:ARG:HG3	3:E:108:TYR:HB2	2.01	0.42
1:C:262:TRP:HB3	2:D:317:LEU:HD13	2.01	0.42
4:L:54:LEU:HD21	4:L:60:SER:HA	2.00	0.42
1:C:181:LEU:O	1:C:197:GLN:HA	2.20	0.42
3:H:98:ARG:HG3	3:H:108:TYR:HB2	2.01	0.42
2:D:139:ALA:HB2	2:D:200:VAL:HG11	2.00	0.42
4:F:193:THR:HG23	4:F:206:VAL:HG13	2.01	0.42
1:A:436:ILE:HG22	1:A:447:VAL:HG22	2.02	0.42
2:B:319[A]:GLN:HA	2:B:330:VAL:HG21	2.00	0.42
1:A:258:PRO:HA	1:A:289:PHE:O	2.19	0.42
2:D:223:PHE:CZ	2:D:254:THR:HG21	2.54	0.42
2:D:142:MET:HB2	2:D:149:LEU:HD22	2.02	0.41
3:E:213:ASP:OD1	3:E:213:ASP:N	2.53	0.41
4:L:211:ARG:O	4:L:213:GLU:N	2.49	0.41
2:B:319[B]:GLN:HA	2:B:330:VAL:HG21	2.01	0.41
1:C:122:ALA:O	1:C:123:GLU:HB2	2.20	0.41
1:C:314:MET:HA	1:C:324:GLU:HA	2.04	0.40
1:C:379:PRO:HA	1:C:417:PHE:O	2.21	0.40
1:C:185:ALA:O	1:C:193:GLY:HA2	2.22	0.40
2:D:22:MET:HG2	2:D:40:LEU:HD22	2.03	0.40

All (1) symmetry-related close contacts are listed below. The label for Atom-2 includes the symmetry operator and encoded unit-cell translations to be applied.

Atom-1	Atom-2	Interatomic distance (Å)	Clash overlap (Å)
13:A:923:HOH:O	13:C:788:HOH:O[1_554]	2.15	0.05

5.3 Torsion angles [i](#)

5.3.1 Protein backbone [i](#)

In the following table, the Percentiles column shows the percent Ramachandran outliers of the chain as a percentile score with respect to all X-ray entries followed by that with respect to entries

of similar resolution.

The Analysed column shows the number of residues for which the backbone conformation was analysed, and the total number of residues.

Mol	Chain	Analysed	Favoured	Allowed	Outliers	Percentiles	
1	A	462/457 (101%)	450 (97%)	11 (2%)	1 (0%)	44	66
1	C	455/457 (100%)	442 (97%)	12 (3%)	1 (0%)	44	66
2	B	473/471 (100%)	455 (96%)	17 (4%)	1 (0%)	44	66
2	D	475/471 (101%)	461 (97%)	14 (3%)	0	100	100
3	E	210/216 (97%)	199 (95%)	11 (5%)	0	100	100
3	H	212/216 (98%)	203 (96%)	9 (4%)	0	100	100
4	F	212/214 (99%)	204 (96%)	8 (4%)	0	100	100
4	L	212/214 (99%)	205 (97%)	7 (3%)	0	100	100
All	All	2711/2716 (100%)	2619 (97%)	89 (3%)	3 (0%)	48	71

All (3) Ramachandran outliers are listed below:

Mol	Chain	Res	Type
1	A	123	GLU
2	B	375	LEU
1	C	123	GLU

5.3.2 Protein sidechains [i](#)

In the following table, the Percentiles column shows the percent sidechain outliers of the chain as a percentile score with respect to all X-ray entries followed by that with respect to entries of similar resolution.

The Analysed column shows the number of residues for which the sidechain conformation was analysed, and the total number of residues.

Mol	Chain	Analysed	Rotameric	Outliers	Percentiles	
1	A	371/364 (102%)	364 (98%)	7 (2%)	52	75
1	C	365/364 (100%)	359 (98%)	6 (2%)	58	79
2	B	421/416 (101%)	416 (99%)	5 (1%)	67	85
2	D	422/416 (101%)	416 (99%)	6 (1%)	62	82
3	E	186/187 (100%)	185 (100%)	1 (0%)	86	95
3	H	187/187 (100%)	185 (99%)	2 (1%)	70	86

Continued on next page...

Continued from previous page...

Mol	Chain	Analysed	Rotameric	Outliers	Percentiles	
4	F	188/188 (100%)	187 (100%)	1 (0%)	86	95
4	L	188/188 (100%)	188 (100%)	0	100	100
All	All	2328/2310 (101%)	2300 (99%)	28 (1%)	70	85

All (28) residues with a non-rotameric sidechain are listed below:

Mol	Chain	Res	Type
1	A	23	LEU
1	A	61	GLU
1	A	166	TYR
1	A	190	TYR
1	A	270	LEU
1	A	288	TYR
1	A	395	GLN
2	B	123[A]	SER
2	B	123[B]	SER
2	B	178	TYR
2	B	182	THR
2	B	215	ASN
1	C	15	ASN
1	C	23	LEU
1	C	166	TYR
1	C	190	TYR
1	C	270	LEU
1	C	288	TYR
2	D	47	ASP
2	D	123[A]	SER
2	D	123[B]	SER
2	D	202	ARG
2	D	215	ASN
2	D	235	LYS
3	E	201	CYS
4	F	181	LEU
3	H	87	THR
3	H	213	ASP

Sometimes sidechains can be flipped to improve hydrogen bonding and reduce clashes. All (1) such sidechains are listed below:

Mol	Chain	Res	Type
2	B	438	GLN

5.3.3 RNA [i](#)

There are no RNA molecules in this entry.

5.4 Non-standard residues in protein, DNA, RNA chains [i](#)

There are no non-standard protein/DNA/RNA residues in this entry.

5.5 Carbohydrates [i](#)

13 monosaccharides are modelled in this entry.

In the following table, the Counts columns list the number of bonds (or angles) for which Mogul statistics could be retrieved, the number of bonds (or angles) that are observed in the model and the number of bonds (or angles) that are defined in the Chemical Component Dictionary. The Link column lists molecule types, if any, to which the group is linked. The Z score for a bond length (or angle) is the number of standard deviations the observed value is removed from the expected value. A bond length (or angle) with $|Z| > 2$ is considered an outlier worth inspection. RMSZ is the root-mean-square of all Z scores of the bond lengths (or angles).

Mol	Type	Chain	Res	Link	Bond lengths			Bond angles		
					Counts	RMSZ	# Z > 2	Counts	RMSZ	# Z > 2
5	NAG	G	1	2,5	14,14,15	0.37	0	17,19,21	0.58	0
5	NAG	G	2	5	14,14,15	0.35	0	17,19,21	0.54	0
5	BMA	G	3	5	11,11,12	1.67	3 (27%)	15,15,17	2.01	3 (20%)
5	BMA	G	4	5	11,11,12	0.92	0	15,15,17	1.25	2 (13%)
5	BMA	G	5	5	11,11,12	1.13	1 (9%)	15,15,17	1.26	2 (13%)
6	NAG	I	1	6,2	14,14,15	0.88	1 (7%)	17,19,21	0.77	0
6	NAG	I	2	6	14,14,15	0.49	0	17,19,21	0.46	0
7	NAG	J	1	2,7	14,14,15	0.36	0	17,19,21	0.62	0
7	NAG	J	2	7	14,14,15	0.39	0	17,19,21	0.42	0
7	BMA	J	3	7	11,11,12	1.04	1 (9%)	15,15,17	1.17	1 (6%)
7	BMA	J	4	7	11,11,12	1.05	2 (18%)	15,15,17	1.59	2 (13%)
6	NAG	K	1	6,2	14,14,15	0.62	0	17,19,21	0.57	0
6	NAG	K	2	6	14,14,15	0.47	0	17,19,21	0.48	0

In the following table, the Chirals column lists the number of chiral outliers, the number of chiral centers analysed, the number of these observed in the model and the number defined in the Chemical Component Dictionary. Similar counts are reported in the Torsion and Rings columns. '2' means no outliers of that kind were identified.

Mol	Type	Chain	Res	Link	Chirals	Torsions	Rings
5	NAG	G	1	2,5	-	0/6/23/26	0/1/1/1

Continued on next page...

Continued from previous page...

Mol	Type	Chain	Res	Link	Chirals	Torsions	Rings
5	NAG	G	2	5	-	0/6/23/26	0/1/1/1
5	BMA	G	3	5	-	2/2/19/22	0/1/1/1
5	BMA	G	4	5	-	2/2/19/22	0/1/1/1
5	BMA	G	5	5	-	2/2/19/22	0/1/1/1
6	NAG	I	1	6,2	-	0/6/23/26	0/1/1/1
6	NAG	I	2	6	-	4/6/23/26	0/1/1/1
7	NAG	J	1	2,7	-	0/6/23/26	0/1/1/1
7	NAG	J	2	7	-	0/6/23/26	0/1/1/1
7	BMA	J	3	7	-	0/2/19/22	0/1/1/1
7	BMA	J	4	7	-	2/2/19/22	0/1/1/1
6	NAG	K	1	6,2	-	2/6/23/26	0/1/1/1
6	NAG	K	2	6	-	2/6/23/26	0/1/1/1

All (8) bond length outliers are listed below:

Mol	Chain	Res	Type	Atoms	Z	Observed(Å)	Ideal(Å)
5	G	3	BMA	C2-C3	3.46	1.57	1.52
5	G	5	BMA	C1-C2	2.95	1.59	1.52
7	J	3	BMA	C2-C3	2.68	1.56	1.52
6	I	1	NAG	O5-C1	-2.65	1.39	1.43
5	G	3	BMA	O5-C1	2.38	1.47	1.43
7	J	4	BMA	C4-C5	2.17	1.57	1.53
7	J	4	BMA	C4-C3	2.15	1.57	1.52
5	G	3	BMA	O5-C5	2.14	1.47	1.43

All (10) bond angle outliers are listed below:

Mol	Chain	Res	Type	Atoms	Z	Observed(°)	Ideal(°)
5	G	3	BMA	O3-C3-C2	5.32	120.91	110.05
7	J	4	BMA	C1-C2-C3	-4.05	103.74	109.64
5	G	3	BMA	O5-C5-C6	3.90	115.25	107.66
7	J	3	BMA	O3-C3-C2	3.42	117.03	110.05
5	G	3	BMA	C1-C2-C3	-2.88	105.46	109.64
5	G	5	BMA	C1-O5-C5	-2.52	108.81	112.19
5	G	4	BMA	C1-C2-C3	-2.38	106.18	109.64
7	J	4	BMA	C1-O5-C5	-2.32	109.08	112.19
5	G	5	BMA	C1-C2-C3	-2.21	106.43	109.64
5	G	4	BMA	C1-O5-C5	-2.15	109.30	112.19

There are no chirality outliers.

All (16) torsion outliers are listed below:


Mol	Chain	Res	Type	Atoms
5	G	3	BMA	O5-C5-C6-O6
6	I	2	NAG	O5-C5-C6-O6
5	G	5	BMA	O5-C5-C6-O6
5	G	3	BMA	C4-C5-C6-O6
5	G	4	BMA	C4-C5-C6-O6
6	I	2	NAG	C8-C7-N2-C2
6	I	2	NAG	O7-C7-N2-C2
6	K	2	NAG	C8-C7-N2-C2
6	K	2	NAG	O7-C7-N2-C2
6	I	2	NAG	C4-C5-C6-O6
5	G	5	BMA	C4-C5-C6-O6
5	G	4	BMA	O5-C5-C6-O6
7	J	4	BMA	C4-C5-C6-O6
6	K	1	NAG	O5-C5-C6-O6
6	K	1	NAG	C4-C5-C6-O6
7	J	4	BMA	O5-C5-C6-O6


There are no ring outliers.


3 monomers are involved in 2 short contacts:


Mol	Chain	Res	Type	Clashes	Symm-Clashes
5	G	3	BMA	1	0
6	K	1	NAG	1	0
5	G	5	BMA	1	0

The following is a two-dimensional graphical depiction of Mogul quality analysis of bond lengths, bond angles, torsion angles, and ring geometry for oligosaccharide.









5.6 Ligand geometry [i](#)

Of 23 ligands modelled in this entry, 14 are monoatomic - leaving 9 for Mogul analysis.

In the following table, the Counts columns list the number of bonds (or angles) for which Mogul statistics could be retrieved, the number of bonds (or angles) that are observed in the model and the number of bonds (or angles) that are defined in the Chemical Component Dictionary. The Link column lists molecule types, if any, to which the group is linked. The Z score for a bond length (or angle) is the number of standard deviations the observed value is removed from the expected value. A bond length (or angle) with $|Z| > 2$ is considered an outlier worth inspection. RMSZ is the root-mean-square of all Z scores of the bond lengths (or angles).

Mol	Type	Chain	Res	Link	Bond lengths			Bond angles		
					Counts	RMSZ	$\# Z > 2$	Counts	RMSZ	$\# Z > 2$
9	SO4	A	506	-	4,4,4	0.23	0	6,6,6	0.07	0
11	NAG	B	2004	2	14,14,15	0.43	0	17,19,21	0.54	0
9	SO4	C	505	-	4,4,4	0.24	0	6,6,6	0.10	0
12	IR7	B	2005	10	29,29,29	2.12	9 (31%)	36,39,39	1.54	6 (16%)
9	SO4	C	506	-	4,4,4	0.24	0	6,6,6	0.08	0
9	SO4	A	507	-	4,4,4	0.23	0	6,6,6	0.12	0
12	IR7	D	2005	10	29,29,29	2.02	9 (31%)	36,39,39	1.57	6 (16%)
9	SO4	A	505	-	4,4,4	0.24	0	6,6,6	0.10	0
11	NAG	D	2004	2	14,14,15	0.38	0	17,19,21	0.54	0

In the following table, the Chirals column lists the number of chiral outliers, the number of chiral centers analysed, the number of these observed in the model and the number defined in the

Chemical Component Dictionary. Similar counts are reported in the Torsion and Rings columns. '-' means no outliers of that kind were identified.

Mol	Type	Chain	Res	Link	Chirals	Torsions	Rings
11	NAG	B	2004	2	-	0/6/23/26	0/1/1/1
12	IR7	D	2005	10	-	0/17/38/38	0/3/3/3
11	NAG	D	2004	2	-	1/6/23/26	0/1/1/1
12	IR7	B	2005	10	-	0/17/38/38	0/3/3/3

All (18) bond length outliers are listed below:

Mol	Chain	Res	Type	Atoms	Z	Observed(Å)	Ideal(Å)
12	B	2005	IR7	C07-N08	7.04	1.43	1.34
12	D	2005	IR7	C07-N08	6.60	1.43	1.34
12	B	2005	IR7	C16-C15	3.90	1.55	1.49
12	D	2005	IR7	C16-C15	3.32	1.54	1.49
12	D	2005	IR7	C12-N01	-3.31	1.41	1.47
12	B	2005	IR7	C12-N01	-3.31	1.41	1.47
12	B	2005	IR7	C18-C19	2.82	1.43	1.38
12	D	2005	IR7	C18-C19	2.66	1.43	1.38
12	B	2005	IR7	C18-C16	2.66	1.43	1.39
12	B	2005	IR7	C21-C22	2.65	1.43	1.38
12	D	2005	IR7	C18-C16	2.54	1.43	1.39
12	D	2005	IR7	C21-C22	2.45	1.42	1.38
12	D	2005	IR7	C04-N01	-2.44	1.41	1.47
12	B	2005	IR7	C04-N01	-2.35	1.42	1.47
12	B	2005	IR7	C21-C20	2.09	1.42	1.38
12	D	2005	IR7	C10-N08	-2.06	1.43	1.47
12	D	2005	IR7	C21-C20	2.03	1.42	1.38
12	B	2005	IR7	C10-N08	-2.01	1.43	1.47

All (12) bond angle outliers are listed below:

Mol	Chain	Res	Type	Atoms	Z	Observed(°)	Ideal(°)
12	D	2005	IR7	C07-C04-N01	-4.73	101.41	112.42
12	B	2005	IR7	O13-C07-N08	-4.00	118.68	122.77
12	B	2005	IR7	C07-C04-N01	-3.98	103.15	112.42
12	D	2005	IR7	O26-C25-O27	3.97	133.55	123.33
12	B	2005	IR7	O26-C25-O27	3.92	133.42	123.33
12	D	2005	IR7	O13-C07-N08	-3.61	119.08	122.77
12	B	2005	IR7	C04-C07-N08	3.09	122.74	118.20
12	D	2005	IR7	C12-N01-C05	-2.72	105.87	112.79
12	B	2005	IR7	C10-N08-C07	-2.42	121.04	123.60
12	B	2005	IR7	C12-N01-C05	-2.35	106.80	112.79

Continued on next page...

Continued from previous page...

Mol	Chain	Res	Type	Atoms	Z	Observed(°)	Ideal(°)
12	D	2005	IR7	C04-C07-N08	2.31	121.58	118.20
12	D	2005	IR7	O23-C24-C25	-2.09	103.52	110.40

There are no chirality outliers.

All (1) torsion outliers are listed below:


Mol	Chain	Res	Type	Atoms
11	D	2004	NAG	O5-C5-C6-O6


There are no ring outliers.

2 monomers are involved in 2 short contacts:

Mol	Chain	Res	Type	Clashes	Symm-Clashes
12	D	2005	IR7	1	0
9	A	505	SO4	1	0

The following is a two-dimensional graphical depiction of Mogul quality analysis of bond lengths, bond angles, torsion angles, and ring geometry for all instances of the Ligand of Interest. In addition, ligands with molecular weight > 250 and outliers as shown on the validation Tables will also be included. For torsion angles, if less than 5% of the Mogul distribution of torsion angles is within 10 degrees of the torsion angle in question, then that torsion angle is considered an outlier. Any bond that is central to one or more torsion angles identified as an outlier by Mogul will be highlighted in the graph. For rings, the root-mean-square deviation (RMSD) between the ring in question and similar rings identified by Mogul is calculated over all ring torsion angles. If the average RMSD is greater than 60 degrees and the minimal RMSD between the ring in question and any Mogul-identified rings is also greater than 60 degrees, then that ring is considered an outlier. The outliers are highlighted in purple. The color gray indicates Mogul did not find sufficient equivalents in the CSD to analyse the geometry.





5.7 Other polymers [\(i\)](#)

There are no such residues in this entry.

5.8 Polymer linkage issues [\(i\)](#)

The following chains have linkage breaks:

Mol	Chain	Number of breaks
3	H	1

All chain breaks are listed below:

Model	Chain	Residue-1	Atom-1	Residue-2	Atom-2	Distance (Å)
1	H	134:CYS	C	138:THR	N	6.87

6 Fit of model and data

6.1 Protein, DNA and RNA chains

In the following table, the column labelled ‘#RSRZ > 2’ contains the number (and percentage) of RSRZ outliers, followed by percent RSRZ outliers for the chain as percentile scores relative to all X-ray entries and entries of similar resolution. The OWAB column contains the minimum, median, 95th percentile and maximum values of the occupancy-weighted average B-factor per residue. The column labelled ‘Q < 0.9’ lists the number of (and percentage) of residues with an average occupancy less than 0.9.

Mol	Chain	Analysed	<RSRZ>	#RSRZ>2	OWAB(Å ²)	Q<0.9
1	A	457/457 (100%)	-0.64	3 (0%) 84 81	15, 28, 53, 113	10 (2%)
1	C	453/457 (99%)	-0.13	6 (1%) 74 70	20, 44, 74, 115	4 (0%)
2	B	466/471 (98%)	0.34	54 (11%) 11 8	14, 55, 142, 187	10 (2%)
2	D	471/471 (100%)	0.49	42 (8%) 17 14	21, 60, 120, 166	8 (1%)
3	E	214/216 (99%)	1.41	45 (21%) 3 2	52, 100, 151, 179	0
3	H	216/216 (100%)	0.86	31 (14%) 7 5	34, 82, 136, 153	0
4	F	214/214 (100%)	1.40	45 (21%) 3 2	56, 100, 180, 208	0
4	L	214/214 (100%)	0.79	14 (6%) 26 21	40, 71, 97, 161	0
All	All	2705/2716 (99%)	0.37	240 (8%) 17 14	14, 58, 139, 208	32 (1%)

All (240) RSRZ outliers are listed below:

Mol	Chain	Res	Type	RSRZ
4	F	133	VAL	5.2
2	D	129[A]	TRP	5.0
2	B	36	PRO	4.9
4	F	116	SER	4.9
4	F	132	VAL	4.8
4	F	117	ILE	4.6
4	F	135	PHE	4.6
3	E	199	ILE	4.4
3	E	130	LEU	4.3
3	E	144	LEU	4.3
3	E	129	PRO	4.2
4	F	179	LEU	4.1
4	F	209	PHE	4.0
4	L	135	PHE	3.9
4	F	118	PHE	3.9
2	D	446[A]	HIS	3.8

Continued on next page...

Continued from previous page...

Mol	Chain	Res	Type	RSRZ
3	E	134	CYS	3.8
3	E	132	PRO	3.8
2	B	25	TRP	3.7
2	D	375	LEU	3.7
4	F	178	THR	3.7
3	H	67	LYS	3.7
3	E	212	VAL	3.7
3	E	214	LYS	3.6
2	B	37	ARG	3.6
2	B	458	GLY	3.6
2	B	10	VAL	3.6
4	F	126	THR	3.6
1	A	457	SER	3.6
3	E	147	LEU	3.6
3	E	133	VAL	3.6
3	H	142	VAL	3.6
2	B	26	CYS	3.5
2	B	466	TRP	3.5
2	B	375	LEU	3.5
4	L	105	GLU	3.4
4	F	115	VAL	3.4
4	F	205	ILE	3.4
2	B	44	LEU	3.4
2	B	39	ASP	3.4
3	E	213	ASP	3.3
2	B	33	LEU	3.3
4	F	119	PRO	3.3
4	F	204	PRO	3.3
4	F	134	CYS	3.3
3	H	189	VAL	3.3
1	C	453	VAL	3.2
3	E	174	ALA	3.2
3	E	216	ILE	3.2
3	E	142	VAL	3.2
2	B	38	CYS	3.1
1	C	336	GLY	3.1
2	D	378	GLU	3.1
2	D	44	LEU	3.1
3	H	198	SER	3.0
4	F	186	TYR	3.0
2	B	4	ILE	3.0
2	B	11	SER	3.0

Continued on next page...

Continued from previous page...

Mol	Chain	Res	Type	RSRZ
3	E	165	LEU	3.0
4	F	159	VAL	3.0
3	H	194	TRP	3.0
3	E	131	ALA	3.0
2	D	2	PRO	2.9
4	F	160	LEU	2.9
3	H	87	THR	2.9
4	F	207	LYS	2.9
3	E	189	VAL	2.9
2	D	450	ASN	2.9
2	B	45	LEU	2.9
2	D	22	MET	2.9
2	D	404	ARG	2.9
4	F	125	LEU	2.9
4	F	177	SER	2.9
3	E	204	ALA	2.9
2	D	4	ILE	2.8
3	E	183	LEU	2.8
1	C	339	ALA	2.8
4	F	181	LEU	2.8
3	H	134	CYS	2.7
4	F	176	SER	2.7
4	F	196	ALA	2.7
2	B	46	LYS	2.7
3	H	217	GLU	2.7
4	F	146	VAL	2.7
2	D	72	LYS	2.7
3	E	120	ALA	2.7
2	B	56	PHE	2.7
3	E	167	SER	2.7
1	C	1	LEU	2.7
2	B	447	ARG	2.7
2	B	19	VAL	2.7
3	E	153	PRO	2.7
3	H	144	LEU	2.7
3	H	188	THR	2.7
2	B	178	TYR	2.7
3	E	176	LEU	2.7
2	D	77	SER	2.7
2	B	17	LEU	2.6
4	F	130	ALA	2.6
4	F	180	THR	2.6

Continued on next page...

Continued from previous page...

Mol	Chain	Res	Type	RSRZ
2	B	435	CYS	2.6
2	D	391	ILE	2.6
2	B	2	PRO	2.6
2	B	436	ALA	2.6
2	B	465	GLY	2.6
3	E	145	GLY	2.6
2	D	471	CYS	2.6
3	H	196	SER	2.6
4	F	208	SER	2.6
3	E	217	GLU	2.6
2	B	31	LEU	2.6
2	D	45	LEU	2.6
2	D	383	LEU	2.6
2	B	78	SER	2.6
2	D	78	SER	2.6
2	B	41	LYS	2.6
2	B	52	GLU	2.6
3	H	195	PRO	2.6
3	E	211	LYS	2.5
4	F	214	CYS	2.5
2	B	57	PRO	2.5
4	L	166	GLN	2.5
2	B	446	HIS	2.5
3	H	141	SER	2.5
3	H	186	SER	2.5
3	H	201	CYS	2.5
4	L	214	CYS	2.5
3	H	177	GLN	2.5
3	E	194	TRP	2.5
3	H	160	TRP	2.5
4	F	163	TRP	2.5
3	E	184	SER	2.5
2	B	40	LEU	2.5
3	E	11	LEU	2.5
2	B	94	PRO	2.5
4	L	113	PRO	2.5
4	F	175	MET	2.5
3	E	168	GLY	2.5
3	E	210	THR	2.5
4	F	194	CYS	2.5
2	B	50	ALA	2.5
2	B	129	TRP	2.4

Continued on next page...

Continued from previous page...

Mol	Chain	Res	Type	RSRZ
2	D	25	TRP	2.4
4	F	148	TRP	2.4
4	F	174	SER	2.4
3	E	121	LYS	2.4
4	L	207	LYS	2.4
2	B	30	ALA	2.4
3	E	128	TYR	2.4
4	F	144	ILE	2.4
3	H	138	THR	2.4
3	H	218	PRO	2.4
2	B	439	ALA	2.4
3	H	157	THR	2.4
2	B	181	LYS	2.4
2	D	178	TYR	2.4
3	E	143	THR	2.4
3	E	200	THR	2.4
4	F	197	THR	2.4
2	D	51	PRO	2.4
4	F	192	TYR	2.4
2	B	43	ASN	2.4
2	B	406	CYS	2.4
2	D	56	PHE	2.3
4	L	118	PHE	2.3
2	B	27	SER	2.3
3	H	131	ALA	2.3
3	E	20	LEU	2.3
2	D	42	GLU	2.3
3	E	149	LYS	2.3
4	F	113	PRO	2.3
3	H	197	GLN	2.3
3	H	199	ILE	2.3
2	B	24	ALA	2.3
1	C	335	ARG	2.3
2	D	372	ALA	2.3
2	B	12	SER	2.3
3	H	178	SER	2.3
2	D	394	THR	2.3
4	L	190	ASN	2.3
2	D	49	CYS	2.3
3	E	127	VAL	2.3
2	D	50	ALA	2.3
3	H	207	ALA	2.3

Continued on next page...

Continued from previous page...

Mol	Chain	Res	Type	RSRZ
4	L	173	TYR	2.2
2	B	448	CYS	2.2
3	E	201	CYS	2.2
2	B	107	VAL	2.2
2	D	1	GLY	2.2
4	F	136	LEU	2.2
2	D	469	SER	2.2
3	E	141	SER	2.2
3	H	119	SER	2.2
2	D	36	PRO	2.2
2	D	26	CYS	2.2
2	B	22	MET	2.2
2	D	146	THR	2.2
4	L	212	ASN	2.2
2	B	63	VAL	2.2
3	E	148	VAL	2.2
3	E	187	VAL	2.2
4	F	150	ILE	2.2
2	D	144	LYS	2.2
2	D	33	LEU	2.2
3	H	185	SER	2.2
3	H	208	SER	2.2
3	H	116	THR	2.2
4	L	136	LEU	2.2
1	A	45	PRO	2.1
4	F	190	ASN	2.1
2	B	462	CYS	2.1
2	D	143	ARG	2.1
3	E	195	PRO	2.1
3	H	155	PRO	2.1
4	L	213	GLU	2.1
3	E	162	SER	2.1
2	D	105	ARG	2.1
4	F	111	ALA	2.1
2	B	460	CYS	2.1
4	F	120	PRO	2.1
4	L	137	ASN	2.1
4	L	165	ASP	2.1
2	D	67	ARG	2.1
2	B	13	CYS	2.1
1	A	337	PRO	2.1
2	B	32	PRO	2.1

Continued on next page...

Continued from previous page...

Mol	Chain	Res	Type	RSRZ
1	C	340	LEU	2.1
2	D	467	LEU	2.1
2	D	39	ASP	2.1
3	E	124	ALA	2.1
4	F	189	HIS	2.0
4	F	182	THR	2.0
2	D	82	GLN	2.0
3	H	130	LEU	2.0
2	D	75	GLY	2.0
2	B	23	CYS	2.0
2	D	7	THR	2.0
2	B	35	SER	2.0
2	B	74	SER	2.0
2	D	148	ASN	2.0

6.2 Non-standard residues in protein, DNA, RNA chains [i](#)

There are no non-standard protein/DNA/RNA residues in this entry.

6.3 Carbohydrates [i](#)

SUGAR-RSR INFOmissingINFO

6.4 Ligands [i](#)

In the following table, the Atoms column lists the number of modelled atoms in the group and the number defined in the chemical component dictionary. The B-factors column lists the minimum, median, 95th percentile and maximum values of B factors of atoms in the group. The column labelled 'Q< 0.9' lists the number of atoms with occupancy less than 0.9.


Mol	Type	Chain	Res	Atoms	RSCC	RSR	B-factors(Å ²)	Q<0.9
11	NAG	D	2004	14/15	0.60	0.18	85,95,102,104	0
9	SO4	C	506	5/5	0.64	0.15	126,127,128,128	0
11	NAG	B	2004	14/15	0.65	0.15	89,100,104,105	0
9	SO4	C	505	5/5	0.78	0.23	111,114,116,118	0
9	SO4	A	505	5/5	0.86	0.20	113,114,115,117	0
9	SO4	A	506	5/5	0.87	0.15	93,98,100,101	0
9	SO4	A	507	5/5	0.89	0.16	89,91,95,96	0
8	CA	C	504	1/1	0.96	0.05	51,51,51,51	0
8	CA	B	2002	1/1	0.96	0.07	70,70,70,70	0


Continued on next page...

Continued from previous page...

Mol	Type	Chain	Res	Atoms	RSCC	RSR	B-factors(\AA^2)	Q<0.9
12	IR7	D	2005	27/27	0.96	0.08	23,42,50,52	0
8	CA	C	501	1/1	0.97	0.05	70,70,70,70	0
8	CA	C	502	1/1	0.97	0.05	54,54,54,54	0
8	CA	A	502	1/1	0.97	0.04	29,29,29,29	0
12	IR7	B	2005	27/27	0.97	0.07	19,30,42,46	0
8	CA	D	2002	1/1	0.97	0.04	57,57,57,57	0
8	CA	C	503	1/1	0.98	0.03	44,44,44,44	0
8	CA	A	504	1/1	0.98	0.02	24,24,24,24	0
10	MG	B	2001	1/1	0.98	0.11	21,21,21,21	0
10	MG	D	2001	1/1	0.98	0.10	33,33,33,33	0
8	CA	D	2003	1/1	0.99	0.03	34,34,34,34	0
8	CA	A	503	1/1	0.99	0.03	24,24,24,24	0
8	CA	A	501	1/1	0.99	0.03	37,37,37,37	0
8	CA	B	2003	1/1	1.00	0.02	19,19,19,19	0

The following is a graphical depiction of the model fit to experimental electron density of all instances of the Ligand of Interest. In addition, ligands with molecular weight > 250 and outliers as shown on the geometry validation Tables will also be included. Each fit is shown from different orientation to approximate a three-dimensional view.





6.5 Other polymers [i](#)

There are no such residues in this entry.